BEHR

MASTER ARCHITECTURAL PAINTING SPECIFICATION

09 90 00 Painting & Coating

The BEHR® Architectural Coatings specified here comply with LEED BD+C: v4 and LEED v4.1 Low Emitting Materials criteria for Paints and Coatings, qualifying them for all levels of LEED v4.1 Certification. Most BEHR Products meet or exceed Master Painter's Institute (MPI) standards, with several achieving MPI Extreme Green™ ("X-Green") certification. Additionally, they comply with VOC content limits set by the South Coast Air Quality Management District's Architectural Rule 1113.

Most BEHR Architectural Coatings are GREENGUARD® Gold certified* and comply with UL 2818 - 2022 Gold Standard for Chemical Emissions for Building Materials, Finishes, and Furnishings. Certificates of Compliance, along with Environmental and Health Product Declarations, are available at behrpro.com.

*GREENGUARD is a registered trademark of UL LLC. For more information, visit ul.com/gg. Certificates can be found on: spot.ul.com. See usgbc.org/LEED for details.

Brady Architectural Photography

Photo by

ATOMOSPHERE San Diego, CA JWDA Architects

1.

PART 1 - GENERAL

1.01 SUMMARY

Work includes furnishing of materials and equipment, preparation of surfaces, and completion of painting and finishing of surfaces as required by Drawings and specified herein.

1.02 RELATED WORK

- A. Factory, pre-finished items as specified in various sections
- B. Shop painting specified in respective sections
- C. Architectural woodworking
- D. Surfaces not to be painted:
 - 1. Pre-finished wall, ceiling and floor coverings
 - 2. Items with factory-applied final finish
 - 3. Concealed ducts, pipes and conduit
 - 4. Surfaces specifically scheduled or noted on Drawings not to be painted

1.03 SUBMITTALS

- A. Product data:
 - 1. Not less than thirty (30) days before beginning work, submit a complete list of materials proposed for use, together with manufacturer's specifications.
 - 2. Paint materials and products shall be subject to Architect's approval.
- B. Color samples:
 - 1. Prepare color and finishes on samples, 8-1/2" x 11" in size.
 - 2. Submit samples as requested until the required sheen, color and texture is achieved.
 - 3. Prepare wood samples on type and quality of wood specified for use on project.
 - 4. Label and identify each sample as to location and application.

1.04 COLORS

- A. Colors are to be selected or approved by Architect and actual color chips shall be supplied to Contractor for matching. All undercoats shall be tinted to approximately half the color of the finish coat.
- B. Approval of final colors: Do not apply final coat of paint until colors have been approved by Architect.
- C. The number of colors to be used shall be as determined by the Architect. Architect reserves the right to vary colors throughout the project.

1.05 DELIVERY, STORAGE AND HANDLING

- A. Deliver paint materials in sealed original-labeled containers bearing manufacturer's name, type of paint, stock number, color and instructions for reducing or mixing, where applicable.
- B. Paint materials and equipment:
 - 1. Store only acceptable project materials on site.
 - 2. Store in a suitable location.
 - 3. Restrict storage to paint materials and related materials.
 - 4. Comply with health and fire regulations.

1.06 PROJECT CONDITIONS

- A. Comply with manufacturer's recommendations as to environmental conditions under which coatings and coating systems can be applied. Do not apply paint or coatings when temperature is below 50°F. Do not apply exterior paint in damp or rainy weather; ensure that the surface has dried thoroughly before proceeding. Surface temperature must be at least 5°F above dew point before painting.
- B. Do not apply finish in areas where dust or contaminants are being generated.
- C. Use low odor, low VOC products to minimize impact on indoor environmental air quality.

PART 2 - PRODUCTS

2.01 MATERIALS

- A. Products specified are manufactured by Behr Paint Company, Santa Ana, California 92705. Other manufacturers conform to materials listed and approved by Architect.
- B. Materials selected for coating systems for each type of surface shall be the product of a single manufacturer.
- C. Do not thin finish coats without the manufacturer's approval.
- D. Unsuitability of specified products: Claims concerning the unsuitability of any material specified or inability to satisfactorily produce the work will not be entertained, unless such claim is made in writing to the Architect before work is started.
- E. The number of coats scheduled is minimum. Apply additional coats at no additional cost if necessary to completely hide base materials, produce uniform color, and provide satisfactory finish result.
- F. Submitted paints and coatings comply with air-quality regulations and established VOC content limits of South Coast AQMD Architectural Rule 1113.

PART 3 - EXECUTION

3.01 EXAMINATION

- A. Examine surfaces scheduled to receive paint and finishes for conditions that will adversely affect execution, permanence or quality of work and which cannot be put into acceptable condition through preparatory work as included in Article 3.02 "Preparation ". Notify the Owner's Representative in writing of any defects or conditions which will prevent a satisfactory installation.
- B. Examine surfaces scheduled to be finished prior to commencement of work. Report any condition that may potentially affect proper application.
- C. Maximum Moisture Content of Substrates: When measured with an electronic moisture meter as follows;
 - a. Concrete: 12 percent
 - b. Portland Cement Plaster and Stucco: 12 percent
 - c. Masonry (Clay and CMU): 12 percent
 - d. Wood: 15 percent
 - e. Gypsum Board: 12 percent
- D. Portland Cement Plaster Substrates: Verify that plaster is fully cured.
- E. Verify suitability of substrates, including surface conditions and compatibility with existing finishes and primers.

- F. Proceed with surface preparation and coating application only after unsatisfactory conditions have been corrected.
 - 1. Application of coating is construed as acceptance of surfaces and conditions.

3.02 PREPARATION

- A. Clean surfaces to receive paint thoroughly of substances, which could impair adhesion of paints, including dust, dirt, oil and grease before application of any coatings. Prepare surfaces as follows:
 - 1. WOOD SUBSTRATES: Remove mill glaze and dust, sand smooth. Fill open joints, cracks, nail holes and other pits or depressions flush and smooth with wood filler after priming. Use wood putty to match the finish paint coat. Touch up knots or sap streaks with a stain-blocking sealer before priming.
 - 2. CONCRETE, PRE-CAST CONCRETE, TILT-UP: Remove release agents, curing compounds, loose particles, efflorescence and chalk. Do not coat surfaces if moisture content or alkalinity of surface to be coated exceeds that permitted in the manufacturer's written instructions. Prime with an alkali-resistant primer.
 - 3. PLASTER and STUCCO SUBSTRATES: Fill hairline cracks, small holes and imperfections on surfaces with patching compound. Smooth off to match adjacent surfaces. Apply an alkali-resistant primer or wash with fresh water and neutralize high alkalinity surfaces where they occur.
 - 4. MASONRY SUBSTRATES: Remove efflorescence and chalk. Do not coat surfaces if moisture content or alkalinity of surface to be coated exceeds that permitted in the manufacturer's written instructions. Prime with an alkali-resistant primer.
 - 5. SHOP-PRIMED STEEL SUBSTRATES: Solvent clean according to SSPC-SP1. Remove loose primer and rust, contaminants and foreign matter. Prime bare steel and touch up abrasions with a ferrous metal primer.
 - 6. STEEL, FERROUS METAL SUBSTRATES: Remove rust, mill scale, foreign substances and shop primer. Clean according to SSPC-SP3, "Power Tool Cleaning", or abrasive blasting cleaning according to SSPC-SP6 "Commercial Blast Cleaning" as required. Protect surface from corrosion until application of primer.
 - GALVANIZED METAL: Remove oils, passivators and clean entire surface with an appropriate solvent. Pre-treat with a phosphoric acid etching solution to promote adhesion of subsequently applied coatings.
 - 8. PHOSPHATIZED METAL or GALVANNEALED METAL shall not be chemically etched. Clean and apply suitable metal primer.
 - 9. ALUMINUM SUBSTRATES: Solvent clean according to SSPC-SP1. Remove loose surface oxidation.
 - 10. GYPSUM BOARD SUBSTRATES: Remove dust and foreign matter. Fill pits flush and smooth with joint compound and where required, apply skim coat to provide the required finishing level based on GA-214-96, Recommended Levels of Gypsum Board Finish before application of decoration.
- B. Surfaces, which cannot be prepared or painted as specified, shall be immediately brought to the attention of Architect in writing.
 - 1. Starting work without such notification will be considered acceptance by the Contractor of surfaces involved.
 - 2. Replace unsatisfactory work caused by improper or defective surfaces as directed by Architect at no additional cost to Owner.

3.03 APPLICATION

- A. Do not apply initial coating until moisture content of surface is within limitations recommended by paint manufacturer.
- B. Application:
 - 1. Apply paint with suitable brushes, rollers or spraying equipment.
 - 2. Apply stain in accordance with manufacturer's recommendations.
 - 3. Rate of application shall not exceed that as recommended by paint manufacturer for surface involved.
- C. Comply with recommendations of product manufacturer for drying time between succeeding coats.
- D. Leave parts of molding and ornaments clean and true to details with no undue amount of paint in corners and depressions.
- E. Make edges of paint adjoining other material or color clean and sharp with no overlapping.
- F. Refinish whole wall where portion of finish is not acceptable.
- G. Apply materials evenly with appropriate film thickness and free of runs, sags, skips and other defects. Hard, glossy finishes shall be sanded lightly between coats, dusted and cleaned before recoating.
- H. Remove hardware, hardware accessories, plates, lighting fixtures and similar items in place prior to painting, and replace upon completion of each space.
- I. Disconnect heating and other equipment adjacent to walls using workers skilled in appropriate trades and move to permit wall surfaces to be painted. Following completion of painting, they shall be expertly replaced and reconnected.
- J. Paint visible surfaces behind vents, registers or grilles flat black.
 - 1. Wash exposed metal with solvent, then prime and paint as scheduled.
 - 2. Spray paint wherever practical.
- K. Do not paint over Underwriters' labels, fusible links or sprinkler heads.
- L. EXPOSED PLUMBING AND MECHANICAL ITEMS: Items without factory finish such as conduits, pipes, access panels and items of similar nature shall be finished to match adjacent wall and ceiling surfaces unless otherwise directed.

3.04 CLEANUP

Upon completion of work, remove equipment, excess material and debris. Remove paint splatter and leave area in a neat and orderly condition.

3.05 PROTECTION

- A. Protect work of other trades, whether to be painted or not, against damage by painting. Correct damage by cleaning, repairing or replacing and repainting, as acceptable to Architect.
- B. Provide "wet paint" signs to protect newly painted finishes. Remove temporary protective wrappings provided by others for protection of their work after completion of painting operations.
 - 1. At completion of construction activities of other trades, touch up and restore damaged or defaced painted surfaces.

3.06 FINISH SCHEDULE

- A. Finish surfaces in accordance with schedule. Catalog names and numbers refer to products as manufactured or distributed by the Behr Paint Company, Santa Ana, California 92705, except as otherwise specified by Architect.
- B. Provide paint finishes of even, uniform color, free from cloudy or mottled appearance. Properly correct non-complying work to satisfaction of Owner's representative and representative of the Behr Paint Company.
- C. Some colors, especially accent colors, may require multiple finish coats for adequate coverage and opacity.
- D. The specified number of primer and finish coats is minimum acceptable. If full coverage and opacity is not obtained with a specified number of coats, apply additional coats as necessary to produce the required finish.
- E. Application Finish Schedule:

EXTERIOR PAINT SCHEDULE:

1.	CEMENT PL/	ASTER and STUCCO
	<u>Flat – Premiu</u>	<u>m, 100% Acrylic</u> :
	Primer:	BEHR PRO® Concrete & Masonry Primer (PR060)
	Two Coats:	BEHR PREMIUM PLUS [®] Exterior Flat Paint (4050)

Satin – Premium, 100% Acrylic:

Primer: BEHR PRO® Concrete & Masonry Primer (PR060) Two Coats: BEHR PREMIUM PLUS® Exterior Satin Enamel Paint (9050)

Flat – Professional, 100% Acrylic:

Primer:BEHR PRO® Concrete & Masonry Primer (PR060)Two Coats:BEHR PRO® e600 Exterior Flat Paint (PR610)

Satin – Professional, 100% Acrylic:

Primer: BEHR PRO® Concrete & Masonry Primer (PR060) Two Coats: BEHR PRO® e600 Exterior Satin Paint (PR640)

Semi-Gloss – Professional, 100% Acrylic:Primer:BEHR PRO® Concrete & Masonry Primer (PR060)Two Coats:BEHR PRO® e600 Exterior Semi-Gloss Paint (PR670)

- CEMENT PLASTER and STUCCO <u>Flat – Premium High Build Coating, 100% Acrylic:</u> Primer: BEHR PRO® Concrete & Masonry Primer (PR060) Two Coats: BEHR PREMIUM[®] Exterior High Build Coating (4700)
- CONCRETE, CEMENT PLASTER, STUCCO, MASONRY and BRICK <u>Flat-Premium Elastomeric, 100% Acrylic:</u> Primer: BEHR PRO® Concrete & Masonry Primer (PR060) Two Coats: BEHR PREMIUM[®] Elastomeric Masonry, Stucco & Brick Paint (68)

4. CONCRETE, PRE-CAST CONCRETE, CONCRETE TILT-UP and POURED-IN-PLACE CONCRETE

Flat – Premium, 100% Acrylic:

Primer: BEHR PRO® Concrete & Masonry Primer (PR060) Two Coats: BEHR PREMIUM PLUS® Exterior Flat Paint (4050)

Satin – Premium, 100% Acrylic:

Primer: BEHR PRO® Concrete & Masonry Primer (PR060)

Two Coats: BEHR PREMIUM PLUS[®] Exterior Satin Enamel Paint (9050)

<u>Semi-Gloss – Premium, 100% Acrylic:</u>

Primer: BEHR PRO® Concrete & Masonry Primer (PR060) Two Coats: BEHR PREMIUM PLUS® Exterior Semi-Gloss Enamel Paint (5050)

Flat – Professional, 100% Acrylic:

Primer: BEHR PRO® Concrete & Masonry Primer (PR060) Two Coats: BEHR PRO® e600 Exterior Flat Paint (PR610)

Satin - Professional, 100% Acrylic:

Primer:BEHR PRO® Concrete & Masonry Primer (PR060)Two Coats:BEHR PRO® e600 Exterior Satin Paint (PR640)

<u>Semi-Gloss – Professional, 100% Acrylic:</u>

Primer:BEHR PRO® Concrete & Masonry Primer (PR060)Two Coats:BEHR PRO® e600 Exterior Semi-Gloss Paint (PR670)

CONCRETE, CONCRETE TILT-UP, PRECAST CONCRETE <u>Flat – Premium High Build Coating, 100% Acrylic:</u> Primer: BEHR PRO® Concrete & Masonry Primer (PR060) Two Coats: BEHR PREMIUM[®] Exterior High Build Coating (4700)

6. CONCRETE MASONRY UNITS (CMU)

 Flat – Premium, 100% Acrylic:

 Primer:
 BEHR PRO® Block Filler Primer (PR050)

 Two Coats:
 BEHR PREMIUM PLUS® Exterior Flat Paint (4050)

Satin – Premium, 100% Acrylic:

Primer: BEHR PRO® Block Filler Primer (PR050) Two Coats: BEHR PREMIUM PLUS[®] Exterior Satin Enamel Paint (9050)

<u>Semi-Gloss – Premium, 100% Acrylic:</u> Primer: BEHR PRO® Block Filler Primer (PR050) Two Coats: BEHR PREMIUM PLUS[®] Exterior Semi-Gloss Enamel Paint (5050)

Flat – Professional, 100% Acrylic:

Primer: BEHR PRO® Block Filler Primer (PR050)

Two Coats: BEHR PRO® e600 Exterior Flat Paint (PR610)

Satin – Professional, 100% Acrylic:

Primer: BEHR PRO® Block Filler Primer (PR050)

Two Coats: BEHR PRO® e600 Exterior Satin Paint (PR640)

Semi-Gloss – Professional, 100% Acrylic:Primer:BEHR PRO® Block Filler Primer (PR050)Two Coats:BEHR PRO® e600 Exterior Semi-Gloss Paint (PR670)

- CONCRETE MASONRY UNITS (CMU) <u>Flat – Premium High Build Coating, 100% Acrylic:</u> Primer: BEHR PRO® Block Filler Primer (PR050) Two Coats: BEHR PREMIUM[®] Exterior High Build Coating (4700)
- 8. CONCRETE MASONRY UNITS (CMU) <u>Flat– Premium Elastomeric, 100% Acrylic:</u> Primer: BEHR PRO® Block Filler Primer (PR050) Two Coats: BEHR PREMIUM[®] Elastomeric Masonry, Stucco & Brick Paint (68)
- 9. FIBER CEMENT SUBSTRATES
 <u>Flat Premium, 100% Acrylic:</u>
 Primer: BEHR PRO® Concrete & Masonry Primer (PR060)
 Two Coats: BEHR PREMIUM PLUS[®] Exterior Flat Paint (4050)

Satin - Premium, 100% Acrylic:

Primer: BEHR PRO® Concrete & Masonry Primer (PR060) Two Coats: BEHR PREMIUM PLUS® Exterior Satin Enamel Paint (9050)

Flat – Professional, 100% Acrylic:

Primer: BEHR PRO® Concrete & Masonry Primer (PR060) Two Coats: BEHR PRO® e600 Exterior Flat Paint (PR610)

Satin - Professional, 100% Acrylic:

Primer:BEHR PRO® Concrete & Masonry Primer (PR060)Two Coats:BEHR PRO® e600 Exterior Satin Paint (PR640)

Semi-Gloss – Professional, 100% Acrylic:Primer:BEHR PRO® Concrete & Masonry Primer (PR060)Two Coats:BEHR PRO® e600 Exterior Semi-Gloss Paint (PR670)

- CONCRETE Decks, Floors, Walkways, Porches and Patios <u>Low-Lustre – Premium, 100% Acrylic:</u> Primer: BEHR PREMIUM[®] Concrete & Masonry Bonding Primer (880) Two Coats: BEHR PREMIUM[®] Porch & Patio Floor Paint Low-Lustre (6050)
- CONCRETE Decks, Floors, Walkways, Porches and Patios
 <u>Anti-Slip, Textured Low-Lustre Premium, 100% Acrylic:</u>
 Primer: BEHR PREMIUM[®] Concrete & Masonry Bonding Primer (880)
 Two Coats: BEHR PREMIUM[®] Anti-Slip Porch & Patio Floor Paint, Textured Low-Lustre
 (6250)
- 12. CONCRETE Decks, Floors, Walkways, Porches and Patios Gloss – Premium, 100% Acrylic:

Primer:BEHR PREMIUM® Concrete & Masonry Bonding Primer (880)Two Coats:BEHR PREMIUM® Porch & Patio Floor Paint Gloss (6705)

- CONCRETE Horizontal Surfaces, Floors and Porches
 <u>Eggshell (Satin) Premium High-Performance Epoxy/Acrylic</u>
 Primer: BEHR PREMIUM[®] Concrete & Masonry Bonding Primer (880)
 Two Coats: BEHR PREMIUM[®] Self-Priming 1-Part Epoxy Acrylic Concrete & Garage Floor
 Paint (900)
- CONCRETE, Solid Color Coating: Decks, Walkways, Pool Decks, Sidewalks <u>Flat – Premium, 100% Acrylic</u> Two Coats: BEHR PREMIUM ADVANCED DECKOVER[®] Smooth Coating (5000)

<u>Texture – Premium, 100% Acrylic:</u> Two Coats: BEHR PREMIUM ADVANCE DECKOVER[®] Textured Coating (5005)

- CONCRETE, Solid Color Stain <u>Flat – Premium, Siliconized, 100% Acrylic, Water Repellent:</u> Two Coats: BEHR PREMIUM[®] Solid Color Concrete Stain (800)
- CONCRETE, Semi-Transparent Stain <u>Flat – Premium, Siliconized, Styrene Acrylic, Water Repellent:</u> Two Coats: BEHR PREMIUM[®] Semi-Transparent Decorative Concrete Stain (855)
- CONCRETE SEALER: Wet Look (Vertical or Horizontal Substrates) <u>High-Gloss – Premium, Acrylic:</u> Two Coats: BEHR PREMIUM[®] Wet-Look Sealer (985)
- CONCRETE SEALER: Wet Look (Vertical or Horizontal Substrates) <u>Low Lustre – Premium, Acrylic:</u> Two Coats: BEHR PREMIUM[®] Low-Lustre Sealer (986)
- 19. WOOD Opaque Paint Finish

 Flat – Premium, 100% Acrylic:

 Primer:
 BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)

 Two Coats:
 BEHR PREMIUM PLUS® Exterior Flat Paint (4050)

Satin - Premium, 100% Acrylic:

Primer: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436) Two Coats: BEHR PREMIUM PLUS® Exterior Satin Enamel Paint (9050)

<u>Semi-Gloss – Premium, 100% Acrylic:</u>

Primer: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436) Two Coats: BEHR PREMIUM PLUS® Exterior Semi-Gloss Enamel Paint (5050)

<u> High Gloss – Premium, 100% Acrylic:</u>

Primer:	BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)
Two Coats:	BEHR PREMIUM PLUS [®] Interior/Exterior Hi-Gloss Enamel Paint (8150)

Flat – Professional, 100% Acrylic:

Primer:	BEHR [®] Multi-Surface Interior/Exterior Primer & Sealer (436)
Two Coats:	BEHR PRO® e600 Exterior Flat Paint (PR610)

Satin - Professional, 100% Acrylic:

Primer: BEHR [®] Multi-Surface Interior/Exterior Primer & Sealer (436) Two Coats: BEHR PRO® e600 Exterior Satin Paint (PR640)

<u>Semi-Gloss – Professional, 100% Acrylic:</u>

Primer: BEHR[®] Multi-Surface Interior/Exterior Primer & Sealer (436) Two Coats: BEHR PRO® e600 Exterior Semi-Gloss Paint (PR670)

- WOOD Paint Finish, Urethane Alkyd, Low VOC, Water-Reducible Enamel <u>Semi-Gloss – Urethane Alkyd:</u> Primer: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)
 - Two Coats: BEHR PREMIUM® Interior/Exterior Urethane Alkyd Semi-Gloss Enamel (3900)

Satin – Urethane Alkyd:

Primer:BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)Two Coats:BEHR PREMIUM® Interior/Exterior Urethane Alkyd Satin Enamel (7900)

- WOOD Stain Finish Water-Based, Semi-Transparent <u>Semi-Transparent – Premium, 100% Acrylic:</u> Two Coats: BEHR PREMIUM[®] Semi-Transparent Waterproofing Stain & Sealer (5077) (5117 Russet, 5129 Chocolate, 5330 Redwood; 5533 Cedar Naturaltone)
- WOOD Stain Finish Water-Based, Solid Color <u>Flat – Premium, 100% Acrylic:</u> Two Coats: BEHR PREMIUM[®] Solid Color Waterproofing Stain & Sealer (5011) (50117 Russet, 50129 Chocolate, 50330 Redwood, 50533 Cedar Naturaltone)

<u>Smooth – Premium, 100% Acrylic:</u> Two Coats: BEHR PREMIUM Advanced DeckOver[®] Smooth Coating (5000)

<u>Textured – Premium, 100% Acrylic:</u> Two Coats: BEHR PREMIUM Advanced DeckOver[®] Textured Coating (5005)

- 23. WOOD Transparent, Oil Based Natural Finish One Coat: BEHR[®] PREMIUM® Transparent Waterproofing Oil Wood Finish (4500)
- 24. WOOD Semi-Transparent, Oil Based Stain & Sealer One Coat: BEHR[®] PREMIUM® Semi-Transparent Waterproofing Oil Stain & Sealer (4600)
- WOOD Clear Finish, Water-Based Spar Urethane <u>Satin – Clear Urethane</u> Three Coats: BEHR[®] Water-Based Spar Urethane Satin (B8200)

<u>Semi-Gloss – Clear Urethane</u> Three Coats: BEHR[®] Water-Based Spar Urethane Semi-Gloss (B8202)

Gloss – Clear	Urethane
Three Coats:	BEHR [®] Water-Based Spar Urethane Gloss (B8204)

- WOOD Decks, Floors, Walkways, Porches and Patios
 <u>Low-Lustre Premium, 100% Acrylic:</u>

 Primer: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)
 Two Coats: BEHR PREMIUM® Porch & Patio Floor Paint Low-Lustre (6050)
- WOOD Decks, Floors, Walkways, Porches and Patios
 <u>Anti-Slip, Textured Low-Lustre Premium, 100% Acrylic:</u>
 Primer: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)
 Two Coats: BEHR PREMIUM® Anti-Slip Porch & Patio Floor Paint, Textured Low-Lustre
 (6250)
- WOOD Decks, Floors, Walkways, Porches and Patios
 <u>Gloss Premium, 100% Acrylic:</u>
 Primer: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)
 Two Coats: BEHR PREMIUM[®] Porch & Patio Floor Paint Gloss (6705)
- 29. STEEL, FERROUS METAL

Flat - Premium, 100% Acrylic:Primer:BEHR® Interior/Exterior Metal Primer (435)Two Coats:BEHR PREMIUM® Exterior Flat Paint (4050)

 Satin – Premium, 100% Acrylic:

 Primer:
 BEHR® Interior/Exterior Metal Primer (435)

 Two Coats:
 BEHR PREMIUM PLUS® Exterior Satin Enamel Paint (9050)

 Semi-Gloss – Premium, 100% Acrylic

 Primer:
 BEHR® Interior/Exterior Metal Primer (435)

 Two Coats:
 BEHR PREMIUM PLUS® Exterior Semi-Gloss Enamel Paint (5050)

 High Gloss – Premium, 100% Acrylic:
 Primer:

 Primer:
 BEHR PREMIUM PLUS® Exterior Semi-Gloss Enamel Paint (5050)

Two Coats: BEHR PREMIUM PLUS[®] Interior/Exterior Hi-Gloss Enamel Paint (8150)

Flat – Professional, 100% Acrylic:Primer:BEHR® Interior/Exterior Metal Primer (435)Two Coats:BEHR PRO® e600 Exterior Flat Paint (PR610)

Satin – Professional, 100% Acrylic:Primer:BEHR® Interior/Exterior Metal Primer (435)Two Coats:BEHR PRO® e600 Exterior Satin Paint (PR640)

Semi-Gloss – Professional, 100% Acrylic:Primer:BEHR® Interior/Exterior Metal Primer (435)Two Coats:BEHR PRO® e600 Exterior Semi-Gloss Paint (PR670)

30. STEEL, FERROUS METAL – Urethane Alkyd, Low VOC, Water-Reducible Satin – Urethane Alkyd:

	Primer: Two Coats:	BEHR® Interior/Exterior Metal Primer (435) BEHR PREMIUM® Interior/Exterior Urethane Alkyd Satin Enamel (7900)
	Primer:	<u>- Urethane Alkyd:</u> BEHR® Interior/Exterior Metal Primer (435) BEHR PREMIUM® Interior/Exterior Urethane Alkyd Semi-Gloss Enamel (3900)
31.	<u>Eggshell – Pı</u> Primer:	ROUS METAL – Light Industrial Coating, Water-Based <u>remium, Acrylic:</u> BEHR® Interior/Exterior Metal Primer (435) BEHR PREMIUM [®] Interior/Exterior Direct-To-Metal Eggshell Paint (7200)
		<u>- Premium, Acrylic:</u> BEHR® Interior/Exterior Metal Primer (435) BEHR PREMIUM [®] Interior/Exterior Direct-To-Metal Semi-Gloss Paint (3200)
32.	<u>Flat – Premiu</u> Primer:	D METAL <u>ım, 100% Acrylic:</u> BEHR® Interior/Exterior Metal Primer (435) BEHR PREMIUM PLUS [®] Exterior Flat Paint (4050)
	Primer:	<u>ium, 100% Acrylic:</u> BEHR® Interior/Exterior Metal Primer (435) BEHR PREMIUM PLUS [®] Exterior Satin Enamel Paint (9050)
	Primer:	<u>- Premium, 100% Acrylic:</u> BEHR® Interior/Exterior Metal Primer (435) BEHR PREMIUM PLUS [®] Exterior Semi-Gloss Enamel Paint (5050)
	Primer:	<u>Premium, 100% Acrylic:</u> BEHR® Interior/Exterior Metal Primer (435) BEHR PREMIUM PLUS [®] Interior/Exterior Hi-Gloss Enamel Paint (8150)
		<u>sional, 100% Acrylic:</u> BEHR® Interior/Exterior Metal Primer (435) BEHR PRO® e600 Exterior Flat Paint (PR610)
	<u>Satin – Profe</u> Primer: Two Coats:	
	<u>Semi-Gloss -</u> Primer: Two Coats:	<u>- Professional, 100% Acrylic:</u> BEHR® Interior/Exterior Metal Primer (435) BEHR PRO® e600 Exterior Semi-Gloss Paint (PR670)
33.	<u>Satin – Ureth</u> Primer:	D METAL – Urethane Alkyd, Low VOC, Water-Reducible Enamel <u>ane Alkyd:</u> BEHR® Interior/Exterior Metal Primer (435) BEHR PREMIUM® Interior/Exterior Urethane Alkyd Satin Enamel (7900)

		Urethane Alkyd:
	Primer: Two Coats:	BEHR® Interior/Exterior Metal Primer (435) BEHR PREMIUM® Interior/Exterior Urethane Alkyd Semi-Gloss Enamel (3900)
34.		METAL – Light Industrial Coating, Water-Based emium, Acrylic:
		BEHR® Interior/Exterior Metal Primer (435)
	Two Coats:	BEHR PREMIUM [®] Interior/Exterior Direct-To-Metal Eggshell Paint (7200)
		Premium, Acrylic:
	Primer: Two Coats:	BEHR® Interior/Exterior Metal Primer (435) BEHR PREMIUM [®] Interior/Exterior Direct-To-Metal Semi-Gloss Paint (3200)
INTERIOR		DUI F
1.	GYPSUM BO	
		<u>m, 100% Acrylic, Low Odor/Low VOC:</u> BEHR [®] Drywall Plus Interior Drywall Primer & Sealer (73)
		BEHR PREMIUM PLUS [®] Interior Flat Paint (1050)
		emium, 100% Acrylic, Low Odor/Low VOC:
	Primer:	
	Two Coats:	BEHR PREMIUM PLUS [®] Interior Eggshell Enamel Paint (2050)
	Satin – Premi	um, 100% Acrylic, Low Odor/Low VOC:
	Primer:	
	Two Coats:	BEHR PREMIUM PLUS [®] Interior Satin Enamel Paint (7050)
	<u>Semi-Gloss –</u>	Premium, 100% Acrylic, Low Odor/Low VOC:
	Primer:	BEHR® Drywall Plus Interior Drywall Primer & Sealer (73)
	Two Coats:	BEHR PREMIUM PLUS [®] Interior Semi-Gloss Enamel Paint (3050)
	High-Gloss –	Premium, 100% Acrylic, Low Odor/Low VOC:
	Primer:	BEHR® Drywall Plus Interior Drywall Primer & Sealer (73)
	Two Coats:	BEHR PREMIUM PLUS [®] Interior/Exterior Hi-Gloss Enamel Paint (8150)
	Flat – Profess	ional, Latex, Low Odor/Low VOC:
	Primer:	BEHR® Drywall Plus Interior Drywall Primer & Sealer (73)
	Two Coats:	BEHR PRO® i300 Interior Dead Flat Paint (PR310)
	Eggshell – Pro	ofessional, Latex, Low Odor/Low VOC:
	Primer:	BEHR® Drywall Plus Interior Drywall Primer & Sealer (73)
	Two Coats:	BEHR PRO® i300 Interior Eggshell Paint (PR330)
		Professional, Latex, Low Odor/Low VOC:
	Primer:	BEHR® Drywall Plus Interior Primer & Sealer (73)
	Two Coats:	BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

 GYPSUM BOARD – High Performance Architectural Latex Finish <u>Flat – High Performance, 100% Acrylic, Low Odor/Low VOC:</u> Primer: BEHR[®] Drywall Plus Interior Drywall Primer & Sealer (73) Two Coats: BEHR ULTRA® Interior Extra Durable Flat Paint (1720)

Eggshell – High Performance, 100% Acrylic, Low Odor/Low VOC:Primer:BEHR® Drywall Plus Interior Drywall Primer & Sealer (73)Two Coats:BEHR ULTRA® Interior Eggshell Enamel (2750)

Semi-Gloss – High Performance, 100% Acrylic, Low Odor/Low VOC:Primer:BEHR® Drywall Plus Interior Drywall Primer & Sealer (73)Two Coats:BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

 GYPSUM BOARD – High Performance Epoxy-Modified Latex Finish <u>Eggshell – High Performance Waterborne Epoxy, Low VOC Coating:</u> Primer: BEHR[®] Drywall Plus Interior Drywall Primer & Sealer (73) Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

Semi-Gloss – High Performance Waterborne Epoxy, Low VOC CoatingPrimer:BEHR® Drywall Plus Interior Drywall Primer & Sealer (73)Two Coats:BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

 GYPSUM BOARD - Urethane Alkyd, Low VOC, Water-Reducible Enamel <u>Satin – Urethane Alkyd:</u> Primer: BEHR® Drywall Plus Interior Drywall Primer & Sealer (73) Two Coats: BEHR PREMIUM® Interior/Exterior Urethane Alkyd Satin Enamel (7900)

Semi-Gloss – Urethane Alkyd:

Primer: BEHR® Drywall Plus Interior Drywall Primer & Sealer (73) Two Coats: BEHR PREMIUM® Interior/Exterior Urethane Alkyd Semi-Gloss Enamel (3900)

5. GYPSUM BOARD – CEILINGS

-	Flat – Profess	sional, , Low VOC:
	Primer:	BEHR® Drywall Plus Interior Drywall Primer & Sealer (73)
	Two Coats:	BEHR PRO® i300 Interior Dead Flat Paint (PR310)

- GYPSUM BOARD DRY FALL COATING (Spray Applied) <u>Flat – Professional, 100% Acrylic, Low VOC:</u> Two Coats: BEHR PRO® HPC Waterborne Acrylic Dryfall Paint White (HP210) Black (HP211)
- CONCRETE, CONCRETE PRE-CAST, PLASTER and MASONRY <u>Flat – Premium, 100% Acrylic, Low Odor/Low VOC:</u> Primer: BEHR PRO® Concrete & Masonry Primer (PR060) Two Coats: BEHR PREMIUM PLUS[®] Interior Flat Paint (1050)

Eggshell – Premium, 100% Acrylic, Low Odor/Low VOC:Primer:BEHR PRO® Concrete & Masonry Primer (PR060)Two Coats:BEHR PREMIUM PLUS® Interior Eggshell Enamel Paint (2050)

		um, 100% Acrylic, Low Odor/Low VOC:
	Primer:	BEHR PRO® Concrete & Masonry Primer (PR060)
	Two Coats:	BEHR PREMIUM PLUS [®] Interior Satin Enamel Paint (7050)
		Premium, 100% Acrylic, Low Odor/Low VOC:
	Primer:	
	Two Coats:	BEHR PREMIUM PLUS [®] Interior Semi-Gloss Enamel Paint (3050)
		Premium, 100% Acrylic, Low Odor/Low VOC:
	Primer:	BEHR PRO® Concrete & Masonry Primer (PR060)
	Two Coats:	BEHR PREMIUM PLUS [®] Interior/Exterior Hi-Gloss Enamel Paint (8150)
	Flat – Profess	sional, Latex, Low Odor/Low VOC:
	Primer:	
	Two Coats:	
	Eggshell – Pre	ofessional, Latex, Low Odor/Low VOC:
	Primer:	
	Two Coats:	BEHR PRO® i300 Interior Eggshell Paint (PR330)
	<u>Semi-Gloss –</u>	Professional, Latex, Low Odor/Low VOC:
	Primer:	BEHR PRO® Concrete & Masonry Primer (PR060)
	Two Coats:	BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)
	CONCRETE	PLASTER AND MASONRY – High Performance Architectural Latex Finish
•		erformance, 100% Acrylic, Low Odor/Low VOC:
		BEHR PRO® Concrete & Masonry Primer (PR060)
		BEHR ULTRA® Interior Extra Durable Flat Paint (1720)
	Two Coats.	
	Eaashell — Hi	<u>gh Performance, 100% Acrylic, Low Odor/Low VOC:</u>
	Primer:	BEHR PRO® Concrete & Masonry Primer (PR060)
		BEHR ULTRA® Interior Eggshell Enamel (2750)
		(
	Semi-Gloss –	High Performance, 100% Acrylic, Low Odor/Low VOC:
	Primer:	BEHR PRO® Concrete & Masonry Primer (PR060)
	Two Coats:	BEHR ULTRA® Interior Semi-Gloss Enamel (3750)
•		PLASTER and MASONRY – High Performance Epoxy-Modified Latex Finish
		gh Performance Waterborne Epoxy, Low VOC Coating:
	Primer:	BEHR PRO® Concrete & Masonry Primer (PR060)
	Two Coats:	BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)
	Sami Class	High Berfermenze Waterberge Energy Lew VOC Cepting:
	<u>Semi-Gloss –</u> Primer:	High Performance Waterborne Epoxy, Low VOC Coating:
		BEHR PRO® Concrete & Masonry Primer (PR060)
	Two Coats:	BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)
	CONCRETE	Decks, Floors, Walkways, Porches and Patios
		Premium, 100% Acrylic:

8.

9.

10.

Primer: BEHR PREMIUM[®] Concrete & Masonry Bonding Primer (880)

	Two Coats:	BEHR PREMIUM® Porch & Patio Floor Paint Low-Lustre (6050)
11.	Gloss – Prem	Decks, Floors, Walkways, Porches and Patios <u>ium, 100% Acrylic:</u> BEHR PREMIUM [®] Concrete & Masonry Bonding Primer (880) BEHR PREMIUM [®] Porch & Patio Floor Paint Gloss (6705)
12.	<u>Flat – Premiu</u> Primer:	MASONRY UNITS (CMU) <u>m, 100% Acrylic, Low Odor/Low VOC:</u> BEHR PRO® Block Filler Primer (PR050) BEHR PREMIUM PLUS [®] Interior Flat Paint (1050)
	Primer:	<u>emium, 100% Acrylic, Low odor/Low VOC:</u> BEHR PRO® Block Filler Primer (PR050) BEHR PREMIUM PLUS [®] Interior Eggshell Enamel Paint (2050)
	Primer:	<u>um, 100% Acrylic, Low Odor/Low VOC:</u> BEHR PRO® Block Filler Primer (PR050) BEHR PREMIUM PLUS [®] Interior Satin Enamel Paint (7050)
	Primer:	Premium, 100% Acrylic, Low Odor/Low VOC: BEHR PRO® Block Filler Primer (PR050) BEHR PREMIUM PLUS [®] Interior Semi-Gloss Enamel Paint (3050)
	Primer:	<u>sional, Latex, Low Odor/Low VOC</u> BEHR PRO® Block Filler Primer (PR050) BEHR PRO® i300 Interior Dead Flat Paint (PR310)
	Primer:	<u>ofessional, Latex, Low Odor/Low VOC:</u> BEHR PRO® Block Filler Primer (PR050) BEHR PRO® i300 Interior Eggshell Paint (PR330)
		Professional, Latex, Low Odor/Low VOC: BEHR PRO® Block Filler Primer (PR050) BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)
13.	<u>Flat – High Pe</u> Primer:	MASONRY UNITS (CMU) – High Performance Architectural Latex Finish erformance, 100% Acrylic, Low Odor/Low VOC: BEHR PRO® Block Filler Primer (PR050) BEHR ULTRA® Interior Extra Durable Flat Paint (1720)
	<u>Eggshell – Hiq</u> Primer: Two Coats:	<u>gh Performance, 100% Acrylic, Low Odor/Low VOC:</u> BEHR PRO® Block Filler Primer (PR050) BEHR ULTRA® Interior Eggshell Enamel (2750)
	<u>Semi-Gloss –</u> Primer: Two Coats:	<u>High Performance, 100% Acrylic, Low Odor/Low VOC:</u> BEHR PRO® Block Filler Primer (PR050) BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

14.	CONCRETE Finish	MASONRY UNITS (CMU) – High Performance Coating Epoxy-Modified Latex
	Eggshell – Hi	gh Performance Waterborne Epoxy, Low VOC Coating:
		BEHR PRO® Block Filler Primer (PR050)
		BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)
		DEFINITING The Oddalyzed Waterboline Epoxy Eggshell (III 140)
	Sami Class	High Derformance Materborne Energy Law VOC Conting
		High Performance Waterborne Epoxy, Low VOC Coating:
		BEHR PRO® Block Filler Primer (PR050)
	Two Coats:	BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)
15.	STEEL, FERF	ROUS METAL
		m, 100% Acrylic, Low Odor/Low VOC:
	Primer:	BEHR® Interior/Exterior Metal Primer (435)
	Two Coals:	BEHR PREMIUM PLUS [®] Interior Flat Paint (1050)
		<u>emium, 100% Acrylic, Low Odor/Low VOC:</u>
		BEHR® Interior/Exterior Metal Primer (435)
	Two Coats:	BEHR PREMIUM PLUS [®] Interior Eggshell Enamel Paint (2050)
	Satin – Premi	um, 100% Acrylic, Low Odor/Low VOC:
		BEHR® Interior/Exterior Metal Primer (435)
		BEHR PREMIUM PLUS [®] Interior Satin Enamel Paint (7050)
	Two Coals.	
		Brancium 400% Acridia Law Oder/Law V/OO
		Premium, 100% Acrylic, Low Odor/Low VOC:
	Primer:	BEHR® Interior/Exterior Metal Primer (435)
	Two Coats:	BEHR PREMIUM PLUS [®] Interior Semi-Gloss Enamel Paint (3050)
	<u>High Gloss –</u>	Premium, 100% Acrylic, Low Odor/Low VOC:
	Primer:	BEHR® Interior/Exterior Metal Primer (435)
	Two Coats:	_
	Flat - Profess	sional, Latex, Low Odor/Low VOC:
	Primer:	
		BEHR® Interior/Exterior Metal Primer (435)
	Two Coats:	BEHR PRO® i300 Interior Dead Flat Paint (PR310)
	<u>Eggshell – Pr</u>	<u>ofessional, Latex, Low Odor/Low VOC:</u>
	Primer:	BEHR® Interior/Exterior Metal Primer (435)
	Two Coats:	BEHR PRO® i300 Interior Eggshell Paint (PR330)
		33 (),
	Semi-Gloss –	Professional, Latex, Low Odor/Low VOC:
	Primer:	BEHR® Interior/Exterior Metal Primer (435)
	-	
	Two Coats:	BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)
	OTE:	
16.		ROUS METAL – High Performance Coating Epoxy-Modified Latex Finish
		<u>gh Performance Waterborne Epoxy, Low VOC Coating:</u>
	Primer:	BEHR® Interior/Exterior Metal Primer (435)
	Two Coats:	BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)
	Semi-Gloss-	High Performance Waterborne Epoxy, Low VOC Coating:
	Drimori	PEUP® Interior/Exterior Metal Drimor (425)

Primer: BEHR® Interior/Exterior Metal Primer (435)

	Two Coats:	BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)
17.		ROUS METAL - Urethane Alkyd, Low VOC, Water-Reducible Enamel ane Alkyd, Low VOC:
		BEHR® Interior/Exterior Metal Primer (435)
		BEHR PREMIUM® Interior/Exterior Urethane Alkyd Satin Enamel (7900)
	Semi-Gloss –	Urethane Alkyd, Low VOC:
	Primer:	
	Two Coats:	BEHR PREMIUM® Interior/Exterior Urethane Alkyd Semi-Gloss Enamel (3900)
18.		ROUS METAL – Light Industrial Coating, Water-Based emium, Acrylic <u>:</u>
		BEHR® Interior/Exterior Metal Primer (435)
	Two Coats:	BEHR PREMIUM [®] Interior/Exterior Direct-To-Metal Eggshell Paint (7200)
	Semi-Gloss –	Premium, Acrylic:
		BEHR® Interior/Exterior Metal Primer (435)
	Two Coats:	BEHR PREMIUM [®] Interior/Exterior Direct-To-Metal Semi-Gloss Paint (3200)
19.		
		m, 100% Acrylic, Low Odor/Low VOC:
	Primer:	
	Two Coats:	BEHR PREMIUM PLUS [®] Interior Flat Paint (1050)
	<u>Eggshell – Pr</u>	emium, 100% Acrylic, Low Odor/Low VOC:
	Primer:	BEHR® Interior/Exterior Metal Primer (435)
	Two Coats:	BEHR PREMIUM PLUS [®] Interior Eggshell Enamel Paint (2050)
	<u>Satin – Premi</u>	um, 100% Acrylic, Low Odor/Low VOC:
	Primer:	BEHR® Interior/Exterior Metal Primer (435)
	Two Coats:	BEHR PREMIUM PLUS [®] Interior Satin Enamel Paint (7050)
		Premium, 100% Acrylic, Low Odor/Low VOC:
	Primer:	BEHR® Interior/Exterior Metal Primer (435)
	Two Coats:	BEHR PREMIUM PLUS [®] Interior Semi-Gloss Enamel Paint (3050)
	<u>High Gloss –</u>	Premium, 100% Acrylic, Low VOC:
	Primer:	BEHR® Interior/Exterior Metal Primer (435)
	Two Coats:	BEHR PREMIUM PLUS [®] Interior/Exterior Hi-Gloss Enamel Paint (8150)
	Flat – Profess	sional, Latex, Low Odor/Low VOC:
	Primer:	BEHR® Interior/Exterior Metal Primer (435)
	Two Coats:	BEHR PRO® i300 Interior Dead Flat Paint (PR310)
	Eggshell – Pr	ofessional, Latex, Low Odor/Low VOC:
	Primer:	BEHR® Interior/Exterior Metal Primer (435)
	Two Coats:	BEHR PRO® i300 Interior Eggshell Paint (PR330)

Semi-Gloss – Professional, Latex, Low Odor/Low VOC:		
Primer:	BEHR® Interior/Exterior Metal Primer (435)	
Two Coats:	BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)	

 20. NON-FERROUS METAL – High Performance Coating Epoxy-Modified Latex Finish <u>Eggshell – High Performance Waterborne Epoxy, Low VOC Coating:</u> Primer: BEHR® Interior/Exterior Metal Primer (435) Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

Semi-Gloss- High Performance Waterborne Epoxy, Low VOC Coating:Primer:BEHR® Interior/Exterior Metal Primer (435)Two Coats:BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

 21. GALVANIZED METAL – Urethane Alkyd, Low VOC, Water-Reducible Enamel <u>Satin – Urethane Alkyd, Low VOC:</u> Primer: BEHR® Interior/Exterior Metal Primer (435) Two Coats: BEHR PREMIUM® Interior/Exterior Urethane Alkyd Satin Enamel (7900)

Semi-Gloss – Urethane Alkyd, Low VOC:Primer:BEHR® Interior/Exterior Metal Primer (435)Two Coats:BEHR PREMIUM® Interior/Exterior Urethane Alkyd Semi-Gloss Enamel (3900)

 GALVANIZED METAL – Light Industrial Coating, Water-Based <u>Eggshell –Light Industrial, Premium, Acrylic:</u> Primer: BEHR® Interior/Exterior Metal Primer (435)

Two Coats: BEHR PREMIUM[®] Interior/Exterior Direct-To-Metal Eggshell Paint (7200)

Semi-Gloss – Light Industrial, Premium, Acrylic:Primer:BEHR® Interior/Exterior Metal Primer (435)Two Coats:BEHR PREMIUM® Interior/Exterior Direct-To-Metal Semi-Gloss Paint (3200)

- FERROUS and NON-FERROUS METALS Dry Fall Coating (Spray applied)
 <u>Flat Professional, Acrylic:</u>
 Primer: BEHR® Interior/Exterior Metal Primer (435)
 Two Coats: BEHR PRO® HPC Waterborne Dryfall Paint, White (HP210) Black (HP211)
- 24. WOOD Opaque Paint Finish

Flat - Premium, 100% Acrylic, Low Odor/Low VOC:Primer:BEHR® Acrylic-Alkyd Enamel Undercoater (437)Two Coats:BEHR PREMIUM PLUS® Interior Flat Paint (1050)

Eggshell – Premium, 100% Acrylic, Low Odor/Low VOC:Primer:BEHR® Acrylic-Alkyd Enamel Undercoater (437)Two Coats:BEHR PREMIUM PLUS® Interior Eggshell Enamel Paint (2050)

Satin – Premium, 100% Acrylic, Low Odor/Low VOC:Primer:BEHR® Acrylic-Alkyd Enamel Undercoater (437)Two Coats:BEHR PREMIUM PLUS® Interior Satin Enamel Paint (7050)

<u>Semi-Gloss – Premium, 100% Acrylic, Low Odor/Low VOC:</u>

	Primer: Two Coats:	BEHR® Acrylic-Alkyd Enamel Undercoater (437) BEHR PREMIUM PLUS [®] Interior Semi-Gloss Enamel Paint (3050)
	<u>High Gloss –</u> Primer: Two Coats:	Premium, 100% Acrylic, Low VOC: BEHR® Acrylic-Alkyd Enamel Undercoater (437) BEHR PREMIUM PLUS [®] Interior/Exterior Hi-Gloss Enamel Paint (8150)
	<u>Flat – Profess</u> Primer: Two Coats:	<u>sional, Latex, Low Odor/Low VOC:</u> BEHR® Acrylic-Alkyd Enamel Undercoater (437) BEHR PRO® i300 Interior Dead Flat Paint (PR310)
	<u>Eggshell – Pr</u> Primer: Two Coats:	<u>rofessional, Latex, Low Odor/Low VOC:</u> BEHR® Acrylic-Alkyd Enamel Undercoater (437) BEHR PRO® i300 Interior Eggshell Paint (PR330)
	<u>Semi-Gloss –</u> Primer: Two Coats:	<u>- Professional, Latex, Low Odor/Low VOC:</u> BEHR® Acrylic-Alkyd Enamel Undercoater (437) BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)
25.		h Performance Architectural Latex Finish <u>erformance, Latex, Low Odor/Low VOC:</u> BEHR® Acrylic-Alkyd Enamel Undercoater (437) BEHR ULTRA® Interior Extra Durable Flat Paint (1720)
	Primer:	igh Performance, Latex, Low Odor/Low VOC: BEHR® Acrylic-Alkyd Enamel Undercoater (437) BEHR ULTRA® Interior Eggshell Enamel (2750)
	<u>Semi-Gloss –</u> Primer: Two Coats:	<u>- High Performance, Latex, Low Odor/Low VOC:</u> BEHR® Acrylic-Alkyd Enamel Undercoater (437) BEHR ULTRA® Interior Semi-Gloss Enamel (3750)
26.		h Performance Coating Epoxy-Modified Latex Finish igh Performance Waterborne Epoxy, Low VOC Coating: BEHR® Acrylic-Alkyd Enamel Undercoater (437) BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)
	<u>Semi-Gloss –</u> Primer: Two Coats:	<u>- High Performance Waterborne Epoxy, Low VOC Coating:</u> BEHR® Acrylic-Alkyd Enamel Undercoater (437) BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)
27.	<u>Satin – Ureth</u> Primer: Two Coats:	nt Finish, Urethane Alkyd, Low VOC, Water-Reducible Enamel <u>ane Alkyd, Low/Low VOC:</u> BEHR® Acrylic-Alkyd Enamel Undercoater (437) BEHR PREMIUM ® Interior/Exterior Urethane Alkyd Satin Enamel (7900)
	Semi-Gloss – Primer: Two Coats:	 <u>Urethane Alkyd, Low VOC:</u> BEHR® Acrylic-Alkyd Enamel Undercoater (437) BEHR PREMIUM ® Interior/Exterior Urethane Alkyd Semi-Gloss Enamel (3900)

- 28. WOOD Dry Fall Coating (Spray applied) Flat – Professional, Acrylic: Primer: BEHR® Acrylic-Alkyd Enamel Undercoater (437) BEHR PRO® HPC Waterborne Dryfall Paint, White (HP210) Black (HP211) Two Coats: 29. WOOD, Decks, Floors, Walkways, Porches and Patios Low-Lustre - Premium, 100% Acrylic: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436) Primer: Two Coats: BEHR PREMIUM® Porch & Patio Floor Paint Low-Lustre (6050) 30. WOOD, Decks, Floors, Walkways, Porches and Patios Anti-Slip Paint, Textured, Low-Lustre – Premium, 100% Acrylic: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436) Primer: BEHR PREMIUM® Anti-Slip Porch & Patio Floor Paint, Textured Low-Lustre Two Coats: (6250)31. WOOD, Decks, Floors, Porches and Patios Gloss – Premium, 100% Acrylic: Primer: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436) BEHR PREMIUM[®] Porch & Patio Floor Paint Gloss (6705) Two Coats: 32. WOOD - Stained, Water-Based Polyurethane over Oil-Based Semi-Transparent Stain Matte, Clear, Water-Based Polyurethane over Interior Stain BEHR® Water-Based Pre-Stain Conditioner (B2080) Sealer: *Only for use on softwoods. BEHR® Advanced Formula Oil-Based Wood Stain (B3500) Stain Coat: BEHR® Fast Dry Water-Based Polyurethane (B8106) Matte Two Coats: Satin, Clear, Water-Based Polyurethane over Interior Stain Sealer: BEHR® Water-Based Pre-Stain Conditioner (B2080) *Only for use on softwoods. BEHR® Advanced Formula Oil-Based Wood Stain (B3500) Stain Coat: Two Coats: BEHR® Fast Dry Water-Based Polyurethane (B8100) Satin Semi-Gloss, Clear, Water-Based Polyurethane over Interior Stain BEHR® Water-Based Pre-Stain Conditioner (B2080) Sealer: *Only for use on softwoods. Stain Coat: BEHR® Advanced Formula Oil-Based Wood Stain (B3500) Two Coats: B EHR® Fast Dry Water-Based Polyurethane (B8102) Semi-Gloss Gloss, Clear, Water-Based Polyurethane over Interior Stain Sealer: BEHR® Water-Based Pre-Stain Conditioner (B2080) *Only for use on softwoods. BEHR® Advanced Formula Oil-Based Wood Stain (B3500) Stain Coat: BEHR® Fast Dry Water-Based Polyurethane (B8104) Gloss Two Coats: 33. WOOD – Stained, Water-Based Polyurethane over Water-Based Semi-Transparent Stain Matte, Clear, Water-Based Polyurethane over Interior Stain
 - Sealer: BEHR® Water-Based Pre-Stain Conditioner (B2080)

Stain Coat: Two Coats:	*Only for use on softwoods. BEHR® Fast Drying Water-Based Wood Stain (B4500) BEHR® Fast Dry Water-Based Polyurethane (B8106) Matte		
Satin, Clear, Water-Based Polyurethane over Interior Stain Sealer: BEHR® Water-Based Pre-Stain Conditioner (B2080) *Only for use on softwoods.			
Stain Coat: Two Coats:	BEHR® Fast Drying Water-Based Wood Stain (B4500) BEHR® Fast Dry Water-Based Polyurethane (B8100) Satin		
<u>Semi-Gloss,</u> Sealer:	<u>Clear, Water-Based Polyurethane over Interior Stain</u> BEHR® Water-Based Pre-Stain Conditioner (B2080) *Only for use on softwoods.		
Stain Coat: Two Coats:	BEHR® Fast Drying Water-Based Wood Stain (B4500) BEHR® Fast Dry Water-Based Polyurethane (B8102) Semi-Gloss		
<u>Gloss, Clear,</u> Sealer:	Water-Based Polyurethane over Interior Stain BEHR® Water-Based Pre-Stain Conditioner (B2080) *Only for use on softwoods.		
Stain Coat: Two Coats:	BEHR® Fast Drying Water-Based Wood Stain (B4500) BEHR® Fast Dry Water-Based Polyurethane (B8104) Gloss		
WOOD – Natural, Clear Water-Based Polyurethane <u>Matte, Clear, Water-Based Polyurethane</u> Sealer Coat: BEHR® Fast Dry Water-Based Polyurethane (B8106) Matte Two Coats: BEHR® Fast Dry Water-Based Polyurethane (B8106) Matte			
<u>Satin, Clear,</u> Sealer Coat: Two Coats:	<u>Water-Based Polyurethane</u> BEHR® Fast Dry Water-Based Polyurethane (B8100) Satin BEHR® Fast Dry Water-Based Polyurethane (B8100) Satin		
<u>Semi-Gloss, Clear, Water-Based Polyurethane</u> Sealer Coat: BEHR® Fast Dry Water-Based Polyurethane (B8102) Semi-Gloss Two Coats: BEHR® Fast Dry Water-Based Polyurethane (B8102) Semi-Gloss			

34.

<u>Gloss, Clear, Water-Based Polyurethane</u> Sealer Coat: BEHR® Fast Dry Water-Based Polyurethane (B8104) Gloss Two Coats: BEHR® Fast Dry Water-Based Polyurethane (B8104) Gloss

END OF SECTION 09 90 00