BEHR PRO® Block Filler Primer No. PR50 by Behr Paint Company

Health Product Declaration v2.3

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 151753780224 CLASSIFICATION: 09 90 00 Painting and Coating

PRODUCT DESCRIPTION: BEHR PRO Block Filler Primer is a dependable solution for above-grade concrete surfaces, such as concrete block, cinder block, and poured or pre-cast concrete. It is an interior/exterior primer formulated to fill and seal porous masonry surfaces, reduce pin holing and provide a smooth surface prior to finish coat application.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

C Nested Materials Method

Basic Method

Threshold Disclosed Per

Material

Product

Threshold Level

C 100 ppm

€ 1,000 ppm

Other

C Per GHS SDS

Completed

Residuals/Impurities Evaluation

C Partially Completed

Not Completed

Explanation(s) provided:

For all contents above the threshold, the manufacturer has:

Characterized

Yes ○ No

Provided weight and role.

Screened

Yes ○ No

Provided screening results using HPDC-approved

methods. Identified

Yes ○ No

Provided name and CAS RN or other identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

BEHR PRO® BLOCK FILLER PRIMER NO. PR50 [LIMESTONE BM-3dg WATER BM-4 BUTYL ACRYLATE-METHYL METHACRYLATE COPOLYMER LT-UNK WOLLASTONITE LT-UNK TALC BM-1 | CAN | MAM TITANIUM DIOXIDE LT-1* | CAN | END | MAM QUARTZ BM-1* | CAN | MAM | GEN PROPYLENE GLYCOL BM-2 | END | MAM **SOLVENT-DEWAXED HEAVY PARAFFINIC PETROLEUM** DISTILLATES, SHOWN TO CONTAIN LESS THAN 3 % DMSO AS MEASURED BY IP 346 LT-1 | CAN | MUL | SKI | DEV POLYCARBOXYLATE POLYMER NoGS HYDROXYETHYL CELLULOSE LT-P1 | END ATTAPULGITE, ACTIVATED LT-1 | CAN | MAM | EYE]

Number of Greenscreen BM-4/BM3 contents ... 2

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... BM-1, LT-1, LT-P1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

None

*Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. For this reason, this score is intentionally omitted from the "Contents highest concern" line above. See HPDC's Special Conditions policy for more information.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 22 Regulatory (g/l): 42

Does the product contain exempt VOCs: No

Are colorants available that do not increase the VOC content of the base paint when tinted: Yes

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: UL/GreenGuard Gold Certified

VOC content: SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007 amendments

Formaldehyde content: UL Environmental Claim Validation - Formaldehyde

Multi-attribute: MPI Extreme Green (X-Green)

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

Yes

No

PREPARER: Self-Prepared

VERIFIER: **VERIFICATION #:** SCREENING DATE: 2023-09-06 PUBLISHED DATE: 2024-04-23 EXPIRY DATE: 2026-09-06

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- · Nested Material Inventory method with Product-level threshold
- · Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

BEHR PRO® BLOCK FILLER PRIMER NO. PR50

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are expected to be present in the finished good in a concentration at or above the Content Inventory Threshold that return a GreenScreen scores of BM-1, LT-1, LT-P1 or NoGS.

OTHER PRODUCT NOTES: None

LIMESTONE ID: 1317-65-3 HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-09-06 8:05:22 %: 45.0000 - 53.0000 GreenScreen: BM-3dg RC: None NANO: No SUBSTANCE ROLE: Filler HAZARD TYPE LIST NAME AND SOURCE **WARNINGS** No warnings found on HPD Priority Hazard Lists None found NOTIFICATION ADDITIONAL LISTINGS LIST NAME AND SOURCE No listings found on Additional Hazard Lists None found SUBSTANCE NOTES:

HAZARD DATA SOURCE: Ph	aros Chemical and Materials Libra	ıry	HAZARD S	SCREENING DATE: 2023-09-06 8:05:22
%: 27.0000 - 33.0000	GreenScreen: BM-4	RC: None	NANO: No	SUBSTANCE ROLE: Solvent
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No war	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
EXEMPT	European Union / European C EC)	Commission (EU	EU - REACH Exer	nptions
	-,		Exempted from RE safety	EACH Annex IV listing due to intrinsic

BUTYL ACRYLATE-METHYL METHACRYLATE COPOLYMER

ID: 25852-37-3

HAZARD DATA SOURCE: I	Pharos Chemical and Materials Library	,	HAZARD S	SCREENING DATE: 2023-09-06 8:05:23
%: 15.0000 - 23.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warr	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists

SUBSTANCE NOTES: Identification of this ingredient is not being disclosed due to suppliers holding chemical composition as proprietary. The

assigned CAS number best represents the chemical family and associated hazards.

WOLLASTONITE			ID: 13983-17-0	
HAZARD DATA SOURCE:	Pharos Chemical and Materials Librar	у	HAZARD S	SCREENING DATE: 2023-09-06 8:05:24
%: 1.0000 - 5.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warr	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists

SUBSTANCE NOTES: Identification of this ingredient is not being disclosed due to suppliers holding chemical composition as proprietary. The assigned CAS number best represents the chemical family and associated hazards.

TALC				ID: 14807-96-6
HAZARD DATA SOURCE:	Pharos Chemical and Materials Librar	ry	HAZARD S	SCREENING DATE: 2023-09-06 8:05:23
%: 1.0000 - 5.0000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	MAK		Carcinogen Group but not sufficient for	3B - Evidence of carcinogenic effects or classification
CAN	IARC		Group 2b - Possib	ly carcinogenic to humans
MAM	GHS - Japan		repeated exposure	mage to organs through prolonged or e [Specific target organs/systemic toxicity exposure - Category 1]
MAM	GHS - Japan			mage to organs [Specific target oxicity following single exposure -
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists

TITANIUM DIOXIDE ID: 13463-67-7

HAZARD DATA SOURCE: PI	haros Chemical and Materials Li	brary	HAZARD	SCREENING DATE: 2023-09-06 8:05
6: 1.0000 - 3.0000	GreenScreen: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE	Ε	WARNINGS	
CAN	US CDC - Occupational Ca	arcinogens	Occupational Care	cinogen**
CAN	CA EPA - Prop 65		Carcinogen - spec	cific to chemical form or exposure route
CAN	IARC		Group 2B - Possik from occupational	oly carcinogenic to humans - inhaled sources**
CAN	MAK			o 3A - Evidence of carcinogenic effects o establish MAK/BAT value**
END	TEDX - Potential Endocrin	e Disruptors	Potential Endocrir	ne Disruptor**
CAN	MAK		Carcinogen Group risk under MAK/B	o 4 - Non-genotoxic carcinogen with lov AT levels**
CAN	IARC		Group 2b - Possib	oly carcinogenic to humans**
CAN	EU - GHS (H-Statements)	Annex 6 Table 3-1	H351 - Suspected Category 2]**	of causing cancer [Carcinogenicity -
CAN	GHS - Japan		H351 - Suspected Category 2]**	of causing cancer [Carcinogenicity -
MAM	GHS - Japan		repeated exposur	amage to organs through prolonged or e [Specific target organs/systemic toxion d exposure - Category 1]**
CAN	EU - Annex VI CMRs		Carcinogen Categ	gory 2 - Suspected human Carcinogen
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	E	NOTIFICATION	
RESTRICTED LIST	Cradle to Cradle Products (C2CPII)	Innovation Institute	C2C Certified v4 I List (RSL) - Effect	Product Standard Restricted Substance ive July 1, 2022
			Children's Produc	ts
RESTRICTED LIST	Cradle to Cradle Products (C2CPII)	Innovation Institute	C2C Certified v4 I List (RSL) - Effect	Product Standard Restricted Substance ive July 1, 2022
			Formulated Consi	umer Products
RESTRICTED LIST	Cradle to Cradle Products (C2CPII)	Innovation Institute	C2C Certified v4 I List (RSL) - Effect	Product Standard Restricted Substanc ive July 1, 2022
			Cosmetics & Pers	conal Care Products
POSITIVE LIST	US Environmental Protecti EPA)	on Agency (US	US EPA - DfE Sat	fer Chemicals Ingredients list (SCIL)
	Li Aj		Colorants - Green	Circle (Verified Low Concern)

SUBSTANCE NOTES: **Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. See HPDC's Special Conditions policy for more information. Manufacturer's Safety Data Sheet (SDS), if applicable, may offer occupational health and safety information.

QUARTZ ID: 14808-60-7 HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-09-06 8:05:23 %: 0.1000 - 2.0000 GreenScreen: BM-1 RC: None NANO: No SUBSTANCE ROLE: Filler HAZARD TYPE LIST NAME AND SOURCE WARNINGS US CDC - Occupational Carcinogens Occupational Carcinogen** CAN CAN CA EPA - Prop 65 Carcinogen - specific to chemical form or exposure route** CAN US NIH - Report on Carcinogens Known to be Human Carcinogen (respirable size occupational setting)** MAK CAN Carcinogen Group 1 - Substances that cause cancer in man** CAN IARC Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources** CAN IARC Group 1 - Agent is Carcinogenic to humans** CAN US NIH - Report on Carcinogens Known to be a human Carcinogen** CAN GHS - Japan H350 - May cause cancer [Carcinogenicity - Category 1A]** CAN GHS - Australia H350i - May cause cancer by inhalation [Carcinogenicity -Category 1A or 1B]** CAN GHS - New Zealand Carcinogenicity category 1** MAM H372 - Causes damage to organs through prolonged or GHS - Japan repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]** **GEN** GHS - Japan H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]** MAM GHS - Australia H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity repeated exposure - Category 1]** MAM GHS - New Zealand Specific target organ toxicity - repeated exposure category 1** ADDITIONAL LISTINGS LIST NAME AND SOURCE NOTIFICATION None found No listings found on Additional Hazard Lists

SUBSTANCE NOTES: **Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. See HPDC's Special Conditions policy for more information. Manufacturer's Safety Data Sheet (SDS), if applicable, may offer occupational health and safety information.

PROPYLENE GLYCOL ID: 57-55-6 HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-09-06 8:05:24 %: 0.1000 - 1.0000 GreenScreen: BM-2 RC: None NANO: No SUBSTANCE ROLE: Solvent HAZARD TYPE LIST NAME AND SOURCE **WARNINGS END** TEDX - Potential Endocrine Disruptors Potential Endocrine Disruptor MAM GHS - Japan H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] MAM GHS - Japan H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure -Category 1] LIST NAME AND SOURCE **NOTIFICATION** ADDITIONAL LISTINGS RESTRICTED LIST Green Science Policy Institute (GSPI) GSPI - Six Classes Precautionary List Antimicrobials RESTRICTED LIST Green Science Policy Institute (GSPI) GSPI - Six Classes Precautionary List Some Solvents POSITIVE LIST US Environmental Protection Agency (US US EPA - DfE Safer Chemicals Ingredients list (SCIL) EPA) Enzymes and Stabilizers - Green Circle (Verified Low

SOLVENT-DEWAXED HEAVY PARAFFINIC PETROLEUM DISTILLATES, SHOWN TO CONTAIN LESS THAN 3 % DMSO AS MEASURED BY IP 346

ID: 64742-65-0

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2023-09-06 8:05:24		
%: 0.1000 - 1.0000	GreenScreen: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Defoamer	

Concern)

SUBSTANCE NOTES:

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
CAN	GHS - Australia	H350 - May cause cancer [Carcinogenicity - Category 1A or 1B]
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H350 - May cause cancer [Carcinogenicity - Category 1A or 1B]
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
DEV	GHS - Australia	H361d - Suspected of damaging the unborn child [Reproductive toxicity - Category 2]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Formulated Consumer Products

SUBSTANCE NOTES:

POLYCARBOXYLATE POLYMER ID: 676596-80-(

Pharos Chemical and Materials Library	/	HAZARD	SCREENING DATE: 2023-09-06 8:05:24
GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Dispersant
LIST NAME AND SOURCE		WARNINGS	
		No wa	rnings found on HPD Priority Hazard Lists
LIST NAME AND SOURCE		NOTIFICATION	
		N	o listings found on Additional Hazard Lists
	GreenScreen: NoGS LIST NAME AND SOURCE	LIST NAME AND SOURCE	GreenScreen: NoGS RC: None NANO: No LIST NAME AND SOURCE WARNINGS No wa LIST NAME AND SOURCE NOTIFICATION

SUBSTANCE NOTES: Identification of this ingredient is not being disclosed due to suppliers holding chemical composition as proprietary. The assigned CAS number best represents the chemical family and associated hazards.

HYDROXYETHYL CELLULOSE

HAZARD DATA SOURCE:	Pharos Chemical and Materials Lib	rary	HAZAF	RD SCREENING DATE: 2023-09-06 8:05:24
%: 0.1000 - 1.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Viscosity modifier

ID: 9004-62-0

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES:		

ATTAPULGITE, ACTIVATED ID: 12174-11-7

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2023-09-06 8:05:25		
%: 0.1000 - 0.5000	GreenScreen: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Corrosion inhibitor	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
CAN	CA EPA - Prop 65		Carcinogen		
CAN	IARC		Group 2b - Possibly carcinogenic to humans		
CAN	MAK		Carcinogen Group 2 - Considered to be carcinogenic forman		
CAN	GHS - New Zealand		Carcinogenicit	ry category 2	
CAN	GHS - Japan		H351 - Suspec Category 2]	cted of causing cancer [Carcinogenicity -	
MAM	GHS - Japan		repeated expo	s damage to organs through prolonged or sure [Specific target organs/systemic toxicity ated exposure - Category 1]	
EYE	GHS - Japan		H319 - Causes eye irritation -	s serious eye irritation [Serious eye damage / Category 2A]	
CAN	GHS - Australia		H351 - Suspec Category 2]	cted of causing cancer [Carcinogenicity -	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATIO	N	
None found				No listings found on Additional Hazard Lists	

SUBSTANCE NOTES: Identification of this ingredient is not being disclosed due to suppliers holding chemical composition as proprietary. The assigned CAS number best represents the chemical family and associated hazards.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

UL/GreenGuard Gold Certified

CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All

ISSUE DATE: 2015-10-25 00:00:00 **EXPIRY DATE:**

CERTIFIER OR LAB: UL

CERTIFICATE URL: https://spot.ul.com/mainapp/products/detail/5ad1ebda55b0e82d946a7405?

page_type=Products%20Catalog

CERTIFICATION AND COMPLIANCE NOTES: Reporting Body: UL Document #: 70873-420

VOC CONTENT

SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007 amendments

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2023-04-05 00:00:00

CERTIFIER OR LAB: None

APPLICABLE FACILITIES: All

EXPIRY DATE:

EXPIRY DATE:

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: VOC content is a calculated value based on EPA Method 24

FORMALDEHYDE CONTENT

UL Environmental Claim Validation - Formaldehyde Free

CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All

ISSUE DATE: 2015-10-25 00:00:00

CERTIFIER OR LAB: UL

CERTIFICATE URL: https://spot.ul.com/main-

app/products/detail/5ad1ebda55b0e82d946a7405?

page_type=Products%20Catalog

CERTIFICATION AND COMPLIANCE NOTES: Reporting Body: UL Document #: 70873-4370

MULTI-ATTRIBUTE

MPI Extreme Green (X-Green)

CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All

ISSUE DATE: 2010-01-01 00:00:00

CERTIFIER OR LAB: Master

CERTIFICATE URL:

EXPIRY DATE:

Painters Institute

http://www.specifypaint.com/APL/paintinfo APL new/search.asp?

txtSearch=behr&btnSearch2=

CERTIFICATION AND COMPLIANCE NOTES: MPI's X-Green Performance Standard simplifies the process of specifying environmentally-safe interior high quality architectural coatings by establishing 'X-Green' editions of MPI's existing paint categories. X-Green certification requires performance i.e. as it relates to durability; VOC <50 g/l; reduced or zero quantities of various undesirable chemical components; and certification of emissions compliance to CHPS (Collaborative for High Performance Schools)

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

COLORANT

MANUFACTURER (OR GENERIC): Behr Process LLC

HPD URL: No HPD Available

ACCESSORY TYPE: Colorant System

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Behr uses colorants that contain low VOC content (compliant with SCAQMD Rule 1113) and formaldehyde free. Colorants added to this base paint do not significantly increase VOC levels even if used at maximum tint load in any color.

Section 5: General Notes

The chemical assessments contained in this Health Product Declaration form has been generated by the Health Product Declaration tool(s) and may differ from the information contained in Behr's Safety Data Sheet ("SDS") for this product. Prior to using this product, users should review Behr's SDS and follow all instructions on the SDS and product label provided by Behr.

MANUFACTURER INFORMATION

MANUFACTURER: Behr Paint Company ADDRESS: 1801 E Saint Andrew Place

Santa Ana, California 92705 COUNTRY: United States WEBSITE: https://www.behr.com/ CONTACT NAME: Anna Wang TITLE: Environmental Specialist

PHONE: **(714) 545-7101** EMAIL: anwang@behr.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity **END** Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple
NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1) **LT-UNK** List Translator Benchmark Unknown

NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material

Nested Method / Product Threshold Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and

