BEHR PRO® Concrete & Masonry Primer No. PR060 by Behr Paint Company

Health Product Declaration v2.3

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 98317352960 CLASSIFICATION: 09 90 00 Painting and Coating

PRODUCT DESCRIPTION: BEHR PRO Concrete & Masonry Primer is an interior/exterior acrylic primer formulated to seal above-grade concrete and masonry surfaces. It provides great adhesion and has excellent alkali and efflorescence resistance. It can be applied in temperatures down to 35°F and tolerates high pH levels (up to 13) for application to new concrete and masonry in as soon as seven days.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

C Nested Materials Method

Basic Method

Threshold Disclosed Per

Material

Product

MAM | EYE]

Threshold Level

C 100 ppm

€ 1,000 ppm

C Per GHS SDS

Other

Residuals/Impurities Evaluation

Completed

C Partially Completed

Not Completed

Explanation(s) provided:

For all contents above the threshold, the manufacturer has:

Characterized

Yes ○ No

Provided weight and role.

Screened

Yes ○ No

Provided screening results using HPDC-approved

methods.

Identified Yes ○ No

Provided name and CAS RN or other identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

BEHR PRO® CONCRETE & MASONRY PRIMER NO. PR060 [WATER BM-4 STYRENE-METHYLMETHACRYLATE COPOLYMER LT-UNK TITANIUM DIOXIDE LT-1* | CAN | END | MAM KAOLIN, CALCINED LT-**UNK NEPHELINE SYENITE LT-UNK FATTY ALCOHOL ALKOXYLATE** LT-P1 | MUL 2,2,4-TRIMETHYL-3-OXOVALERIC ACID, ETHYL ESTER NoGS TRIDECYL ALCOHOL, ETHOXYLATED, PHOSPHATED, AMMONIUM SALTS NoGS ATTAPULGITE, ACTIVATED LT-1 | CAN |

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1, LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

None

*Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. For this reason, this score is intentionally omitted from the "Contents highest concern" line above. See HPDC's Special Conditions policy for more information.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 0 Regulatory (g/I): 2.71

Does the product contain exempt VOCs: No

Are colorants available that do not increase the VOC content of the base paint when tinted: Yes

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: UL/GreenGuard Gold Certified

VOC content: SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007

amendments

VOC content: MPI Green Performance GPS-1-12 VOC content: MPI Green Performance GPS-2-12

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

Yes No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2023-09-05 PUBLISHED DATE: 2024-04-23

EXPIRY DATE: 2026-09-05

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- · Nested Material Inventory method with Product-level threshold
- · Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

BEHR PRO® CONCRETE & MASONRY PRIMER NO. PR060

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are expected to be present in the finished good in a concentration at or above the Content Inventory Threshold that return a GreenScreen scores of BM-1, LT-1, LT-P1 or NoGS.

OTHER PRODUCT NOTES: None

WATER				ID: 7732-18-5
HAZARD DATA SOURCE: Pha	ros Chemical and Materials Libr	ary	HAZARD S	CREENING DATE: 2023-09-05 15:18:11
%: 70.0000 - 75.0000	GreenScreen: BM-4	RC: None	NANO: No	SUBSTANCE ROLE: Solvent
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No war	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
EXEMPT	European Union / European	Commission (EU	EU - REACH Exe	mptions
	EC)		Exempted from Risafety	EACH Annex IV listing due to intrinsic
SUBSTANCE NOTES:				

HAZARD DATA SOURCE:	AZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2023-09-05 15:18:12		
%: 5.0000 - 10.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Binder	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No warr	nings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No	listings found on Additional Hazard Lists	

SUBSTANCE NOTES: Identification of this ingredient is not being disclosed due to suppliers holding chemical composition as proprietary. The assigned CAS number best represents the chemical family and associated hazards.

TITANIUM DIOXIDE ID: 13463-67-7

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2023-09-05 15:18
6: 5.0000 - 10.0000	GreenScreen: LT-1 RC: N	one NANO: No SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen**
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources**
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value**
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor**
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with lorisk under MAK/BAT levels**
CAN	IARC	Group 2b - Possibly carcinogenic to humans**
CAN	EU - GHS (H-Statements) Annex 6 Table	3-1 H351 - Suspected of causing cancer [Carcinogenicity - Category 2]**
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]**
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxi following repeated exposure - Category 1]**
CAN	EU - Annex VI CMRs	Carcinogen Category 2 - Suspected human Carcinogen
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Inst (C2CPII)	itute C2C Certified v4 Product Standard Restricted Substanc List (RSL) - Effective July 1, 2022
		Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Inst (C2CPII)	itute C2C Certified v4 Product Standard Restricted Substanc List (RSL) - Effective July 1, 2022
		Formulated Consumer Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Inst (C2CPII)	itute C2C Certified v4 Product Standard Restricted Substanc List (RSL) - Effective July 1, 2022
		Cosmetics & Personal Care Products
POSITIVE LIST	US Environmental Protection Agency (US	US EPA - DfE Safer Chemicals Ingredients list (SCIL)
	EPA)	Colorants - Green Circle (Verified Low Concern)

SUBSTANCE NOTES: **Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. See HPDC's Special Conditions policy for more information. Manufacturer's Safety Data Sheet (SDS), if applicable, may offer occupational health and safety information.

KAOLIN, CALCINED ID: 92704-41-1

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	1	HAZARD SC	CREENING DATE: 2023-09-05 15:18:13
%: 1.0000 - 10.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warn	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists
SUBSTANCE NOTES:				

NEPHELINE SYENITE					ID: 37244-96-5
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZARD SO	CREENING DATE:	2023-09-05 15:18:13
%: 1.0000 - 5.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE	ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No warr	nings found on HPD	Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No	listings found on Ad	dditional Hazard Lists
SUBSTANCE NOTES:					

FATTY ALCOHOL ALKOX	(YLATE		ID	: 111905-52-3	
HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2023-09-05 15:18:13			
%: 0.1000 - 1.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: St	abilizer
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
MUL	German FEA - Substances F Waters	German FEA - Substances Hazardous to Waters		to Waters	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No	o listings found on Additional	Hazard Lists

SUBSTANCE NOTES: Identification of this ingredient is not being disclosed due to suppliers holding chemical composition as proprietary. The assigned CAS number best represents the chemical family and associated hazards.

2,2,4-TRIMETHYL-3-OXOVALERIC ACID, ETHYL ESTER

ID: 4447-64-7

HAZARD DATA SOURCE:	ZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2023-09-05 15:18:13		
%: 0.1000 - 1.0000	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Coalescent	

None found		No listings found on Additional Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No warnings found on HPD Priority Hazard Lists
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS

SUBSTANCE NOTES: Identification of this ingredient is not being disclosed due to suppliers holding chemical composition as proprietary. The

TRIDECYL ALCOHOL, ETHOXYLATED, PHOSPHATED, AMMONIUM SALTS

assigned CAS number best represents the chemical family and associated hazards.

ID: 69029-43-2

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2023-09-05 15:18:1	
%: 0.1000 - 1.0000	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Coalescent
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No wa	rnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			N	o listings found on Additional Hazard Lists

ATTAPULGITE, ACTIVA	TED			ID: 12174-11-7	
HAZARD DATA SOURCE	E: Pharos Chemical and Materials Library	,	HAZAF	RD SCREENING DATE: 2023-09-05 15:18:14	
%: 0.1000 - 0.5000	GreenScreen: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Corrosion inhibitor	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
CAN	CA EPA - Prop 65		Carcinogen		
CAN	IARC		Group 2b - Possibly carcinogenic to humans		
CAN	MAK		Carcinogen Group 2 - Considered to be carcinogen man		
CAN	GHS - New Zealand		Carcinogenicity category 2		
CAN	GHS - Japan		H351 - Suspected of causing cancer [Carcinogenicity - Category 2]		
МАМ	GHS - Japan		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxifollowing repeated exposure - Category 1]		
EYE	GHS - Japan		H319 - Cause eye irritation -	es serious eye irritation [Serious eye damage / Category 2A]	
CAN	GHS - Australia		H351 - Suspe Category 2]	cted of causing cancer [Carcinogenicity -	

ADDITIONAL LISTINGS LIST NAME AND SOURCE NOTIFICATION

None found No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Identification of this ingredient is not being disclosed due to suppliers holding chemical composition as proprietary. The assigned CAS number best represents the chemical family and associated hazards.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS UL/GreenGuard Gold Certified

CERTIFYING PARTY: Third Party ISSUE DATE: 2020-08-17 00:00:00 CERTIFIER OR LAB: UL
APPLICABLE FACILITIES: All EXPIRY DATE:

CERTIFICATE URL: https://spot.ul.com/main-

app/products/detail/5f3ab7a855b0e86450824fda?

page_type=Products%20Catalog

CERTIFICATION AND COMPLIANCE NOTES: Reporting Body: UL Document #: 180428-420

VOC CONTENT SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007 amendments

CERTIFYING PARTY: Self-declared ISSUE DATE: 2023-04-05 00:00:00 CERTIFIER OR LAB: None

APPLICABLE FACILITIES: All EXPIRY DATE:

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: VOC content is a calculated value based on EPA Method 24

VOC CONTENT MPI Green Performance GPS-1-12

CERTIFYING PARTY: Third Party ISSUE DATE: 2013-01-01 00:00:00 CERTIFIER OR LAB: Master

APPLICABLE FACILITIES: All EXPIRY DATE: Painters Institute

CERTIFICATE URL:

http://www.specifypaint.com/APL/paintinfo_APL_new/search.asp?

txtSearch=behr&btnSearch2=

CERTIFICATION AND COMPLIANCE NOTES: The MPI Green Performance® Standard (GPS-1-12) requires that the manufacturer demonstrate that VOC concentrations of the product shall not exceed those listed below as determined by U. S. Environmental Protection Agency (EPA) Reference Test Method 24 (Determination of Volatile Matter Content, Water Content, Density Volume Solids, and Weight Solids of Surface Coatings), Code of Federal Regulations Title 40, Part 60, Appendix A.

VOC CONTENT MPI Green Performance GPS-2-12

CERTIFYING PARTY: Third Party

ISSUE DATE: 2013-01-01 00:00:00

CERTIFIER OR LAB: Master APPLICABLE FACILITIES: All

EXPIRY DATE: Painters Insitute

CERTIFICATE URL:

http://www.specifypaint.com/APL/paintinfo_APL_new/search.asp?

txtSearch=behr&btnSearch2=

CERTIFICATION AND COMPLIANCE NOTES: MPI Green Performance® Standard (GPS-2-12) provides for a maximum allowable limit of 50 g/L of VOCs. VOCs shall be listed as g/L (grams/liter). The calculation of VOC shall exclude water and tinting color added at the point of sale.

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

COLORANT

MANUFACTURER (OR GENERIC): Behr Process LLC

HPD URL: No HPD Available

ACCESSORY TYPE: Colorant System

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Behr uses colorants that contain low VOC content (compliant with SCAQMD Rule 1113) and formaldehyde free. Colorants added to this base paint do not significantly increase VOC levels even if used at maximum tint load in any color.

Section 5: General Notes

The chemical assessments contained in this Health Product Declaration form has been generated by the Health Product Declaration tool(s) and may differ from the information contained in Behr's Safety Data Sheet ("SDS") for this product. Prior to using this product, users should review Behr's SDS and follow all instructions on the SDS and product label provided by Behr.

MANUFACTURER INFORMATION

MANUFACTURER: Behr Paint Company ADDRESS: 1801 E Saint Andrew Place

Santa Ana, California 92705 COUNTRY: United States WEBSITE: https://www.behr.com/ CONTACT NAME: Anna Wang TITLE: Environmental Specialist

PHONE: **(714) 545-7101** EMAIL: anwang@behr.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity **EYE** Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1) **LT-UNK** List Translator Benchmark Unknown

NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material

Nested Method / Product Threshold Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and

