# BEHR PRO® High Build Interior Primer No. PR40 by Behr Paint Company

## Health Product Declaration v2.3

created via: HPDC Online Builder

## HPD UNIQUE IDENTIFIER: 210799736832

CLASSIFICATION: 09 90 00 Painting and Coating

**PRODUCT DESCRIPTION:** BEHR PRO High Build Interior Primer is recommended for new and previously coated drywall and plasterboard walls and ceilings. It is a primer that combines skim coating and priming steps into one spray application over properly prepared new drywall. It helps hide minor surface defects, minimizes joint banding & photographing and improves the appearance of the topcoat.

## Section 1: Summary

#### **CONTENT INVENTORY**

### **Inventory Reporting Format**

- Nested Materials Method
  Basic Method
- Threshold Disclosed Per
- O Material

O Product

- Threshold Level

  100 ppm
  1,000 ppm
  Per GHS SDS
  Other
- Residuals/Impurities Evaluation
- Completed
- C Partially Completed
- Not Completed
- Explanation(s) provided : • Yes O No

## **Basic Method / Product Threshold**

For all contents above the threshold, the Characterized	manufacturer has:
Provided weight and role. Screened	⊙ Yes ⊖ No
Provided screening results using HPDC-a methods.	approved
Identified	O Yes O No
Provided name and CAS RN or other ider	ntifier.

## CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

BEHR PRO® HIGH BUILD INTERIOR PRIMER NO. PR40 [ WATER BM-4 LIMESTONE BM-3dg VINYL ACRYLATE NoGS MICA LT-UNK | MAM TITANIUM DIOXIDE LT-1\* | CAN | END | MAM ATTAPULGITE, ACTIVATED LT-1 | CAN | MAM | EYE POLYURETHANE RESINS NoGS MAGNESIUM CALCIUM SILICATE NoGS SOLVENT-DEWAXED HEAVY PARAFFINIC PETROLEUM DISTILLATES, SHOWN TO CONTAIN LESS THAN 3 % DMSO AS MEASURED BY IP 346 LT-1 | CAN | MUL | SKI | DEV FELDSPAR LT-UNK | MAM ] Number of Greenscreen BM-4/BM3 contents ... 2

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1)  $\ldots$  LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

## None

\*Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. For this reason, this score is intentionally omitted from the "Contents highest concern" line above. See HPDC's Special Conditions policy for more information.

## VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 4Regulatory (g/l): 9Does the product contain exempt VOCs: NoAre colorants available that do not increase the VOC content of the basepaint when tinted: Yes

## **CERTIFICATIONS AND COMPLIANCE** See Section 3 for additional listings.

VOC emissions: UL/GreenGuard Gold Certified VOC content: SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007 amendments Formaldehyde content: UL Environmental Claim Validation - Formaldehyde

Free

## CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

⊙ Yes ⊙ No PREPARER: Self-Prepared VERIFIER: VERIFICATION #: SCREENING DATE: 2023-09-06 PUBLISHED DATE: 2024-04-23 EXPIRY DATE: 2026-09-06 This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

## BEHR PRO® HIGH BUILD INTERIOR PRIMER NO. PR40

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are expected to be present in the finished good in a concentration at or above the Content Inventory Threshold that return a GreenScreen scores of BM-1, LT-1, LT-P1 or NoGS.

OTHER PRODUCT NOTES: None

WATER					ID: 7732-18-5
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZARD	SCREENING DATE: 2	2023-09-06 9:08:20
%: 35.0000 - 45.0000	GreenScreen: BM-4	C: None	NANO: No	SUBSTANCE ROL	E: Solvent
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No war	nings found on HPD Pr	riority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
EXEMPT	European Union / European Commis EC)	ssion (EU	EU - REACH Exer	mptions	
			Exempted from RI safety	EACH Annex IV listing	due to intrinsic

SUBSTANCE NOTES:

LIMESTONE					ID: <b>1317-65-3</b>
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZARD SC	CREENING DATE:	2023-09-26 10:42:22
%: 35.0000 - 40.0000	GreenScreen: BM-3dg	RC: None	NANO: No	SUBSTANCE	ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No warr	nings found on HPD	Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No	listings found on Ad	dditional Hazard Lists
SUBSTANCE NOTES:					
VINYL ACRYLATE					ID: 2177-18-6

HAZARD DATA SOURCE:	Pharos Chemical and Materials Libra	iry	HAZARD S	CREENING DATE: 2023-09-26 10:43:32
%: 5.0000 - 15.0000	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No war	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Green Science Policy Institute	e (GSPI)	GSPI - Six Classe	s Precautionary List
			Some Solvents	

SUBSTANCE NOTES: Identification of this ingredient is not being disclosed due to suppliers holding chemical composition as proprietary. The assigned CAS number best represents the chemical family and associated hazards.

					ID: 12001-26-2
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZARD S	SCREENING DATE:	2023-09-06 9:08:20
%: 1.0000 - 5.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE R	OLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
MAM	GHS - Japan		repeated exposure	mage to organs throu Specific target orga exposure - Category	ns/systemic toxicity
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No	listings found on Add	litional Hazard Lists
SUBSTANCE NOTES:					
TITANIUM DIOXIDE					ID: <b>13463-67-</b>
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZARD S	SCREENING DATE:	2023-09-06 9:08:2
%: <b>1.0000 - 5.0000</b>	GreenScreen: LT-1	RC: None	NANO: No	SUBSTANCE RC	
				SOBSTANCE NO	
				SUBSTANCE IIC	
				SUBSTANCE HE	-∟. rigment
				SUBSTANCE HE	rigment
					rignen
					rigment
					riginent
					rignen
					riginent

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen**
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route**
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources**
CAN	МАК	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value**
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor**
CAN	МАК	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels**
CAN	IARC	Group 2b - Possibly carcinogenic to humans**
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]**
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]**
МАМ	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]**
CAN	EU - Annex VI CMRs	Carcinogen Category 2 - Suspected human Carcinogen**
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Formulated Consumer Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Cosmetics & Personal Care Products
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE Safer Chemicals Ingredients list (SCIL) Colorants - Green Circle (Verified Low Concern)

SUBSTANCE NOTES: \*\*Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. See HPDC's Special Conditions policy for more information. Manufacturer's Safety Data Sheet (SDS), if applicable, may offer occupational health and safety information.

ATTAPULGITE, ACTIVATI	ED				ID: <b>12174-11-7</b>
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZAF	RD SCREENING DATE:	2023-09-06 9:08:23
%: 0.1000 - 1.0000	GreenScreen: LT-1	RC: None	NANO: No	SUBSTANCE ROLE:	Corrosion inhibitor

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	CA EPA - Prop 65	Carcinogen
CAN	IARC	Group 2b - Possibly carcinogenic to humans
CAN	МАК	Carcinogen Group 2 - Considered to be carcinogenic for man
CAN	GHS - New Zealand	Carcinogenicity category 2
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
EYE	GHS - Japan	H319 - Causes serious eye irritation [Serious eye damage / eye irritation - Category 2A]
CAN	GHS - Australia	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Identification of this ingredient is not being disclosed due to suppliers holding chemical composition as proprietary. The assigned CAS number best represents the chemical family and associated hazards.

HAZARD DATA SOURCE: P	haros Chemical and Materials Library	/	HAZARD S	SCREENING DATE:	2023-09-06 9:08:22
%: 0.1000 - 1.0000	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE R	OLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No warr	nings found on HPD	Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No	listings found on Add	litional Hazard Lists
	fication of this ingredient is not being dis		uppliers holding che	mical composition as	proprietary. The
assigned CAS number best r	epresents the chemical family and asso	ciated hazards.			

MAGNESIUM CALCIUM SILICATE			ID: <b>14483-19-3</b>		
HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2023-09-26 10:43:03			
%: 0.1000 - 1.0000	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Plasticizer	

HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No wa	rnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	o listings found on Additional Hazard Lists
SUBSTANCE NOTES:				
SOLVENT-DEWAXED HEAVY DISTILLATES, SHOWN TO CO MEASURED BY IP 346	Y PARAFFINIC PETROLEUM ONTAIN LESS THAN 3 % DMSO AS			ID: <b>64742-65-</b> 0
HAZARD DATA SOURCE: P	naros Chemical and Materials Library	/	HAZARD S	SCREENING DATE: 2023-09-26 10:44:0
%: <b>0.1000 - 1.0000</b>	GreenScreen: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Defoamer
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	EU - Annex VI CMRs		Carcinogen Categ	gory 1B - Presumed Carcinogen based ce
MUL	German FEA - Substances Haz Waters	ardous to	Class 3 - Severe	Hazard to Waters
CAN	GHS - Australia		H350 - May cause or 1B]	e cancer [Carcinogenicity - Category 1A
CAN	EU - GHS (H-Statements) Anne	ex 6 Table 3-1	H350 - May cause or 1B]	e cancer [Carcinogenicity - Category 1A
SKI	GHS - Australia		H315 - Causes sk Category 2]	kin irritation [Skin corrosion/irritation -
DEV	GHS - Australia		H361d - Suspecte [Reproductive tox	ed of damaging the unborn child icity - Category 2]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Cradle to Cradle Products Innov (C2CPII)	vation Institute	C2C Certified v4 List (RSL) - Effect	Product Standard Restricted Substances tive July 1, 2022
			Children's Produc	ts
RESTRICTED LIST	Cradle to Cradle Products Innov (C2CPII)	vation Institute	C2C Certified v4 List (RSL) - Effect	Product Standard Restricted Substances tive July 1, 2022
			Formulated Cons	umer Products
SUBSTANCE NOTES:				
FELDSPAR				ID: <b>68476-25-</b>
HAZARD DATA SOURCE: P	naros Chemical and Materials Library	/	HAZARD S	SCREENING DATE: 2023-09-26 10:44:3
%: <b>0.1000 - 1.0000</b>	GreenScreen: LT-UNK	RC: None	NANO: No S	UBSTANCE ROLE: Abrasion resistance

None found		No listings found on Additional Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
MAM	GHS - New Zealand	Specific target organ toxicity - repeated exposure category 1
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS

SUBSTANCE NOTES:

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	UL/GreenGuard Gold Certified	
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All CERTIFICATE URL: https://spot.ul.com/main- app/products/detail/5c0eb7bd55b0e8a3d0f4fbb5? page_type=Products%20Catalog	ISSUE DATE: 2018-12-10 00:00:00 EXPIRY DATE:	CERTIFIER OR LAB: UL
CERTIFICATION AND COMPLIANCE NOTES: Reporting Body: UL Document #: 134365-420		
VOC CONTENT	SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007 amendments	
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All CERTIFICATE URL:	ISSUE DATE: 2023-04-05 00:00:00 EXPIRY DATE:	CERTIFIER OR LAB: None
CERTIFICATION AND COMPLIANCE NOTES: VOC content is a calculated value based on EPA Method 24		
FORMALDEHYDE CONTENT	UL Environmental Claim Validation - Formaldehyde Free	
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All CERTIFICATE URL: https://spot.ul.com/main- app/products/detail/5c0eb7bd55b0e8a3d0f4fbb5? page_type=Products%20Catalog	ISSUE DATE: 2019-01-07 00:00:00 EXPIRY DATE:	CERTIFIER OR LAB: UL

CERTIFICATION AND COMPLIANCE NOTES: Reporting Body: UL Document #: 134365-4370

## 😑 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

### COLORANT

MANUFACTURER (OR GENERIC): Behr Process LLC

#### HPD URL: No HPD Available

#### ACCESSORY TYPE: Colorant System

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Behr uses colorants that contain low VOC content (compliant with SCAQMD Rule 1113) and formaldehyde free. Colorants added to this base paint do not significantly increase VOC levels even if used at maximum tint load in any color.

## Section 5: General Notes

The chemical assessments contained in this Health Product Declaration form has been generated by the Health Product Declaration tool(s) and may differ from the information contained in Behr's Safety Data Sheet ("SDS") for this product. Prior to using this product, users should review Behr's SDS and follow all instructions on the SDS and product label provided by Behr.

## MANUFACTURER INFORMATION

MANUFACTURER: Behr Paint Company ADDRESS: 1801 E Saint Andrew Place Santa Ana, California 92705 COUNTRY: United States WEBSITE: https://www.behr.com/ CONTACT NAME: Anna Wang TITLE: Environmental Specialist PHONE: (714) 545-7101 EMAIL: anwang@behr.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

#### KEY

Hazard Types AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity

**GEN** Gene mutation

GLO Global warming

GreenScreen (GS)

LAN Land toxicity MAM Mammalian/systemic/organ toxicity MUL Multiple NEU Neurotoxicity NF Not found on Priority Hazard Lists OZO Ozone depletion PBT Persistent, bioaccumulative, and toxic PHY Physical hazard (flammable or reactive)
REP Reproductive
RES Respiratory sensitization
SKI Skin sensitization/irritation/corrosivity
UNK Unknown

LT-P1 List Translator Possible 1 (Possible Benchmark-1) LT-1 List Translator 1 (Likely Benchmark-1) LT-UNK List Translator Benchmark Unknown NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

#### **Recycled Types**

PreC Pre-consumer recycled content
 PostC Post-consumer recycled content
 UNK Inclusion of recycled content is unknown
 None Does not include recycled content

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

**BM-2** Benchmark 2 (use but search for safer substitutes) **BM-1** Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

#### Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

**Inventory Methods:** 

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator<sup>TM</sup>, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and

## BEHR PRO High Build Interior Primer No. PR40

for compliance with the HPD standard noted.