## **BEHR PRO® Acrylic Texture Coating No. PR710** by Behr Paint Company

**Health Product** Declaration v2.3

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 63444273152 CLASSIFICATION: 09 90 00 Painting and Coating

PRODUCT DESCRIPTION: BEHR PRO® Acrylic Texture Coating is specifically designed to provide a textured finish on properly prepared interior and exterior surfaces. This product helps minimize defects and irregularities found on concrete and masonry surfaces. It also provides a mildew resistant finish on the paint film. Not for use on floors, below-grade surfaces and areas subject to hydrostatic pressure.

### Section 1: Summary

### **Basic Method / Product Threshold**

#### **CONTENT INVENTORY**

**Inventory Reporting Format** 

C Nested Materials Method

Basic Method

**Threshold Disclosed Per** 

Material

Product

**Threshold Level** 

C 100 ppm

€ 1,000 ppm

C Per GHS SDS

Other

Residuals/Impurities Evaluation

Completed

C Partially Completed

Not Completed

Explanation(s) provided:

For all contents above the threshold, the manufacturer has:

Characterized

Yes ○ No

Yes ○ No

Provided weight and role.

Screened

Provided screening results using HPDC-approved

methods.

Identified Yes ○ No.

Provided name and CAS RN or other identifier.

### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

**GREENSCREEN SCORE** | HAZARD TYPE

BEHR PRO® ACRYLIC TEXTURE COATING NO. PR710 [ WATER BM-**4 NEPHELINE SYENITE LT-UNK BA/MMA COPOLYMER LT-UNK** PUMICE LT-UNK TITANIUM DIOXIDE BM-1 \* | CAN | END | MAM STYRENE-METHYLMETHACRYLATE COPOLYMER LT-UNK ISOBUTYRIC ACID, MONOESTER WITH 2,2,4-TRIMETHYLPENTANE-1,3-DIOL LT-UNK | CAN | AQU MICA LT-UNK | MAM SEPIOLITE LT-UNK | CAN TRIETHYLENE GLYCOL DI(2-ETHYLHEXOATE) LT-UNK **ALUMINUM OXIDE BM-2** | MAM **DISTILLATES** (**PETROLEUM**), SOLVENT DEWAXED LIGHT PARAFFINIC DISTILLATE LT-1 | CAN | MUL | SKI | DEV SOLVENT-DEWAXED HEAVY PARAFFINIC PETROLEUM DISTILLATES LT-1 | CAN | MUL | SKI | DEV AMMONIUM HYDROXIDE LT-P1 | MUL | SKI | AQU | MAM | EYE | PHY ALCOHOLS, C9-11-BRANCHED AND LINEAR, BUTOXYLATED ETHOXYLATED (FATTY ALCOHOL ALKOYLATE) LT-P1 | MUL POLYURETHANE RESINS DERIVED FROM THE REACTION OF DIPHENYLMETHANE **DIISOCYANATE WITH 1,3-PROPANEDIOL AND** POLYTETRAMETHYLENE ETHER GLYCOL NoGS AMMONIUM POLYACRYLATE LT-UNK HYDROXYETHYL CELLULOSE LT-P1 | END Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-1, LT-P1

Nanomaterial ... No

### **INVENTORY AND SCREENING NOTES:**

Antimicrobial Pesticides Reporting: This product does not contain substance(s) that are intentionally added above the [Product - 1,000 ppm] threshold to act as antimicrobials.

Antimicrobial Pesticides Reporting: This product does not contain substance(s) that are intentionally added above the [Product - 1,000 ppm] threshold to act as antimicrobials.

### None

\*Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. For this reason, this score is intentionally omitted from the "Contents highest concern" line above. See HPDC's Special Conditions policy for more information.

### **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

Material (g/l): 19 Regulatory (g/l): 41

Does the product contain exempt VOCs: No

Are colorants available that do not increase the VOC content of the base paint when tinted: Yes

**CERTIFICATIONS AND COMPLIANCE** See Section 3 for additional

VOC emissions: VOC Content - Not Tested

VOC content: SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007

amendments

Multi-attribute: MPI Green Performance GPS-2-12

### **CONSISTENCY WITH OTHER PROGRAMS**

Pre-checked for LEED v4 Option 1.

Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

PREPARER: Self-Prepared

SCREENING DATE: 2024-12-13

Yes No

VERIFIER:

PUBLISHED DATE: 2025-01-01

VERIFICATION #:

EXPIRY DATE: 2027-12-13

## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- · Basic Inventory method with Product-level threshold.
- · Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

### **BEHR PRO® ACRYLIC TEXTURE COATING NO. PR710**

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are expected to be present in the finished good in a concentration at or above the Content Inventory Threshold that return a GreenScreen scores of BM-1, LT-1, LT-P1 or NoGS.

OTHER PRODUCT NOTES: None

**WATER** ID: 7732-18-5 HAZARD SCREENING DATE: 2024-12-13 12:30:13 HAZARD DATA SOURCE: Pharos Chemical and Materials Library %: 30.0000 - 60.0000 GreenScreen: BM-4 RC: None NANO: No SUBSTANCE ROLE: Solvent HAZARD TYPE LIST NAME AND SOURCE WARNINGS No warnings found on HPD Priority Hazard Lists None found ADDITIONAL LISTINGS LIST NAME AND SOURCE **NOTIFICATION EXEMPT** European Union / European Commission (EU **EU - REACH Exemptions** EC) Exempted from REACH Annex IV listing due to intrinsic safety

SUBSTANCE NOTES: This is a water-based product, so the ingredients are balanced with water.

NEPHELINE SYENITE				ID: <b>37244-96-5</b>
HAZARD DATA SOURCE: P	Pharos Chemical and Materials Librar	у	HAZARD S	CREENING DATE: 2024-12-13 12:26:34
%: 10.0000 - 30.0000	GreenScreen: LT-UNK	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warr	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	

SUBSTANCE NOTES:

None found

No listings found on Additional Hazard Lists

BA/MMA COPOLYMER ID: 25852-37-3

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	/	HAZARD S	CREENING DATE: 2024-12-13 12:36:41
%: 7.0000 - 13.0000	GreenScreen: LT-UNK	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No war	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists

PUMICE					ID: <b>1332-09-8</b>
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZARD SO	CREENING DATE:	2024-12-13 12:22:16
%: 5.0000 - 10.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE	ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No warr	nings found on HPD	Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No	listings found on Ad	dditional Hazard Lists
SUBSTANCE NOTES:					

TITANIUM DIOXIDE			ID: <b>13463-67-7</b>	
HAZARD DATA SOURCE:	Pharos Chemical and Materials L	ibrary	HAZARD S	CREENING DATE: 2024-12-13 12:25:47
%: 5.0000 - 10.0000	GreenScreen: BM-1	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Opacifier

LIST NAME AND SOURCE	WARNINGS
US CDC - Occupational Carcinogens	Occupational Carcinogen**
CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route**
IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources**
MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value**
TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor**
MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels**
IARC	Group 2b - Possibly carcinogenic to humans**
EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]**
GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]**
GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]**
LIST NAME AND SOURCE	NOTIFICATION
Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
	Children's Products
Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
	Formulated Consumer Products
Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
	Cosmetics & Personal Care Products
US Environmental Protection Agency (US EPA)	US EPA - DfE Safer Chemicals Ingredients list (SCIL)
	Colorants - Green Circle (Verified Low Concern)
Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024
	US CDC - Occupational Carcinogens  CA EPA - Prop 65  IARC  MAK  TEDX - Potential Endocrine Disruptors  MAK  IARC  EU - GHS (H-Statements) Annex 6 Table 3-1  GHS - Japan  GHS - Japan  LIST NAME AND SOURCE  Cradle to Cradle Products Innovation Institute (C2CPII)  Cradle to Cradle Products Innovation Institute (C2CPII)

SUBSTANCE NOTES: \*\*Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. See HPDC's Special Conditions policy for more information. Manufacturer's Safety Data Sheet (SDS), if applicable, may offer occupational health and safety information.

STYRENE-METHYLMETHACRYLATE COPOLYMER

ID: 25034-86-0

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	1	HAZARD S	CREENING DATE: 2024-12-13 12:33:45
%: 1.0000 - 5.0000	GreenScreen: LT-UNK	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Opacifier
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No war	rnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	b listings found on Additional Hazard Lists

SUBSTANCE NOTES: Identification of this ingredient is not being disclosed due to suppliers holding chemical composition as proprietary. The assigned CAS number best represents the chemical family and associated hazards.

## ISOBUTYRIC ACID, MONOESTER WITH 2,2,4-TRIMETHYLPENTANE-1,3-DIOL

ID: 25265-77-4

HAZARD DATA SOURCE:	Pharos Chemical and Materials Libra	ry	HAZARD S	SCREENING DATE: 2024-12-13 12:35:39
%: 1.0000 - 5.0000	GreenScreen: LT-UNK	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Coalescent
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	MAK		o o	p 3A - Evidence of carcinogenic effects to establish MAK/BAT value
AQU	GHS - New Zealand		Hazardous to the	aquatic environment - chronic category 3
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			N	o listings found on Additional Hazard Lists

MICA				ID: <b>12001-26-2</b>
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	1	HAZARD S	CREENING DATE: 2024-12-13 12:20:51
%: 1.0000 - 5.0000	GreenScreen: LT-UNK	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
MAM	GHS - Japan		repeated exposure	mage to organs through prolonged or e [Specific target organs/systemic toxicity exposure - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists
SUBSTANCE NOTES:				

SEPIOLITE ID: 63800-37-3

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-12-13		
%: 0.5000 - 1.5000	GreenScreen: LT-UNK	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	MAK		Carcinogen Group but not sufficient fo	3B - Evidence of carcinogenic effects or classification
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists
SUBSTANCE NOTES:				

### TRIETHYLENE GLYCOL DI(2-ETHYLHEXOATE) ID: 94-28-0 HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2024-12-13 12:31:14 %: 0.5000 - 1.5000 GreenScreen: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Coalescent HAZARD TYPE LIST NAME AND SOURCE WARNINGS None found No warnings found on HPD Priority Hazard Lists ADDITIONAL LISTINGS LIST NAME AND SOURCE **NOTIFICATION** RESTRICTED LIST Green Science Policy Institute (GSPI) GSPI - Six Classes Precautionary List Some Solvents SUBSTANCE NOTES:

ALUMINUM OXIDE		ID: <b>1344</b> -		
HAZARD DATA SOURCE:	Pharos Chemical and Materials Lil	brary	HAZARD S	CREENING DATE: 2024-12-13 12:24:59
%: 0.1000 - 1.0000	GreenScreen: BM-2	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Coating
HAZARD TYPE	LIST NAME AND SOURCE	<u> </u>	WARNINGS	
MAM	GHS - Japan		•	e respiratory irritation [Specific target angle exposure - Category 3]
MAM	GHS - Japan		repeated exposur	amage to organs through prolonged or e [Specific target organs/systemic toxicity d exposure - Category 1]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024
		Children's Toy Products

SUBSTANCE NOTES:

## DISTILLATES (PETROLEUM), SOLVENT DEWAXED LIGHT PARAFFINIC DISTILLATE

ID: 64742-56-9

HAZARD DATA SOURCE:	DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-12-13 12:28:	
%: 0.1000 - 1.0000	GreenScreen: LT-1	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Defoamer
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	EU - Annex VI CMRs		Carcinogen Categon on animal evidence	gory 1B - Presumed Carcinogen based
MUL	ChemSec - SIN List	ChemSec - SIN List		n, Mutagen &/or Reproductive Toxicant
MUL	German FEA - Substances H Waters	azardous to	Class 2 - Hazard t	to Waters
CAN	GHS - Australia		H350 - May cause or 1B]	e cancer [Carcinogenicity - Category 1A
CAN	EU - GHS (H-Statements) Ar	nex 6 Table 3-1	H350 - May cause or 1B]	e cancer [Carcinogenicity - Category 1A
SKI	GHS - Australia		H315 - Causes sk Category 2]	in irritation [Skin corrosion/irritation -
DEV	GHS - Australia		H361d - Suspecte [Reproductive toxi	ed of damaging the unborn child icity - Category 2]
CAN	EU - REACH Annex XVII CM	Rs	Carcinogens: Cate	egory 1B

RESTRICTED LIST  Cradle to Cradle Products Innovation Institute (C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Children's Products  RESTRICTED LIST  Cradle to Cradle Products Innovation Institute (C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Formulated Consumer Products  RESTRICTED LIST  Cradle to Cradle Products Innovation Institute (C2C Certified v4.1 Product Standard Restricted Substances List (RSL) - Effective July 1, 2024	ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
(C2CPII)  Substances List (RSL) - Effective July 1, 2022  Formulated Consumer Products  RESTRICTED LIST  Cradle to Cradle Products Innovation Institute  C2C Certified v4.1 Product Standard Restricted	RESTRICTED LIST		Substances List (RSL) - Effective July 1, 2022
	RESTRICTED LIST		Substances List (RSL) - Effective July 1, 2022
All Products	RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	Substances - Effective July 1, 2024
RESTRICTED LIST  Cradle to Cradle Products Innovation Institute (C2CPII)  C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024  Cosmetics and Personal Care Products	RESTRICTED LIST		Substances - Effective July 1, 2024

SUBSTANCE NOTES:

## SOLVENT-DEWAXED HEAVY PARAFFINIC PETROLEUM DISTILLATES

ID: **64742-65-0** 

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-12-13 12			
%: 0.1000 - 1.0000	GreenScreen: LT-1	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Defoamer	
HAZARD TYPE	LIST NAME AND SOURCE	<u> </u>	WARNINGS		
CAN	EU - Annex VI CMRs	EU - Annex VI CMRs		gory 1B - Presumed Carcinogen based ce	
MUL	ChemSec - SIN List	ChemSec - SIN List		CMR - Carcinogen, Mutagen &/or Reproductive Toxicant	
MUL	German FEA - Substances Waters	German FEA - Substances Hazardous to Waters		Class 2 - Hazard to Waters	
CAN	GHS - Australia	GHS - Australia		e cancer [Carcinogenicity - Category 1A	
CAN	EU - GHS (H-Statements) A	EU - GHS (H-Statements) Annex 6 Table 3-1		e cancer [Carcinogenicity - Category 1A	
SKI	GHS - Australia	GHS - Australia		sin irritation [Skin corrosion/irritation -	
DEV	GHS - Australia	GHS - Australia		ed of damaging the unborn child icity - Category 2]	
CAN	EU - REACH Annex XVII CMRs		Carcinogens: Cat	egory 1B	

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Children's Products
		Children's Floudcis
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Formulated Consumer Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024
		All Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024
		Cosmetics and Personal Care Products
SUBSTANCE NOTES:		

AMMONIUM HYDROXIDE	ID: <b>1336-21-6</b>

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-12-13 12:24:05		
%: 0.1000 - 1.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Buffer

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
EYE	GHS - Japan	H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]
SKI	GHS - Japan	H314 - Causes severe skin burns and eye damage [Skin corrosion / irritation - Category 1]
SKI	GHS - Australia	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
AQU	GHS - Korea	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
SKI	GHS - Korea	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1]
MAM	GHS - Australia	H331 - Toxic if inhaled [Acute toxicity (inhalation) - Category 3]
PHY	GHS - Korea	H220 - Extremely flammable gas [Flammable gases - Category 1]
AQU	GHS - Australia	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
MAM	GHS - Korea	H331 - Toxic if inhaled [Acute toxicity (inhalation) - Category 3]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Cosmetics & Personal Care Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024
		All Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024
		Cosmetics and Personal Care Products
SUBSTANCE NOTES:		

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD S	SCREENING DATE: 2024-12-13 12:32:53
%: 0.1000 - 1.0000	GreenScreen: LT-P1	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Surfactant
HAZARD TYPE	LIST NAME AND SOURCE	LIST NAME AND SOURCE		
MUL	German FEA - Substances   Waters	Hazardous to	Class 3 - Severe	Hazard to Waters
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	o listings found on Additional Hazard Lists

SUBSTANCE NOTES: Identification of this ingredient is not being disclosed due to suppliers holding chemical composition as proprietary. The assigned CAS number best represents the chemical family and associated hazards.

# POLYURETHANE RESINS DERIVED FROM THE REACTION OF DIPHENYLMETHANE DIISOCYANATE WITH 1,3-PROPANEDIOL AND POLYTETRAMETHYLENE ETHER GLYCOL

ID: 89097-02-9

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		ZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCR		SCREENING DATE: 2024-12-13 12:37:48
%: 0.1000 - 1.0000	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Viscosity modifier	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No v	varnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	1	
None found				No listings found on Additional Hazard Lists	

AMMONIUM POLYACRYL	ATE	ID: <b>9003-0</b>		
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	/	HAZARD S	SCREENING DATE: 2024-12-13 12:38:21
%: 0.1000 - 1.0000	GreenScreen: LT-UNK	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Dispersant
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No wa	rnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			N	o listings found on Additional Hazard Lists

SUBSTANCE NOTES: Identification of this ingredient is not being disclosed due to suppliers holding chemical composition as proprietary. The assigned CAS number best represents the chemical family and associated hazards.

HYDROXYETHYL CELLULOSE ID: 9004-62-0

HAZARD DATA SOURCE:	ZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-12-13 12:39	
%: 0.1000 - 1.0000	GreenScreen: LT-P1	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Viscosity modifier
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
END	TEDX - Potential Endocrine Dis	TEDX - Potential Endocrine Disruptors		crine Disruptor
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	N
None found				No listings found on Additional Hazard Lists

## Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

### VOC EMISSIONS VOC Content - Not Tested

CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All

CERTIFICATE URL:

ISSUE DATE: 2024-12-12 00:00:00

CERTIFIER OR LAB: None

**EXPIRY DATE:** 

CERTIFICATION AND COMPLIANCE NOTES:

VOC CONTENT SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007 amendments

CERTIFYING PARTY: Self-declared ISSUE DATE: 2024-12-13 00:00:00 CERTIFIER OR LAB: None

APPLICABLE FACILITIES: All EXPIRY DATE:

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: VOC content is a calculated value based on EPA method 24.

### MULTI-ATTRIBUTE MPI Green Performance GPS-2-12

CERTIFYING PARTY: Third Party ISSUE DATE: 2024-12-13 00:00:00 CERTIFIER OR LAB: MPI

APPLICABLE FACILITIES: All EXPIRY DATE:

CERTIFICATE URL:

https://www.mpi.net/APL/Mpi\_redirect.asp?textmpi=Behr

CERTIFICATION AND COMPLIANCE NOTES: MPI Green Performance® Standard (GPS-2-12) provides for a maximum allowable limit of 50 g/L of

VOCs.

## 🛑 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

### **COLORANT**

MANUFACTURER (OR GENERIC): Behr Process LLC

HPD URL: No HPD Available

ACCESSORY TYPE: Colorant System

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Behr uses colorants that contain low VOC content (compliant with SCAQMD Rule 1113) and are formaldehyde free. Colorants added to this base paint do not significantly increase VOC levels even if used at maximum tint load in any color.

### Section 5: General Notes

The chemical assessments contained in this Health Product Declaration form have been generated by the Health Product Declaration tool(s) and may differ from the information contained in Behr's Safety Data Sheet ("SDS") for this product. Prior to using this product, users should review Behr's SDS and follow all instructions on the SDS and product label provided by Behr.

#### **MANUFACTURER INFORMATION**

MANUFACTURER: Behr Paint Company

ADDRESS: 1801 E St Andrew Pl Santa Ana, California 92705

COUNTRY: United States

WEBSITE: www.behr.com
CONTACT NAME: Keri Bird

TITLE: Product Regulatory Compliance Analyst

PHONE: **714-545-7101**EMAIL: **kbird@behr.com** 

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

## KEY

**Hazard Types** 

**AQU** Aquatic toxicity

**CAN** Cancer

**DEV** Developmental toxicity

**END** Endocrine activity

EYE Eye irritation/corrosivity

**GEN** Gene mutation

**GLO** Global warming

**LAN** Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

**NEU** Neurotoxicity

**NF** Not found on Priority Hazard Lists

**OZO** Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

**REP** Reproductive

**RES** Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

**UNK** Unknown

### GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

**BM-2** Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

**LT-1** List Translator 1 (Likely Benchmark-1) **LT-UNK** List Translator Benchmark Unknown

NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

### **Recycled Types**

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

**UNK** Inclusion of recycled content is unknown

None Does not include recycled content

### Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

### **Inventory Methods:**

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material

Nested Method / Product Threshold Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and

