



## HEALTHCARE FACILITIES GUIDE

### PAINTING SPECIFICATIONS

**09 91 23 Interior Painting**

**09 91 13 Exterior Painting**

If you have any questions regarding  
Behr Painting Specifications,  
please contact [specs@behr.com](mailto:specs@behr.com)



## GUIDE INDEX

Products/Finish Coats .....	4-6
Primers and Sealers.....	6-7
General Surface Preparation.....	7-8
Project Conditions For Painting Exterior Surfaces.....	8

## INTERIOR PAINT SYSTEMS

---

Admissions .....	9-11
Reception, Waiting Areas, Lobbies, Common Areas.....	12-13
Offices, Conference Rooms, Multi-Purpose Rooms .....	13-14
Hallways, Corridors, Common Areas .....	14-16
Nurses Stations, Administrative Center .....	16-19
Examination, Consulting and Treatment Rooms .....	19-20
Medical/Clinical Pathology and Laboratories, Labs.....	20-23
Imaging / Radiology .....	23-24
Patient Rooms .....	24-27
Labor and Delivery, Recovery and Maternity Suites .....	28-29
Nursery.....	30-32
Emergency Room, ER, ED .....	32-34
Intensive Care Unit, ICU, SICU, SUBICU .....	34-36
Neonatal Intensive Care Unit, NICU .....	36-38
Operating Rooms, OR, Surgical Suites, Medical/Surgical Units... ..	38-40
Patient Recovery Rooms, Post OP .....	40-41
Patient Rehabilitation and Therapy Rooms.....	42-44
Pharmacy.....	44-45
Kitchen, Food Preparation and Food Services.....	46-47
Cafeteria, Restaurant and Café.....	48-49
Medical Staff Lounge, Breakrooms, Storage Lockers, Toilet Rooms.....	50-51
Linen and Laundry Services .....	52-53
Central Sterile Services, CSSD .....	53-55
Central Supply Room.....	56-57
Janitorial Office, Break Room, and Common Space .....	57-59
Custodian Rooms, Janitorial Closets, Storage and Utility Rooms.....	59-61
Public Restrooms.....	61-63
Engineering and Facilities Offices, Storage Rooms, and Common Areas.....	63-64
Wood, Interior Stained and Transparent Finishes.....	64
Concrete Floors, Painted, Pedestrian Traffic .....	64-65
Concrete Floors, Painted, Heavy Traffic .....	65

## EXTERIOR PAINT SYSTEMS

---

Concrete .....	66
Stucco and Cement Plaster .....	66
Fiber Cement - Pre-Primed .....	67
Concrete Masonry Units (CMU) .....	67
Concrete, Unfinished Decks, Stone and Brick.....	67
Wood: Painted .....	68
Wood: Stained .....	68
Wood: Exterior Transparent Finishes .....	68
Ferrous Metal: Steel and Wrought Iron.....	68
Non-Ferrous Metal: Galvanized Steel .....	69
Aluminum.....	69

# BEHR® PRODUCTS

## PRODUCTS

---

The painting schedule outlined in this guide is not inclusive of all available BEHR® Products. Architects and specifiers may adapt and make changes, which are suitable for specific commercial projects and their requirements.

The majority of BEHR® Coatings meet the regulatory limits in South Coast Air Quality Management District (SCAQMD) Rule 1113. And, many BEHR Products have achieved GREENGUARD® Gold certification, which helps contribute points toward numerous green building rating systems, including LEED®, as well as meet or exceed Master Painters Institute (MPI) environmental and performance standards.

## FINISH COATS

---

**BEHR ULTRA® Interior Paints** set a new standard for flat paint durability. Stain-Blocking Paint & Primer featuring breakthrough innovation to deliver superior scuff and burnish resistance that are truly durable for high-traffic areas. Available in Flat, Eggshell, Satin and Semi-Gloss finishes.

**BEHR PREMIUM PLUS® Interior Paints** is a line of premium interior Zero VOC\*<sup>§</sup> paints. They also have low odor and excellent touch-up properties. Available in Flat, Eggshell Satin and Semi-Gloss sheens.

**BEHR PRO® i300 Interior Paints** is top-line professional quality Zero VOC\*<sup>§</sup> latex paints. Available in Flat, Eggshell and Semi-Gloss finishes.

**BEHR PRO® Pre-Catalyzed Waterborne Epoxy** is a single-component acrylic epoxy coating designed for interior and exterior use in USDA-inspected commercial, institutional and industrial facilities. This product provides exceptional adhesion as well as resistance to abrasion, stains and most chemicals making it ideal for high maintenance areas subject to frequent cleaning. Available in HP 140 Eggshell and HP 150 Semi-Gloss sheens.

**BEHR PREMIUM® Interior/Exterior Direct-To-Metal Paint** is engineered for excellent corrosion resistance and adhesion to a variety of properly prepared or primed residential and light industrial metal surfaces. It provides a durable finish that withstands tough elements on both interior and exterior surfaces. Also suitable for use on other properly prepared and primed drywall, wood and masonry. Available in Eggshell and Semi-Gloss.

**BEHR PREMIUM® Porch & Patio Floor Paint** is an interior/exterior latex paint designed to provide a durable, mildew-resistant finish that resists scuffing, fading, cracking and peeling for horizontal applications. Available in Low Lustre and Gloss sheens.

\* This product, like most Zero VOC paints, emits very low amounts of VOCs.

Most emissions occur during painting and for 48 hours after. Some continue for two weeks or longer.

While VOC emissions are very low, sensitive groups such as babies and asthma/allergy sufferers should minimize exposure.

<sup>§</sup> Zero VOC applies only to Flat, Eggshell, Satin and Semi-Gloss sheens.



**BEHR PREMIUM® Porch & Patio Anti-Slip Floor Paint** is a 100% acrylic textured low-lustre enamel that is ideal for interior/exterior applications on wood and concrete porches, patios, pool decks and walkways to provide a durable, mildew-resistant finish that resists scuffing, fading, cracking and peeling for horizontal applications.

**BEHR PREMIUM PLUS® Exterior Paints** is a line of premium exterior paints that provide a mildew-resistant finish with excellent durability and hide. These paints resist moisture, fading and staining. Available in Flat, Satin, Semi-Gloss and Hi-Gloss sheens.

**BEHR PRO® e600 Exterior Paints** is top-line, professional quality exterior paints that provide superior hide and coverage, excellent sprayability and superior touch-up. Available in Flat, Satin and Semi-Gloss sheens.

**BEHR PREMIUM® Exterior High Build Coating** is formulated as a self-priming coating over concrete and masonry surfaces. It is a flexible, long-lasting, smooth and waterproof coating that withstands wind-driven rain up to 98 mph and may be applied directly to "HOT" masonry surfaces with pH levels up to 13. This coating also provides a breathable film that has up to 350% elongation.

**BEHR PRO® Exterior Acrylic Texture Coating – Medium** is specifically designed to provide a textured Flat finish on properly prepared interior and exterior above-grade surfaces. This product minimizes defects and irregularities found on concrete and masonry surfaces. It provides a mildew resistant finish on the paint film. Performance data confirms its Resistance to Wind-Driven Rain (ASTM D6904). Not for use on horizontal surfaces (floors, roofs or decks, etc.).

**BEHR PREMIUM® Protector & Waterproofer** is an interior/exterior water-based waterproofer formulated with silicone to penetrate into the surface to help keep water out and shield against salt damage and corrosion. This product also reduces staining caused by mold and mildew and ensures greater durability of the surface.

**BEHR PREMIUM® Semi-Transparent Waterproofing Stain & Sealer** is a 100% acrylic formula that seals out the elements and sun's harmful UV rays on decks, fences and siding. It is available in a curated collection of 60 color choices designed to help create a look that is as beautiful as it is durable.

**BEHR PREMIUM® Solid Color Waterproofing Stain & Sealer** is a 100% acrylic formula that seals out the elements and sun's harmful UV rays on decks, fences and siding. It forms an exceptionally durable and mildew-resistant finish that resists scuffing, cracking, peeling and blistering.

**BEHR PREMIUM® Fast-Drying Water-Based Wood Stain** is designed for easy application and workability to interior wood surfaces such as cabinets, trim, doors, paneling, furniture and floors. This product provides superior color control, one-coat coverage and lower odor than oil-based stains.



**BEHR PREMIUM® Fast-Drying Water-Based Polyurethane** is designed to provide a crystal clear, self-leveling, finish that protects and beautifies interior wood. This product has less odor than oil-based finishes and resists stains and scratches. Ideal for bare or stained furniture, molding, cabinets, trim and wood doors. Available in Matte, Satin, Semi-Gloss and Gloss sheens.

**BEHR PREMIUM® Water-Based Spar Urethane** is designed to provide a durable, crystal clear, protective finish for exterior and interior wood surfaces. This finish is fortified with UV inhibitors for wood exposed to direct sunlight such as handrails and doors.

**MONOCHEM PERMASHIELD® 200\*** is an advanced two-component water-based, aliphatic polyurethane that exhibits outstanding film hardness and excellent resistance against abrasion, chemicals, stains, direct/reverse impacts and ultraviolet light. When applied with a full broadcast of silica sand #30 over concrete, the coating provides a coefficient of friction (ASTM C1028) of 0.76 (wet) and 0.89 (dry). It is low odor and low VOC. Available in matte and high gloss, and in clear or colors.

\*MONOCHEM PERMASHIELD 200 is not manufactured by Behr Paint Company. It is offered as an outsourced product in the BEHR PRO® third-party product program. Behr Paint Company is an authorized Distributor for Monopole, Inc., Los Angeles, California.

## PRIMERS AND SEALERS

---

**BEHR® DRYWALL PLUS Interior Primer & Sealer No. 73** is fast-drying and seals uncoated and previously painted interior drywall, wallboard, plaster, wood and brick to promote a uniform finish for topcoats. This 100% acrylic, low VOC formula is ideal for use under lower sheen paints and has excellent hiding properties for topcoat products.

**BEHR® Interior/Exterior Bonding Primer No. 432** is specifically formulated to bond to a variety of ‘tough-to-paint’ surfaces. Its advanced chemistry provides a sound anchor for topcoats while reducing or potentially eliminating the need for sanding dense and glossy surfaces. This product may be used under epoxies, lacquers, products containing xylene or other hot solvents.

**BEHR® Interior/Exterior Metal Primer No. 435** is a rust-inhibitive primer that can be applied over clean and sound rusty metal surfaces while preventing corrosion with minimal surface preparation. This innovative water-based primer features fast dry time, low odor and easy clean-up.

**BEHR® Multi-Surface Interior/Exterior Stain-Blocking Primer & Sealer No. 436** blocks medium to heavy stains and has excellent adhesion to multiple substrates. It offers corrosion and rust resistant properties to ferrous and non-ferrous metals. This low VOC product also provides a high-hide, mildew-resistant primer film with quick recoat time and can be applied to masonry surfaces with a pH level up to 13.



**BEHR PREMIUM® Concrete & Masonry Bonding Primer No. 880** is a high performance, water-based prep product designed specially to promote optimum adhesion to interior and exterior concrete and masonry surfaces.

**BEHR PRO® Concrete & Masonry Primer No. PR060** is an interior/exterior acrylic primer formulated to seal above-grade concrete and masonry surfaces. It provides great adhesion and has excellent alkali and efflorescence resistance. It can be applied in temperatures down to 35°F and tolerates high pH levels (up to 13) for application to new concrete and masonry in as soon as 7 days.

## GENERAL SURFACE PREPARATION

---

Clean surfaces of dust, dirt, oil, grease and other contaminants that may impair adhesion before application of any coatings and stains. Prepare surfaces as follows:

**WOOD:** Remove mill glaze and dust, sand smooth. Fill open joints, cracks, nail holes and other pits or depressions flush and smooth with wood filler after priming. Use wood putty to match finish paint coat. Touch up knots or sap streaks with a stain-blocking sealer before priming.

**LAMINATE AND FIBERGLASS REINFORCED PLASTIC (FRP):** Remove grease, oil and dirt to achieve a clean, dry and slightly roughened surface before priming with a water-based bonding primer to increase proper adhesion.

**CONCRETE PRE-CAST CONCRETE, TILT-UP:** Remove release agents, curing compounds, loose particles, efflorescence and chalk. Do not coat surfaces if moisture content or alkalinity of surface to be coated exceeds that permitted in the manufacturer's written instructions. Prime with an alkali-resistant primer.

**PLASTER AND STUCCO:** Fill hairline cracks, small holes and imperfections on surfaces with patching compound. Smooth off to match adjacent surfaces. Apply an alkali-resistant primer or wash with fresh water and neutralize high alkalinity surfaces where they occur.

**MASONRY:** Remove efflorescence and chalk. Do not coat surfaces if moisture content or alkalinity of surface to be coated exceeds that permitted in the manufacturer's written instructions. Prime with an alkali-resistant primer.

**SHOP-PRIMED STEEL:** Solvent clean according to SSPC-SP1. Remove loose primer, rust, contaminants and foreign matter. Prime bare steel and touch up abrasions with a ferrous metal primer.

**STEEL, FERROUS METAL:** Remove rust, mill scale, foreign substances and shop primer. Clean according to SSPC-SP3, "Power Tool Cleaning", or abrasive blasting cleaning according to SSPC-SP6 "Commercial Blast Cleaning" as required. Protect surface from corrosion until application of primer.



**GALVANIZED METAL:** Remove oils and passivators, and clean entire surface with an appropriate solvent. Pre-treat with a phosphoric acid etching solution to promote adhesion of subsequently applied coatings.

**PHOSPHATIZED METAL OR GALVANNEALED METAL:** Shall not be chemically etched. Clean and apply suitable metal primer.

**ALUMINUM:** Solvent clean according to SSPC-SP1. Remove loose surface oxidation.

**GYPSUM BOARD:** Remove dust and foreign matter. Fill pits flush and smooth with joint compound and, where required, apply skim coat to provide the required level of finish. Apply suitable patching compound to repair gauges, holes and voids. Sand smooth and clean to a dust free surface.

**WARNING** If you scrape, sand or remove old paint, you may release lead dust. Lead is toxic. Exposure to lead dust can cause serious illness, such as brain damage, especially in children. Pregnant women should also avoid exposure. Wear a NIOSH-approved respirator to control lead exposure. Clean up carefully with a HEPA vacuum and a wet mop. Before you start, find out how to protect yourself and your family by contacting the National Lead Information Center at 1-800-424-LEAD or log on to [www.epa.gov/lead](http://www.epa.gov/lead).

### PROJECT CONDITIONS FOR PAINTING EXTERIOR SURFACES

---

Do not apply paint or coatings when temperature is below 50°F (unless otherwise noted). Do not apply exterior paint in damp or rainy weather; ensure that the surface has dried thoroughly before proceeding. Surface temperature must be at least 5°F above dew point before painting.



1801 E. St. Andrew Place, Santa Ana, California 92705 • (714) 545-7101

# INTERIOR PAINT SYSTEMS (09 91 23 INTERIOR PAINTING)

## ADMISSIONS

---

### GYPSUM BOARD AND PLASTER: WALLS

Latex, High Performance Architectural, Low Odor/VOC:

#### **Flat Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR ULTRA® Interior Flat Paint (1720)

#### **Eggshell Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR ULTRA® Interior Eggshell Enamel (2750)

Latex, Institutional, Low Odor:

#### **Eggshell Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

### GYPSUM BOARD: CEILINGS

Latex, Institutional, Low Odor:

#### **Flat Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR PRO® i300 Interior Dead Flat Paint (PR310)

### CONCRETE AND PRE-CAST CONCRETE: WALLS

Latex, High Performance Architectural, Low Odor/VOC:

#### **Flat Finish**

- Primer: BEHR PRO® Concrete & Masonry Primer (PR060)  
Two Coats: BEHR ULTRA® Interior Flat Paint (1720)

#### **Eggshell Finish**

- Primer: BEHR PRO® Concrete & Masonry Primer (PR060)  
Two Coats: BEHR ULTRA® Interior Eggshell Enamel (2750)

Latex, Institutional, Low Odor:

#### **Eggshell Finish**

- Primer: BEHR PRO® Concrete & Masonry Primer (PR060)  
Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

#### **Satin Finish**

- Primer: BEHR PRO® Concrete & Masonry Primer (PR060)  
Two Coats: BEHR PREMIUM PLUS® Interior Satin Enamel (7050)

### CONCRETE MASONRY UNITS CMU: WALLS

Latex, High Performance Architectural, Low Odor/VOC:

#### **Flat Finish**

- Primer: BEHR PRO® Block Filler and Primer (PR050)  
Two Coats: BEHR ULTRA® Interior Flat Paint (1720)



1801 E. St. Andrew Place, Santa Ana, California 92705 • (714) 545-7101

**Eggshell Finish**

- Primer: BEHR PRO® Block Filler and Primer (PR050)  
Two Coats: BEHR ULTRA® Interior Eggshell Enamel (2750)

Latex, Institutional, Low Odor:

**Eggshell Finish**

- Primer: BEHR PRO® Block Filler and Primer (PR050)  
Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

**Satin Finish**

- Primer: BEHR PRO® Block Filler and Primer (PR050)  
Two Coats: BEHR PREMIUM PLUS® Interior Satin Enamel (7050)

**WOOD OPAQUE: PRE-PRIMED AND PAINTED DOORS, DOOR FRAMES, TRIM, BASE, AND WOODWORK**

Latex, High Performance Architectural, Low Odor/VOC:

**Satin Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: PREMIUM PLUS® Interior Satin Enamel (7050)

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor:

**Satin Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR PREMIUM PLUS® Interior Satin Enamel (7050)

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR PREMIUM PLUS® Interior Semi-Gloss Enamel (3050)

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

**LAMINATE AND FIBERGLASS REINFORCED PLASTIC (FRP)**

Latex, High Performance Architectural, Low Odor/VOC:

**Semi-Gloss Finish**

- Primer: BEHR® Interior /Exterior Bonding Primer (432)  
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

High Performance, Epoxy, Pre-Catalyzed, Waterborne: Low Odor/VOC

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Bonding Primer (432)  
Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Latex, Institutional, Low Odor:

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Bonding Primer (432)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)



**STEEL AND IRON METAL: DOORS, DOOR FRAMES, AND MISCELLANEOUS FERROUS METAL**

Light Industrial Coating: Low Odor/VOC

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Metal Primer (435)  
Two Coats: BEHR PREMIUM® Direct-To-Metal Semi-Gloss Paint (3200)

High Performance, Epoxy, Pre-Catalyzed, Waterborne: Low Odor/VOC

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Metal Primer (435)  
Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Latex, Institutional, Low Odor:

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Metal Primer (435)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

**GALVANIZED-METAL: ALUMINUM, AND MISCELLANEOUS NON-FERROUS METALS**

Light Industrial Coating: Low Odor/ VOC

**Eggshell Finish**

- Primer: BEHR® Interior/Exterior Metal Primer (435)  
Two Coats: BEHR PREMIUM® Direct-To-Metal Eggshell Paint (7200)

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Metal Primer (435)  
Two Coats: BEHR PREMIUM® Direct-To-Metal Semi-Gloss Paint (3200)

**ANODIZED ALUMINUM:**

Light Industrial Coating: Low Odor/ VOC

**Eggshell Finish**

- Primer: BEHR® Interior/Exterior Bonding Primer (432)  
Two Coats: BEHR PREMIUM® Direct-To-Metal Eggshell Paint (7200)

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Bonding Primer (432)  
Two Coats: BEHR PREMIUM® Direct-To-Metal Semi-Gloss Paint (3200)

High Performance, Epoxy, Pre-Catalyzed, Waterborne: Low Odor/VOC

**Eggshell Finish**

- Primer: BEHR® Interior/Exterior Bonding Primer (432)  
Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Bonding Primer (432)  
Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

## RECEPTION, WAITING AREAS, LOBBIES, AND COMMON AREAS

---

### GYPSUM BOARD AND PLASTER: WALLS

Latex, High Performance Architectural, Low Odor/VOC:

#### **Flat Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR ULTRA® Interior Flat Paint (1720)

#### **Eggshell Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR ULTRA® Interior Eggshell Enamel (2750)

Latex, Institutional, Low Odor:

#### **Eggshell Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

### GYPSUM BOARD: CEILINGS

Latex, Institutional, Low Odor:

#### **Flat Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR PRO® i300 Interior Dead Flat Paint (PR310)

### CONCRETE MASONRY UNITS CMU: WALLS

Latex, High Performance Architectural, Low Odor/VOC:

#### **Flat Finish**

- Primer: BEHR PRO® Block Filler and Primer (PR050)  
Two Coats: BEHR ULTRA® Interior Flat Paint (1720)

#### **Eggshell Finish**

- Primer: BEHR PRO® Block Filler and Primer (PR050)  
Two Coats: BEHR ULTRA® Interior Eggshell Enamel (2750)

Latex, Institutional, Low Odor:

#### **Eggshell Finish**

- Primer: BEHR PRO® Block Filler and Primer (PR050)  
Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

### WOOD OPAQUE: PRE-PRIMED AND PAINTED DOORS, DOOR FRAMES, TRIM, BASE, AND WOODWORK

Latex, High Performance Architectural, Low Odor/VOC:

#### **Satin Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: PREMIUM PLUS® Interior Satin Enamel (7050)

#### **Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor:

#### **Satin Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR PREMIUM PLUS® Interior Satin Enamel (7050)



### Semi-Gloss Finish

Primer:	BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)
Two Coats:	BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)
<b>Gloss Finish</b>	
Primer:	BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)
Two Coats:	BEHR PREMIUM PLUS® Interior/Exterior Hi-Gloss Enamel (8150)

## STEEL AND IRON METAL: DOORS, DOOR FRAMES, AND MISCELLANEOUS FERROUS METAL

Light Industrial Coating:

### Semi-Gloss Finish

Primer:	BEHR® Interior/Exterior Metal Primer (435)
Two Coats:	BEHR PREMIUM® Direct-To-Metal Semi-Gloss Paint (3200)

Latex, Institutional, Low Odor:

### Semi-Gloss Finish

Primer:	BEHR® Interior/Exterior Metal Primer (435)
Two Coats:	BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

## OFFICES, CONFERENCE ROOMS AND MULTI-PURPOSE ROOMS

---

### GYPSUM BOARD: WALLS

Latex, High Performance Architectural, Low Odor/VOC:

#### Flat Finish

Primer:	BEHR® DRYWALL PLUS Interior Primer & Sealer (73)
Two Coats:	BEHR ULTRA® Interior Flat Paint (1720)

#### Eggshell Finish

Primer:	BEHR® DRYWALL PLUS Interior Primer & Sealer (73)
Two Coats:	BEHR ULTRA® Interior Eggshell Enamel (2750)

Latex, Institutional, Low Odor:

#### Eggshell Finish

Primer:	BEHR® DRYWALL PLUS Interior Primer & Sealer (73)
Two Coats:	BEHR PRO® i300 Interior Eggshell Paint (PR330)

### GYPSUM BOARD: CEILINGS

Latex, Institutional, Low Odor:

#### Flat Finish

Primer:	BEHR® DRYWALL PLUS Interior Primer & Sealer (73)
Two Coats:	BEHR PRO® i300 Interior Dead Flat Paint (PR310)

### CONCRETE AND PRE- CAST CONCRETE: WALLS

Latex, High Performance Architectural, Low Odor/VOC:

#### Flat Finish

Primer:	BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)
Two Coats:	BEHR ULTRA® Interior Flat Paint (1720)

#### Eggshell Finish

Primer:	BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)
Two Coats:	BEHR ULTRA® Interior Eggshell Enamel (2750)



Latex, Institutional, Low Odor:

### **Eggshell Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

## CONCRETE MASONRY UNITS CMU: WALLS

Latex, High Performance Architectural, Low Odor/VOC:

### **Flat Finish**

- Primer: BEHR PRO® Block Filler and Primer (PR050)  
Two Coats: BEHR ULTRA® Interior Flat Paint (1720)

### **Eggshell Finish**

- Primer: BEHR PRO® Block Filler and Primer (PR050)  
Two Coats: BEHR ULTRA® Interior Eggshell Enamel (2750)

Latex, Institutional, Low Odor:

### **Eggshell Finish**

- Primer: BEHR PRO® Block Filler and Primer (PR050)  
Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

## HALLWAYS, CORRIDORS AND COMMON AREAS

---

## GYPSUM BOARD AND PLASTER: WALLS

Latex, High Performance Architectural, Low Odor/VOC:

### **Flat Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR ULTRA® Interior Flat Paint (1720)

### **Eggshell Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR ULTRA® Interior Eggshell Enamel (2750)

### **Semi-Gloss Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor:

### **Eggshell Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

### **Semi-Gloss Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

## GYPSUM BOARD: CEILINGS

Latex, Institutional, Low Odor:

### **Flat Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR PRO® i300 Interior Flat Paint (PR310)



1801 E. St. Andrew Place, Santa Ana, California 92705 • (714) 545-7101

**CONCRETE AND PRE-CAST CONCRETE: WALLS**

Latex, High Performance Architectural, Low Odor/VOC:

**Flat Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR ULTRA® Interior Flat Paint (1720)

**Eggshell Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR ULTRA® Interior Eggshell Enamel (2750)

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor:

**Eggshell Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

**CONCRETE MASONRY UNITS CMU: WALLS**

Latex, High Performance Architectural, Low Odor/VOC:

**Flat Finish**

- Primer: BEHR PRO® Block Filler and Primer (PR050)  
Two Coats: BEHR ULTRA® Interior Flat Paint (1720)

**Eggshell Finish**

- Primer: BEHR PRO® Block Filler and Primer (PR050)  
Two Coats: BEHR ULTRA® Interior Eggshell Enamel (2750)

**Semi-Gloss Finish**

- Primer: BEHR PRO® Block Filler and Primer (PR050)  
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor:

**Eggshell Finish**

- Primer: BEHR PRO® Block Filler and Primer (PR050)  
Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

**Semi-Gloss Finish**

- Primer: BEHR PRO® Block Filler and Primer (PR050)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

**WOOD OPAQUE: PRE-PRIMED AND PAINTED DOORS, DOOR FRAMES, TRIM, BASE, AND WOODWORK**

Latex, High Performance Architectural, Low Odor/VOC:

**Satin Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR ULTRA® Interior Satin Enamel (7750)

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)



1801 E. St. Andrew Place, Santa Ana, California 92705 • (714) 545-7101

Latex, Institutional, Low Odor:

**Satin Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR PREMIUM PLUS® Interior Satin Enamel (7050)

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

**STEEL AND IRON METAL: DOORS, DOOR FRAMES, AND MISCELLANEOUS FERROUS METAL**

Light Industrial Coating: Low Odor/VOC

**Eggshell Finish**

- Primer: BEHR® Interior/Exterior Metal Primer (435)  
Two: Coats: BEHR PREMIUM® Direct-To-Metal Eggshell Paint (7200)

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Metal Primer (435)  
Two Coats: BEHR PREMIUM® Direct-To-Metal Semi-Gloss Paint (3200)

Latex, Institutional, Low Odor:

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Metal Primer (435)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

**GALVANIZED-METAL: ALUMINUM, AND MISCELLANEOUS NON-FERROUS METALS**

Latex, High Performance Architectural, Low Odor/VOC:

**Eggshell Finish**

- Primer: BEHR® Interior/Exterior Metal Primer (435)  
Two Coats: BEHR ULTRA® Interior Eggshell Enamel (2750)

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Metal Primer (435)  
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

Light Industrial Coating: Low Odor/VOC

**Eggshell Finish**

- Primer: BEHR® Interior/Exterior Metal Primer (435)  
Two Coats: BEHR PREMIUM® Direct-To-Metal Eggshell Paint (7200)

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Metal Primer (435)  
Two Coats: BEHR PREMIUM® Direct-To-Metal Semi-Gloss Paint (3200)

---

**NURSES' STATION, ADMINISTRATIVE CENTER****GYPSUM BOARD AND PLASTER: WALLS**

Latex, High Performance Architectural, Low Odor/VOC:

**Eggshell Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR ULTRA® Interior Eggshell Enamel (2750)

**Semi-Gloss Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)



1801 E. St. Andrew Place, Santa Ana, California 92705 • (714) 545-7101

Latex, Institutional, Low Odor:

**Eggshell Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

**Semi-Gloss Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

**GYPSUM BOARD: CEILINGS**

Latex, Institutional, Low Odor:

**Flat Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR PRO® i300 Interior Dead Flat Paint (PR310)

**CONCRETE AND PRE-CAST CONCRETE: WALLS**

Latex, High Performance Architectural, Low Odor/VOC:

**Flat Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR ULTRA® Interior Flat Paint (1720)

**Eggshell Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR ULTRA® Interior Eggshell Enamel (2750)

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor:

**Flat Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR PRO® i300 Interior Dead Flat (PR310)

**Eggshell Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

**CONCRETE MASONRY UNITS CMU: WALLS**

Latex, High Performance Architectural, Low Odor/VOC:

**Flat Finish**

- Primer: BEHR PRO® Block Filler and Primer (PR050)  
Two Coats: BEHR ULTRA® Interior Flat Paint (1720)

**Eggshell Finish**

- Primer: BEHR PRO® Block Filler and Primer (PR050)  
Two Coats: BEHR ULTRA® Interior Eggshell Enamel (2750)

**Semi-Gloss Finish**

- Primer: BEHR PRO® Block Filler and Primer (PR050)  
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)



Latex, Institutional, Low Odor:

**Eggshell Finish**

- Primer: BEHR PRO® Block Filler and Primer (PR050)  
Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

**Semi-Gloss Finish**

- Primer: BEHR PRO® Block Filler and Primer (PR050)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

**WOOD OPAQUE: PRE-PRIMED AND PAINTED DOORS, DOOR FRAMES, TRIM, BASE, AND WOODWORK**

Latex, High Performance Architectural, Low Odor/VOC:

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

**Gloss Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR PREMIUM PLUS® Interior/Exterior Hi-Gloss Enamel (8150)

Latex, Institutional, Low Odor:

**Satin Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR PREMIUM PLUS® Interior Satin Enamel (7050)

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR PREMIUM PLUS® Interior Semi-Gloss Enamel (3050)

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

**LAMINATE AND FIBERGLASS REINFORCED PLASTIC (FRP)**

Latex, High Performance Architectural, Low Odor/VOC:

**Eggshell Finish**

- Primer: BEHR® Interior /Exterior Bonding Primer (432)  
Two Coats: BEHR ULTRA® Interior Eggshell Enamel (2750)

**Semi-Gloss Finish**

- Primer: BEHR® Interior /Exterior Bonding Primer (432)  
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

High Performance, Epoxy, Pre-Catalyzed, Waterborne:

**Eggshell Finish**

- Primer: BEHR® Interior/Exterior Bonding Primer (432)  
Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Bonding Primer (432)  
Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Latex, Institutional, Low Odor:

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Bonding Primer (432)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)



1801 E. St. Andrew Place, Santa Ana, California 92705 • (714) 545-7101

**STEEL AND IRON METAL: DOORS, DOOR FRAMES, AND MISCELLANEOUS FERROUS METAL**

Light Industrial Coating: Low Odor/VOC

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Metal Primer (435)  
Two Coats: BEHR PREMIUM® Direct-To-Metal Semi-Gloss Paint (3200)

Latex, Institutional, Low Odor:

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Metal Primer (435)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

**EXAMINATION, CONSULTING AND TREATMENT ROOMS****GYPSUM BOARD AND PLASTER: WALLS**

Latex, High Performance Architectural, Low Odor/VOC:

**Flat Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR ULTRA® Interior Flat Paint (1720)

**Eggshell Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR ULTRA® Interior Eggshell Enamel (2750)

Latex, Institutional, Low Odor:

**Eggshell Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

**GYPSUM BOARD: CEILINGS**

Latex, Institutional, Low Odor:

**Flat Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR PRO® i300 Interior Dead Flat Paint (PR310)

**CONCRETE AND PRE-CAST CONCRETE: WALLS**

Latex, High Performance Architectural, Low Odor/VOC:

**Flat Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR ULTRA® Interior Flat Paint (1720)

**Eggshell Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR ULTRA® Interior Eggshell Enamel (2750)

Latex, Institutional, Low Odor:

**Eggshell Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)



1801 E. St. Andrew Place, Santa Ana, California 92705 • (714) 545-7101

**CONCRETE MASONRY UNITS CMU: WALLS**

Latex, High Performance Architectural, Low Odor/VOC:

**Flat Finish**

- Primer: BEHR PRO® Block Filler and Primer (PR050)  
Two Coats: BEHR ULTRA® Interior Flat Paint (1720)

**Eggshell Finish**

- Primer: BEHR PRO® Block Filler and Primer (PR050)  
Two Coats: BEHR ULTRA® Interior Eggshell Enamel (2750)

Latex, Institutional, Low Odor:

**Eggshell Finish**

- Primer: BEHR PRO® Block Filler and Primer (PR050)  
Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

**WOOD OPAQUE: PRE-PRIMED AND PAINTED DOORS, DOOR FRAMES, TRIM, BASE, AND WOODWORK**

Latex, High Performance Architectural, Low Odor/VOC:

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor:

**Satin Finish:**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR PREMIUM PLUS® Interior Satin Enamel (7050)

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

**MEDICAL / CLINICAL PATHOLOGY AND LABORATORIES, LAB****GYPSUM BOARD AND PLASTER: WALLS**

Latex, High Performance Architectural, Low Odor/VOC:

**Semi-Gloss Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

High Performance, Epoxy, Pre-Catalyzed, Waterborne:

**Eggshell Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

**Semi-Gloss Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Latex, Institutional, Low Odor:

**Eggshell Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)



1801 E. St. Andrew Place, Santa Ana, California 92705 • (714) 545-7101

### Semi-Gloss Finish

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

### Gypsum Board – Ceilings

High Performance, Epoxy, Pre-Catalyzed, Waterborne:

#### Eggshell Finish

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

#### Semi-Gloss Finish

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss Enamel (HP150)

## CONCRETE AND PRE-CAST CONCRETE: WALLS

Latex, High Performance Architectural, Low Odor/VOC:

#### Semi-Gloss Finish

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

High Performance, Epoxy, Pre-Catalyzed, Waterborne:

#### Eggshell Finish

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

#### Semi-Gloss Finish

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Latex, Institutional, Low Odor:

#### Semi-Gloss Finish

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

## CONCRETE MASONRY UNITS CMU: WALLS

Latex, High Performance Architectural, Low Odor/VOC:

#### Semi-Gloss Finish

- Primer: BEHR PRO® Block Filler and Primer (PR050)  
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

High Performance, Epoxy, Pre-Catalyzed, Waterborne:

#### Eggshell Finish

- Primer: BEHR PRO® Block Filler and Primer (PR050)  
Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

#### Semi-Gloss Finish

- Primer: BEHR PRO® Block Filler and Primer (PR050)  
Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Latex, Institutional, Low Odor:

#### Semi-Gloss Finish

- Primer: BEHR PRO® Block Filler and Primer (PR050)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)



### WOOD OPAQUE: PRE-PRIMED AND PAINTED DOORS, DOOR FRAMES, TRIM, BASE, AND WOODWORK

Latex, High Performance Architectural, Low Odor/VOC:

#### Semi-Gloss Finish

Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)

Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

High Performance, Epoxy, Pre-Catalyzed, Waterborne:

#### Semi-Gloss Finish

Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)

Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Latex, Institutional, Low Odor:

#### Semi-Gloss Finish

Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)

Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

### LAMINATE AND FIBERGLASS REINFORCED PLASTIC (FRP)

High Performance, Epoxy, Pre-Catalyzed, Waterborne:

#### Semi-Gloss Finish

Primer: BEHR® Interior/Exterior Bonding Primer (432)

Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

### STEEL AND IRON METAL: DOORS, DOOR FRAMES, AND MISCELLANEOUS FERROUS METAL

Light Industrial Coating: Low Odor/VOC

#### Semi-Gloss Finish

Primer: BEHR® Interior/Exterior Metal Primer (435)

Two Coats: BEHR PREMIUM® Direct-To-Metal Semi-Gloss Paint (3200)

High Performance, Epoxy, Pre-Catalyzed, Waterborne: Low Odor/VOC

#### Semi-Gloss Finish

Primer: BEHR® Interior/Exterior Metal Primer (435)

Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Latex, Institutional, Low Odor:

#### Semi-Gloss Finish

Primer: BEHR® Interior/Exterior Metal Primer (435)

Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

### GALVANIZED-METAL: ALUMINUM, AND MISCELLANEOUS NON-FERROUS METALS

Light Industrial Coating: Low Odor/VOC

#### Eggshell Finish

Primer: BEHR® Interior/Exterior Metal Primer (435)

Two Coats: BEHR PREMIUM® Direct-To-Metal Eggshell Paint (7200)

#### Semi-Gloss Finish

Primer: BEHR® Interior/Exterior Metal Primer (435)

Two Coats: BEHR PREMIUM® Direct-To-Metal Semi-Gloss Paint (3200)



1801 E. St. Andrew Place, Santa Ana, California 92705 • (714) 545-7101

### ANODIZED ALUMINUM

Light Industrial Coating: Low Odor/VOC

#### Semi-Gloss Finish

- Primer: BEHR® Interior/Exterior Bonding Primer (432)  
Two Coats: BEHR PREMIUM® Direct-To-Metal Semi-Gloss Paint (3200)

High Performance, Epoxy, Pre-Catalyzed, Waterborne: Low Odor/VOC

#### Semi-Gloss Finish

- Primer: BEHR® Interior/Exterior Bonding Primer (432)  
Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

## IMAGING / RADIOLOGY

---

### GYPSUM BOARD AND PLASTER: WALLS

Latex, High Performance Architectural, Low Odor/VOC:

#### Flat Finish

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR ULTRA® Interior Flat Paint (1720)

#### Eggshell Finish

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR ULTRA® Interior Eggshell Enamel (2750)

Latex, Institutional, Low Odor:

#### Eggshell Finish

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

### GYPSUM BOARD: CEILINGS

Latex, Institutional, Low Odor:

#### Flat Finish

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR PRO® i300 Interior Dead Flat Paint (PR310)

### CONCRETE AND PRE-CAST CONCRETE: WALLS

Latex, High Performance Architectural, Low Odor/VOC:

#### Flat Finish

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR ULTRA® Interior Flat Paint (1720)

#### Eggshell Finish

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR ULTRA® Interior Eggshell Enamel (2750)

Latex, Institutional, Low Odor:

#### Eggshell Finish

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)



**CONCRETE MASONRY UNITS CMU: WALLS**

Latex, High Performance Architectural, Low Odor/VOC:

**Flat Finish**

Primer: BEHR PRO® Block Filler and Primer (PR050)

Two Coats: BEHR ULTRA® Interior Flat Paint (1720)

**Eggshell Finish**

Primer: BEHR PRO® Block Filler and Primer (PR050)

Two Coats: BEHR ULTRA® Interior Eggshell Enamel (2750)

Latex, Institutional, Low Odor:

**Eggshell Finish**

Primer: BEHR PRO® Block Filler and Primer (PR050)

Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

**WOOD OPAQUE: PRE-PRIMED AND PAINTED DOORS, DOOR FRAMES, TRIM, BASE, AND WOODWORK**

Latex, High Performance Architectural, Low Odor/VOC:

**Semi-Gloss Finish**

Primer: BEHR® Interior/Exterior Multi-Surface Primer &amp; Sealer (436)

Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor:

**Semi-Gloss Finish**

Primer: BEHR® Interior/Exterior Multi-Surface Primer &amp; Sealer (436)

Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

**STEEL AND IRON METAL: DOORS, DOOR FRAMES, AND MISCELLANEOUS FERROUS METAL**

Light Industrial Coating: Low Odor/VOC

**Semi-Gloss Finish**

Primer: BEHR® Interior/Exterior Metal Primer (435)

Two Coats: BEHR PREMIUM® Direct-To-Metal Semi-Gloss Paint (3200)

Latex, Institutional, Low Odor:

**Semi-Gloss Finish**

Primer: BEHR® Interior/Exterior Metal Primer (435)

Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

---

**PATIENT ROOMS****GYPSUM BOARD AND PLASTER: WALLS**

Latex, High Performance Architectural, Low Odor/VOC:

**Flat Finish**

Primer: BEHR® DRYWALL PLUS Interior Primer &amp; Sealer (73)

Two Coats: BEHR ULTRA® Interior Flat Paint (1720)

**Eggshell Finish**

Primer: BEHR® DRYWALL PLUS Interior Primer &amp; Sealer (73)

Two Coats: BEHR ULTRA® Interior Eggshell Enamel (2750)



1801 E. St. Andrew Place, Santa Ana, California 92705 • (714) 545-7101

Latex, Institutional, Low Odor:

### **Eggshell Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

## **GYPSUM BOARD: CEILINGS**

Latex, Institutional, Low Odor:

### **Flat Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR PRO® i300 Interior Dead Flat Paint (PR310)

## **Gypsum Board: Inpatient Bathroom, Toilet Walls and Ceilings**

Latex, High Performance Architectural, Low Odor/VOC:

### **Semi-Gloss Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor:

### **Semi-Gloss Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

## **Concrete and Pre-Cast Concrete: Inpatient Bathroom Wet Areas**

High Performance, Epoxy, Pre-Catalyzed, Waterborne: Low Odor/VOC

### **Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

## **CONCRETE AND PRE-CAST CONCRETE: WALLS**

Latex, High Performance Architectural, Low Odor/VOC:

### **Flat Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR ULTRA® Interior Flat Paint (1720)

### **Eggshell Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR ULTRA® Interior Eggshell Enamel (2750)

Latex, Institutional, Low Odor:

### **Eggshell Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

## **CONCRETE AND PRE-CAST CONCRETE: INPATIENT BATHROOM, TOILET WALLS AND CEILINGS**

Latex, High Performance Architectural, Low Odor/VOC:

### **Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)



1801 E. St. Andrew Place, Santa Ana, California 92705 • (714) 545-7101

Latex, Institutional, Low Odor:

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

### CONCRETE AND PRE-CAST CONCRETE – INPATIENT BATHROOM WET AREAS

High Performance, Epoxy, Pre-Catalyzed, Waterborne:

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

### CONCRETE MASONRY UNITS CMU: WALLS

Latex, High Performance Architectural, Low Odor/VOC:

**Flat Finish**

- Primer: BEHR PRO® Block Filler and Primer (PR050)  
Two Coats: BEHR ULTRA® Interior Flat Paint (1720)

**Eggshell Finish**

- Primer: BEHR PRO® Block Filler and Primer (PR050)  
Two Coats: BEHR ULTRA® Interior Eggshell Enamel (2750)

Latex, Institutional, Low Odor:

**Eggshell Finish**

- Primer: BEHR PRO® Block Filler and Primer (PR050)  
Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

### CONCRETE MASONRY UNITS CMU: INPATIENT BATHROOM, TOILET WALLS AND CEILINGS

Latex, High Performance Architectural, Low Odor/VOC:

**Semi-Gloss Finish - High Performance Architectural**

- Primer: BEHR PRO® Block Filler Primer (PR050)  
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor:

**Semi-Gloss Finish**

- Primer: BEHR PRO® Block Filler Primer (PR050)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

### CONCRETE MASONRY UNITS CMU: INPATIENT BATHROOM WET AREAS

High Performance, Epoxy, Pre-Catalyzed, Waterborne: Semi-Gloss

**Semi-Gloss Finish**

- Primer: BEHR PRO® Block Filler Primer (PR050)  
Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

### WOOD OPAQUE: PRE-PRIMED AND PAINTED DOORS, DOOR FRAMES, TRIM, BASE, AND WOODWORK

Latex, High Performance Architectural, Low Odor/VOC:

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)



1801 E. St. Andrew Place, Santa Ana, California 92705 • (714) 545-7101

Latex, Institutional, Low Odor:

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

### LAMINATE AND FIBERGLASS REINFORCED PLASTIC (FRP)

Latex, High Performance Architectural, Low Odor/VOC:

**Semi-Gloss Finish**

- Primer: BEHR® Interior /Exterior Bonding Primer (432)  
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

High Performance, Epoxy, Pre-Catalyzed, Waterborne: Low Odor/VOC

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Bonding Primer (432)  
Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

### STEEL AND IRON METAL: DOORS, DOOR FRAMES, AND MISCELLANEOUS FERROUS METAL

Light Industrial Coating: Low Odor/VOC

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Metal Primer (435)  
Two Coats: BEHR PREMIUM® Direct-To-Metal Semi-Gloss Paint (3200)

Latex, Institutional, Low Odor:

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Metal Primer (435)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

### Metal ANODIZED ALUMINUM:

Light Industrial Coating: Low Odor/VOC

**Eggshell Finish**

- Primer: BEHR® Interior/Exterior Bonding Primer (432)  
Two Coats: BEHR PREMIUM® Direct-To-Metal Eggshell Paint (7200)

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Bonding Primer (432)  
Two Coats: BEHR PREMIUM® Direct-To-Metal Semi-Gloss Paint (3200)

High Performance, Epoxy, Pre-Catalyzed, Waterborne:

**Eggshell Finish**

- Primer: BEHR® Interior/Exterior Bonding Primer (432)  
Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Bonding Primer (432)  
Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)



1801 E. St. Andrew Place, Santa Ana, California 92705 • (714) 545-7101

## LABOR AND DELIVERY, RECOVERY AND MATERNITY SUITES

---

### GYPSUM BOARD AND PLASTER: WALLS

Latex, High Performance Architectural, Low Odor/VOC:

#### **Flat Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR ULTRA® Interior Flat Paint (1720)

#### **Eggshell Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR ULTRA® Interior Eggshell Enamel (2750)

Latex, Institutional, Low Odor:

#### **Eggshell Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

### GYPSUM BOARD: CEILINGS

Latex, Institutional, Low Odor:

#### **Flat Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR PRO® i300 Interior Dead Flat Paint (PR310)

### CONCRETE AND PRE-CAST CONCRETE: WALLS

Latex, High Performance Architectural, Low Odor/VOC:

#### **Flat Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR ULTRA® Interior Flat Paint (1720)

#### **Eggshell Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR ULTRA® Interior Eggshell Enamel (2750)

Latex, Institutional, Low Odor:

#### **Eggshell Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

### CONCRETE MASONRY UNITS CMU: WALLS

Latex, High Performance Architectural, Low Odor/VOC:

#### **Eggshell Finish**

- Primer: BEHR PRO® Block Filler and Primer (PR050)  
Two Coats: BEHR ULTRA® Interior Eggshell Enamel (2750)

Latex, Institutional, Low Odor:

#### **Eggshell Finish**

- Primer: BEHR PRO® Block Filler and Primer (PR050)  
Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)



1801 E. St. Andrew Place, Santa Ana, California 92705 • (714) 545-7101

### WOOD OPAQUE: PRE-PRIMED AND PAINTED DOORS, DOOR FRAMES, TRIM, BASE, AND WOODWORK

Latex, High Performance Architectural, Low Odor/VOC:

#### Semi-Gloss Finish

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor:

#### Semi-Gloss Finish

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

### STEEL AND IRON METAL: DOORS, DOOR FRAMES, AND MISCELLANEOUS FERROUS METAL

Light Industrial Coating: Low Odor/VOC

#### Semi-Gloss Finish

- Primer: BEHR® Interior/Exterior Metal Primer (435)  
Two Coats: BEHR PREMIUM® Direct-To-Metal Semi-Gloss Paint (3200)

Latex, Institutional, Low Odor:

#### Semi-Gloss Finish

- Primer: BEHR® Interior/Exterior Metal Primer (435)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

### GALVANIZED-METAL: ALUMINUM, AND MISCELLANEOUS NON-FERROUS METALS

Light Industrial Coating: Low Odor/VOC

#### Eggshell Finish

- Pre-Treatment: Klean Strip Phosphoric Prep & Etch, (GKPA30220)  
Primer: BEHR® Interior/Exterior Metal Primer (435)  
Two Coats: BEHR PREMIUM® Direct-To-Metal Eggshell Paint (7200)

#### Semi-Gloss Finish

- Pre-Treatment: Klean Strip Phosphoric Prep & Etch, (GKPA30220)  
Primer: BEHR® Interior/Exterior Metal Primer (435)  
Two Coats: BEHR PREMIUM® Direct-To-Metal Semi-Gloss Paint (3200)

### Anodized Aluminum:

Light Industrial Coating: Low Odor/VOC

#### Eggshell Finish

- Pre-Treatment: Klean Strip Phosphoric Prep & Etch, (GKPA30220)  
Primer: BEHR® Interior/Exterior Bonding Primer (432)  
Two Coats: BEHR PREMIUM® Direct-To-Metal Eggshell Paint (7200)

#### Semi-Gloss Finish

- Pre-Treatment: Klean Strip Phosphoric Prep & Etch, (GKPA30220)  
Primer: BEHR® Interior/Exterior Bonding Primer (432)  
Two Coats: BEHR PREMIUM® Direct-To-Metal Semi-Gloss Paint (3200)



1801 E. St. Andrew Place, Santa Ana, California 92705 • (714) 545-7101

## NURSERY

---

### GYPSUM BOARD AND PLASTER: WALLS

Latex, High Performance Architectural, Low Odor/VOC:

#### **Eggshell Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR ULTRA® Interior Eggshell Enamel (2750)

#### **Semi-Gloss Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor:

#### **Eggshell Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

#### **Semi-Gloss Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

### GYPSUM BOARD: CEILINGS

Latex, Institutional, Low Odor:

#### **Flat Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR PRO® i300 Interior Dead Flat Paint (PR310)

### CONCRETE AND PRE-CAST CONCRETE: WALLS

Latex, High Performance Architectural, Low Odor/VOC:

#### **Eggshell Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR ULTRA® Interior Eggshell Enamel (2750)

#### **Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor:

#### **Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

### CONCRETE MASONRY UNITS CMU: WALLS

Latex, High Performance Architectural, Low Odor/VOC:

#### **Eggshell Finish**

- Primer: BEHR PRO® Block Filler and Primer (PR050)  
Two Coats: BEHR ULTRA® Interior Eggshell Enamel (2750)

#### **Semi-Gloss Finish**

- Primer: BEHR PRO® Block Filler and Primer (PR050)  
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)



Latex, Institutional, Low Odor:

**Eggshell Finish**

Primer: BEHR PRO® Block Filler and Primer (PR050)

Two Coats: BEHR PRO® i300 Interior Eggshell (PR330)

**Semi-Gloss Finish**

Primer: BEHR PRO® Block Filler and Primer (PR050)

Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

**WOOD OPAQUE: PRE-PRIMED AND PAINTED DOORS, DOOR FRAMES, TRIM, BASE, AND WOODWORK**

Latex, High Performance Architectural, Low Odor/VOC:

**Semi-Gloss Finish**

Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)

Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor:

**Semi-Gloss Finish**

Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)

Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

**FERROUS AND NON-FERROUS METAL – DOORS, DOOR FRAMES, MISCELLANEOUS METAL**

Light Industrial Coating: Low Odor/VOC

**Semi-Gloss Finish**

Primer: BEHR® Interior/Exterior Metal Primer (435)

Two Coats: BEHR PREMIUM® Direct-To-Metal Semi-Gloss Paint (3200)

Latex, Institutional, Low Odor:

**Semi-Gloss Finish**

Primer: BEHR® Interior/Exterior Metal Primer (435)

Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

**GALVANIZED-METAL: ALUMINUM, AND MISCELLANEOUS NON-FERROUS METALS**

Light Industrial Coating: Low Odor/VOC

**Eggshell Finish**

Primer: BEHR® Interior/Exterior Metal Primer (435)

Two Coats: BEHR PREMIUM® Direct-To-Metal Eggshell Paint (7200)

**Semi-Gloss Finish**

Primer: BEHR® Interior/Exterior Metal Primer (435)

Two Coats: BEHR PREMIUM® Direct-To-Metal Semi-Gloss Paint (3200)

**ANODIZED ALUMINUM:**

Light Industrial Coating: Low Odor/VOC

**Eggshell Finish**

Primer: BEHR® Interior/Exterior Bonding Primer (432)

Two Coats: BEHR PREMIUM® Direct-To-Metal Eggshell Paint (7200)

**Semi-Gloss Finish**

Primer: BEHR® Interior/Exterior Bonding Primer (432)

Two Coats: BEHR PREMIUM® Direct-To-Metal Semi-Gloss Paint (3200)



1801 E. St. Andrew Place, Santa Ana, California 92705 • (714) 545-7101

High Performance, Epoxy, Pre-Catalyzed, Waterborne:

**Eggshell Finish**

- Primer: BEHR® Interior/Exterior Bonding Primer (432)  
Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Bonding Primer (432)  
Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

## **EMERGENCY ROOM, ER, ED**

---

### **GYPSUM BOARD AND PLASTER: WALLS**

Latex, High Performance Architectural, Low Odor/VOC:

**Eggshell Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR ULTRA® Interior Eggshell Enamel (2750)

**Semi-Gloss Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor:

**Eggshell Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR PRO® i300 Interior Eggshell (PR330)

**Semi-Gloss Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

High Performance, Epoxy, Pre-Catalyzed, Waterborne: Low Odor/VOC

**Eggshell Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

**Semi-Gloss Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

### **GYPSUM BOARD: CEILINGS**

Latex, Institutional, Low Odor:

**Flat Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR PRO® i300 Interior Dead Flat Paint (PR310)

### **CONCRETE AND PRE-CAST CONCRETE: WALLS**

Latex, High Performance Architectural, Low Odor/VOC:

**Eggshell Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR ULTRA® Interior Eggshell Enamel (2750)

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)



Latex, Institutional, Low Odor:

**Eggshell Finish**

Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)

Two Coats: BEHR PRO® i300 Interior Eggshell (PR330)

**Semi-Gloss Finish**

Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)

Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

High Performance, Epoxy, Pre-Catalyzed, Waterborne: Low Odor/VOC

**Eggshell Finish**

Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)

Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

**Semi-Gloss Finish**

Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)

Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

**CONCRETE MASONRY UNITS CMU: WALLS**

Latex, High Performance Architectural, Low Odor/VOC:

**Eggshell Finish**

Primer: BEHR PRO® Block Filler and Primer (PR050)

Two Coats: BEHR ULTRA® Interior Eggshell Enamel (2750)

**Semi-Gloss Finish**

Primer: BEHR PRO® Block Filler and Primer (PR050)

Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor:

**Eggshell Finish**

Primer: BEHR PRO® Block Filler and Primer (PR050)

Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

**Semi-Gloss Finish**

Primer: BEHR PRO® Block Filler and Primer (PR050)

Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

**WOOD OPAQUE: PRE-PRIMED AND PAINTED DOORS, DOOR FRAMES, TRIM, BASE, AND WOODWORK**

Latex, High Performance Architectural, Low Odor/VOC:

**Semi-Gloss Finish**

Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)

Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

High Performance, Epoxy, Pre-Catalyzed, Waterborne: Low Odor/VOC

**Semi-Gloss Finish**

Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)

Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Latex, Institutional, Low Odor:

**Semi-Gloss Finish**

Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)

Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)



1801 E. St. Andrew Place, Santa Ana, California 92705 • (714) 545-7101

**LAMINATE AND FIBERGLASS REINFORCED PLASTIC (FRP)**

Latex, High Performance Architectural, Low Odor/VOC:

**Semi-Gloss Finish**

- Primer: BEHR® Interior /Exterior Bonding Primer (432)  
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

High Performance, Epoxy, Pre-Catalyzed, Waterborne:

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Bonding Primer (432)  
Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

**STEEL AND IRON METAL: DOORS, DOOR FRAMES, AND MISCELLANEOUS FERROUS METAL**

Light Industrial Coating: Low Odor/VOC

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Metal Primer (435)  
Two Coats: BEHR PREMIUM® Direct-To-Metal Semi-Gloss Paint (3200)

Latex, Institutional, Low Odor:

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Metal Primer (435)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

**INTENSIVE CARE UNIT, ICU, SICU, AND SUBICU****GYPSUM BOARD AND PLASTER: WALLS**

Latex, High Performance Architectural, Low Odor/VOC:

**Flat Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR ULTRA® Interior Flat Paint (1720)

**Eggshell Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR ULTRA® Interior Eggshell Enamel (2750)

**Semi-Gloss Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor:

**Eggshell Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

**Semi-Gloss Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

**GYPSUM BOARD: CEILINGS**

Latex, Institutional, Low Odor:

**Flat Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR PRO® i300 Interior Dead Flat Paint (PR310)



1801 E. St. Andrew Place, Santa Ana, California 92705 • (714) 545-7101

**CONCRETE AND PRE-CAST CONCRETE: WALLS**

Latex, High Performance Architectural, Low Odor/VOC:

**Eggshell Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR ULTRA® Interior Eggshell Enamel (2750)

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor:

**Eggshell Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

**CONCRETE MASONRY UNITS CMU: WALLS**

Latex, High Performance Architectural, Low Odor/VOC:

**Eggshell Finish**

- Primer: BEHR PRO® Block Filler and Primer (PR050)  
Two Coats: BEHR ULTRA® Interior Eggshell Enamel (2750)

**Semi-Gloss Finish**

- Primer: BEHR PRO® Block Filler and Primer (PR050)  
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor:

**Eggshell Finish**

- Primer: BEHR PRO® Block Filler and Primer (PR050)  
Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

**Semi-Gloss Finish**

- Primer: BEHR PRO® Block Filler and Primer (PR050)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

**WOOD OPAQUE: PRE-PRIMED AND PAINTED DOORS, DOOR FRAMES, TRIM, BASE, AND WOODWORK**

Latex, High Performance Architectural, Low Odor/VOC:

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor:

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

**LAMINATE AND FIBERGLASS REINFORCED PLASTIC (FRP)**

Latex, High Performance Architectural, Low Odor/VOC:

**Semi-Gloss Finish**

- Primer: BEHR® Interior /Exterior Bonding Primer (432)  
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)



High Performance, Epoxy, Pre-Catalyzed, Waterborne:

**Semi-Gloss Finish**

Primer: BEHR® Interior/Exterior Bonding Primer (432)

Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

**STEEL AND IRON METAL: DOORS, DOOR FRAMES, AND MISCELLANEOUS FERROUS METAL**

Light Industrial Coating: Low Odor/VOC

**Semi-Gloss Finish**

Primer: BEHR® Interior/Exterior Metal Primer (435)

Two Coats: BEHR PREMIUM® Direct-To-Metal Semi-Gloss Paint (3200)

Latex, Institutional, Low Odor:

**Semi-Gloss Finish**

Primer: BEHR® Interior/Exterior Metal Primer (435)

Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

**NEONATAL INTENSIVE CARE UNIT, NICU****GYPSUM BOARD AND PLASTER: WALLS**

Latex, High Performance Architectural, Low Odor/VOC:

**Eggshell Finish**

Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)

Two Coats: BEHR ULTRA® Interior Eggshell Enamel (2750)

**Semi-Gloss Finish**

Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)

Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor:

**Eggshell Finish**

Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)

Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

**Semi-Gloss Finish**

Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)

Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

**GYPSUM BOARD: CEILINGS**

Latex, Institutional, Low Odor:

**Flat Finish**

Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)

Two Coats: BEHR PRO® i300 Interior Dead Flat Paint (PR310)

**CONCRETE AND PRE-CAST CONCRETE: WALLS**

Latex, High Performance Architectural, Low Odor/VOC:

**Eggshell Finish**

Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)

Two Coats: BEHR ULTRA® Interior Eggshell Enamel (2750)

**Semi-Gloss Finish**

Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)

Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)



Latex, Institutional, Low Odor:

**Eggshell Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

**WOOD OPAQUE: PRE-PRIMED AND PAINTED DOORS, DOOR FRAMES, TRIM, BASE, AND WOODWORK**

Latex, High Performance Architectural, Low Odor/VOC:

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor:

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

**LAMINATE AND FIBERGLASS REINFORCED PLASTIC (FRP)**

Latex, High Performance Architectural, Low Odor/VOC:

**Semi-Gloss Finish**

- Primer: BEHR® Interior /Exterior Bonding Primer (432)  
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

High Performance, Epoxy, Pre-Catalyzed, Waterborne: Low Odor/VOC

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Bonding Primer (432)  
Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

**STEEL AND IRON METAL: DOORS, DOOR FRAMES, AND MISCELLANEOUS FERROUS METAL**

Light Industrial Coating: Low Odor/VOC

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Metal Primer (435)  
Two Coats: BEHR PREMIUM® Direct-To-Metal Semi-Gloss Paint (3200)

High Performance, Epoxy, Pre-Catalyzed, Waterborne: Low Odor/VOC

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Metal Primer (435)  
Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Latex, Institutional, Low Odor:

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Metal Primer (435)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)



1801 E. St. Andrew Place, Santa Ana, California 92705 • (714) 545-7101

**ANODIZED ALUMINUM:**

Light Industrial Coating: Low Odor/VOC

**Eggshell Finish**

- Primer: BEHR® Interior/Exterior Bonding Primer (432)  
Two Coats: BEHR PREMIUM® Direct-To-Metal Eggshell Paint (7200)

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Bonding Primer (432)  
Two Coats: BEHR PREMIUM® Direct-To-Metal Semi-Gloss Paint (3200)

High Performance, Epoxy, Pre-Catalyzed, Waterborne:

**Eggshell Finish**

- Primer: BEHR® Interior/Exterior Bonding Primer (432)  
Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Bonding Primer (432)  
Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

---

**OPERATING ROOMS, OR - SURGICAL SUITES, MEDICAL/SURGICAL UNITS, MED SURGERY UNITS**

---

**GYPSUM BOARD AND PLASTER: WALLS**

Latex, High Performance Architectural, Low Odor/VOC:

**Eggshell Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR ULTRA® Interior Eggshell Enamel (2750)

**Semi-Gloss Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor:

**Eggshell Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR PRO® i300 Interior Eggshell (PR330)

**Semi-Gloss Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

High Performance, Epoxy, Pre-Catalyzed, Waterborne:

**Eggshell Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

**Semi-Gloss Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

**GYPSUM BOARD: CEILINGS**

High Performance, Epoxy, Pre-Catalyzed, Waterborne:

**Eggshell Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)



**CONCRETE AND PRE-CAST CONCRETE: WALLS**

Latex, High Performance Architectural, Low Odor/VOC:

**Eggshell Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR ULTRA® Interior Eggshell Enamel (2750)

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor:

**Eggshell Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR PRO® i300 Interior Eggshell (PR330)

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

High Performance, Epoxy, Pre-Catalyzed, Waterborne:

**Eggshell Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

**CONCRETE MASONRY UNITS CMU: WALLS**

Latex, High Performance Architectural, Low Odor/VOC:

**Eggshell Finish**

- Primer: BEHR PRO® Block Filler and Primer (PR050)  
Two Coats: BEHR ULTRA® Interior Eggshell Enamel (2750)

**Semi-Gloss Finish**

- Primer: BEHR PRO® Block Filler and Primer (PR050)  
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor:

**Semi-Gloss Finish**

- Primer: BEHR PRO® Block Filler and Primer (PR050)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

High Performance, Epoxy, Pre-Catalyzed, Waterborne: Low Odor/VOC

**Eggshell Finish**

- Primer: BEHR PRO® Block Filler and Primer (PR050)  
Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

**Semi-Gloss Finish**

- Primer: BEHR PRO® Block Filler and Primer (PR050)  
Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)



### WOOD OPAQUE: PRE-PRIMED AND PAINTED DOORS, DOOR FRAMES, TRIM, BASE, AND WOODWORK

Latex, High Performance Architectural, Low Odor/VOC:

#### Semi-Gloss Finish

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor:

#### Semi-Gloss Finish

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

### STEEL AND IRON METAL: DOORS, DOOR FRAMES, AND MISCELLANEOUS FERROUS METAL

Light Industrial Coating: Low Odor/VOC

#### Semi-Gloss Finish

- Primer: BEHR® Interior/Exterior Metal Primer (435)  
Two Coats: BEHR PREMIUM® Direct-To-Metal Semi-Gloss Paint (3200)

Latex, Institutional, Low Odor:

#### Semi-Gloss Finish

- Primer: BEHR® Interior/Exterior Metal Primer (435)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Latex, Institutional, Low Odor:

#### Semi-Gloss Finish

- Primer: BEHR® Interior/Exterior Metal Primer (435)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

## PATIENT RECOVERY ROOMS, POST-OP

---

### GYPSUM BOARD AND PLASTER: WALLS

Latex, High Performance Architectural, Low Odor/VOC:

#### Flat Finish

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR ULTRA® Interior Flat Paint (1720)

#### Eggshell Finish

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR ULTRA® Interior Eggshell Enamel (2750)

Latex, Institutional, Low Odor:

#### Eggshell Finish

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

### Gypsum Board – Ceilings

Latex, Institutional, Low Odor:

#### Flat Finish

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR PRO® i300 Interior Dead Flat Paint (PR310)



1801 E. St. Andrew Place, Santa Ana, California 92705 • (714) 545-7101

**CONCRETE AND PRE-CAST CONCRETE: WALLS**

Latex, High Performance Architectural, Low Odor/VOC:

**Flat Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR ULTRA® Interior Flat Paint (1720)

**Eggshell Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR ULTRA® Interior Eggshell Enamel (2750)

Latex, Institutional, Low Odor:

**Eggshell Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

**CONCRETE MASONRY UNITS CMU: WALLS**

Latex, High Performance Architectural, Low Odor/VOC:

**Flat Finish**

- Primer: BEHR PRO® Block Filler and Primer (PR050)  
Two Coats: BEHR ULTRA® Interior Flat Paint (1720)

**Eggshell Finish**

- Primer: BEHR PRO® Block Filler and Primer (PR050)  
Two Coats: BEHR ULTRA® Interior Eggshell Enamel (2750)

Latex, Institutional, Low Odor:

**Eggshell Finish**

- Primer: BEHR PRO® Block Filler and Primer (PR050)  
Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

**WOOD OPAQUE: PRE-PRIMED AND PAINTED DOORS, DOOR FRAMES, TRIM, BASE, AND WOODWORK**

Latex, High Performance Architectural, Low Odor/VOC:

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor:

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

**STEEL AND IRON METAL: DOORS, DOOR FRAMES, AND MISCELLANEOUS FERROUS METAL**

Light Industrial Coating: Low Odor/VOC

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Metal Primer (435)  
Two Coats: BEHR PREMIUM® Direct-To-Metal Semi-Gloss Paint (3200)

Latex, Institutional, Low Odor:

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Metal Primer (435)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)



1801 E. St. Andrew Place, Santa Ana, California 92705 • (714) 545-7101

## PATIENT REHABILITATION AND THERAPY ROOMS

---

### GYPSUM BOARD AND PLASTER: WALLS

Latex, High Performance Architectural, Low Odor/VOC:

#### **Eggshell Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR ULTRA® Interior Eggshell Enamel (2750)

#### **Semi-Gloss Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor:

#### **Eggshell Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

#### **Semi-Gloss Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

### GYPSUM BOARD AND PLASTER: WALLS (WET AREAS)

High Performance, Epoxy, Pre-Catalyzed, Waterborne: Low Odor/VOC

#### **Eggshell Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

#### **Semi-Gloss Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

### GYPSUM BOARD: CEILINGS

Latex, Institutional, Low Odor:

#### **Flat Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR PRO® i300 Interior Dead Flat Paint (PR310)

### CONCRETE AND PRE-CAST CONCRETE: WALLS

Latex, High Performance Architectural, Low Odor/VOC:

#### **Eggshell Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR ULTRA® Interior Eggshell Enamel (2750)

#### **Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor:

#### **Eggshell Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)



1801 E. St. Andrew Place, Santa Ana, California 92705 • (714) 545-7101

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

**CONCRETE MASONRY UNITS CMU: WALLS**

Latex, High Performance Architectural, Low Odor/VOC:

**Eggshell Finish**

- Primer: BEHR PRO® Block Filler and Primer (PR050)  
Two Coats: BEHR ULTRA® Interior Eggshell Enamel (2750)

**Semi-Gloss Finish**

- Primer: BEHR PRO® Block Filler and Primer (PR050)  
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor:

**Eggshell Finish**

- Primer: BEHR PRO® Block Filler and Primer (PR050)  
Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

**Semi-Gloss Finish**

- Primer: BEHR PRO® Block Filler and Primer (PR050)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

**WOOD OPAQUE: PRE-PRIMED AND PAINTED DOORS, DOOR FRAMES, TRIM, BASE, AND WOODWORK**

Latex, High Performance Architectural, Low Odor/VOC:

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor:

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

**STEEL AND IRON METAL: DOORS, DOOR FRAMES, AND MISCELLANEOUS FERROUS METAL**

Light Industrial Coating: Low Odor/VOC

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Metal Primer (435)  
Two Coats: BEHR PREMIUM® Direct-To-Metal Semi-Gloss Paint (3200)

Latex, Institutional, Low Odor:

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Metal Primer (435)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

**ANODIZED ALUMINUM:**

Light Industrial Coating: Low Odor/VOC

**Eggshell Finish**

- Primer: BEHR® Interior/Exterior Bonding Primer (432)  
Two Coats: BEHR PREMIUM® Direct-To-Metal Eggshell Paint (7200)



1801 E. St. Andrew Place, Santa Ana, California 92705 • (714) 545-7101

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Bonding Primer (432)  
Two Coats: BEHR PREMIUM® Direct-To-Metal Semi-Gloss Paint (3200)

High Performance, Epoxy, Pre-Catalyzed, Waterborne: Low Odor/VOC

**Eggshell Finish**

- Primer: BEHR® Interior/Exterior Bonding Primer (432)  
Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Bonding Primer (432)  
Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

## PHARMACY

---

**GYPSUM BOARD AND PLASTER: WALLS**

Latex, High Performance Architectural, Low Odor/VOC:

**Eggshell Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR ULTRA® Interior Eggshell Enamel (2750)

**Semi-Gloss Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor:

**Eggshell Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

**Semi-Gloss Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

**GYPSUM BOARD: CEILINGS**

Latex, Institutional, Low Odor:

**Flat Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR PRO® i300 Interior Dead Flat Paint (PR310)

**CONCRETE AND PRE-CAST CONCRETE: WALLS**

Latex, High Performance Architectural, Low Odor/VOC:

**Eggshell Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR ULTRA® Interior Eggshell Enamel (2750)

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)



Latex, Institutional, Low Odor:

**Eggshell Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

**CONCRETE MASONRY UNITS CMU: WALLS**

Latex, High Performance Architectural, Low Odor/VOC:

**Eggshell Finish**

- Primer: BEHR PRO® Block Filler and Primer (PR050)  
Two Coats: BEHR ULTRA® Interior Eggshell Enamel (2750)

**Semi-Gloss Finish**

- Primer: BEHR PRO® Block Filler and Primer (PR050)  
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor:

**Eggshell Finish**

- Primer: BEHR PRO® Block Filler and Primer (PR050)  
Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

**Semi-Gloss Finish**

- Primer: BEHR PRO® Block Filler and Primer (PR050)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

**WOOD OPAQUE: PRE-PRIMED AND PAINTED DOORS, DOOR FRAMES, TRIM, BASE, AND WOODWORK**

Latex, High Performance Architectural, Low Odor/VOC:

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor:

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

**STEEL AND IRON METAL: DOORS, DOOR FRAMES, AND MISCELLANEOUS FERROUS METAL**

Light Industrial Coating: Low Odor/VOC

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Metal Primer (435)  
Two Coats: BEHR PREMIUM® Direct-To-Metal Semi-Gloss Paint (3200)

Latex, Institutional, Low Odor:

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Metal Primer (435)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)



1801 E. St. Andrew Place, Santa Ana, California 92705 • (714) 545-7101

## KITCHEN, FOOD PREPARATION AND FOOD SERVICES

---

### GYPSUM BOARD AND PLASTER: WALLS

Latex, High Performance Architectural, Low Odor/VOC:

#### **Semi-Gloss Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor:

#### **Semi-Gloss Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

### High Performance, Epoxy, Pre-Catalyzed, Waterborne: Walls and Wet Areas: Low Odor/VOC

#### **Semi-Gloss Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

### GYPSUM BOARD: CEILINGS

Latex, High Performance Architectural, Low Odor/VOC:

#### **Semi-Gloss Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

High Performance, Epoxy, Pre-Catalyzed, Waterborne: Walls and Wet Areas:

#### **Semi-Gloss Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

### CONCRETE AND PRE-CAST CONCRETE: WALLS

Latex, High Performance Architectural, Low Odor/VOC:

#### **Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor:

#### **Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

High Performance, Epoxy, Pre-Catalyzed, Waterborne: Walls and Wet Areas: Low Odor/VOC

#### **Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

### CONCRETE MASONRY UNITS CMU: WALLS

Latex, High Performance Architectural, Low Odor/VOC:

#### **Semi-Gloss Finish**

- Primer: BEHR PRO® Block Filler and Primer (PR050)  
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)



1801 E. St. Andrew Place, Santa Ana, California 92705 • (714) 545-7101

Latex, Institutional, Low Odor:

**Semi-Gloss Finish**

- Primer: BEHR PRO® Block Filler and Primer (PR050)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

High Performance, Epoxy, Pre-Catalyzed, Waterborne: Walls and Wet Areas:

**Semi-Gloss Finish**

- Primer: BEHR PRO® Block Filler and Primer (PR050)  
Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

**WOOD OPAQUE: PRE-PRIMED AND PAINTED DOORS, DOOR FRAMES, TRIM, BASE, AND WOODWORK**

High Performance, Epoxy, Pre-Catalyzed, Waterborne: Wet Areas:

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Latex, Institutional, Low Odor:

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

**LAMINATE AND FIBERGLASS REINFORCED PLASTIC (FRP)**

Latex, High Performance Architectural, Low Odor/VOC:

**Semi-Gloss Finish**

- Primer: BEHR® Interior /Exterior Bonding Primer (432)  
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

High Performance, Epoxy, Pre-Catalyzed, Waterborne:

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Bonding Primer (432)  
Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Latex, Institutional, Low Odor:

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Bonding Primer (432)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Latex, Institutional, Low Odor/VOC:

**Gloss Finish**

- Primer: BEHR® Interior/Exterior Bonding Primer (432)  
Two Coats: BEHR PREMIUM PLUS® Interior/Exterior Hi-Gloss Enamel (8150)

**STEEL AND IRON METAL: DOORS, DOOR FRAMES, AND MISCELLANEOUS FERROUS METAL**

Light Industrial Coating: Low Odor/VOC

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Metal Primer (435)  
Two Coats: BEHR PREMIUM® Direct-To-Metal Semi-Gloss Paint (3200)

High Performance, Epoxy, Pre-Catalyzed, Waterborne: Wet Areas: Low Odor/VOC

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Metal Primer (435)  
Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)



## CAFETERIA, RESTAURANT AND CAFÉ

---

### GYPSUM BOARD AND PLASTER: WALLS

Latex, High Performance Architectural, Low Odor/VOC:

#### **Eggshell Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR ULTRA® Interior Eggshell Enamel (2750)

#### **Semi-Gloss Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor:

#### **Eggshell Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

#### **Semi-Gloss Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

### GYPSUM BOARD: CEILINGS

Latex, Institutional, Low Odor:

#### **Flat Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR PRO® i300 Interior Dead Flat Paint (PR310)

### CONCRETE AND PRE-CAST CONCRETE: WALLS

Latex, High Performance Architectural, Low Odor/VOC:

#### **Eggshell Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR ULTRA® Interior Eggshell Enamel (2750)

#### **Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor:

#### **Eggshell Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

#### **Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

### CONCRETE MASONRY UNITS CMU: WALLS

Latex, High Performance Architectural, Low Odor/VOC:

#### **Eggshell Finish**

- Primer: BEHR PRO® Block Filler and Primer (PR050)  
Two Coats: BEHR ULTRA® Interior Eggshell Enamel (2750)



1801 E. St. Andrew Place, Santa Ana, California 92705 • (714) 545-7101

### Semi-Gloss Finish

Primer: BEHR PRO® Block Filler and Primer (PR050)  
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor:

### Eggshell Finish

Primer: BEHR PRO® Block Filler and Primer (PR050)  
Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

### Semi-Gloss Finish

Primer: BEHR PRO® Block Filler and Primer (PR050)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

## WOOD OPAQUE: PRE-PRIMED AND PAINTED, DOORS, DOOR FRAMES, TRIM, BASE, AND WOODWORK

Latex, High Performance Architectural, Low Odor/VOC:

### Semi-Gloss Finish

Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor:

### Semi-Gloss Finish

Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

## LAMINATE AND FIBERGLASS REINFORCED PLASTIC (FRP)

Latex, High Performance Architectural, Low Odor/VOC:

### Eggshell Finish

Primer: BEHR® Interior /Exterior Bonding Primer (432)  
Two Coats: BEHR ULTRA® Interior Eggshell Enamel (2750)

### Semi-Gloss Finish

Primer: BEHR® Interior /Exterior Bonding Primer (432)  
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

High Performance, Epoxy, Pre-Catalyzed, Waterborne: Low Odor/VOC

### Eggshell Finish

Primer: BEHR® Interior/Exterior Bonding Primer (432)  
Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

### Semi-Gloss Finish

Primer: BEHR® Interior/Exterior Bonding Primer (432)  
Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Latex, Institutional, Low Odor:

### Semi-Gloss Finish

Primer: BEHR® Interior/Exterior Bonding Primer (432)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)



## MEDICAL STAFF LOUNGE, BREAKROOMS, STORAGE LOCKERS, TOILET ROOMS

---

### GYPSUM BOARD AND PLASTER: WALLS

Latex, High Performance Architectural, Low Odor/VOC:

#### **Flat Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR ULTRA® Interior Flat Paint (1720)

#### **Eggshell Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR ULTRA® Interior Eggshell Enamel (2750)

#### **Semi-Gloss Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor:

#### **Eggshell Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

#### **Semi-Gloss Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

### GYPSUM BOARD: CEILINGS

Latex, Institutional, Low Odor:

#### **Flat Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR PRO® i300 Interior Dead Flat Paint (PR310)

### CONCRETE AND PRE-CAST CONCRETE: WALLS

Latex, High Performance Architectural, Low Odor/VOC:

#### **Eggshell Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR ULTRA® Interior Eggshell Enamel (2750)

#### **Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor:

#### **Eggshell Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

#### **Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)



1801 E. St. Andrew Place, Santa Ana, California 92705 • (714) 545-7101

**CONCRETE MASONRY UNITS CMU: WALLS**

Latex, High Performance Architectural, Low Odor/VOC:

**Eggshell Finish**

- Primer: BEHR PRO® Block Filler and Primer (PR050)  
Two Coats: BEHR ULTRA® Interior Eggshell Enamel (2750)

**Semi-Gloss Finish**

- Primer: BEHR PRO® Block Filler and Primer (PR050)  
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor:

**Eggshell Finish**

- Primer: BEHR PRO® Block Filler and Primer (PR050)  
Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

**Semi-Gloss Finish**

- Primer: BEHR PRO® Block Filler and Primer (PR050)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

**WOOD OPAQUE: PRE-PRIMED AND PAINTED DOORS, DOOR FRAMES, TRIM, BASE, AND WOODWORK**

Latex, High Performance Architectural, Low Odor/VOC:

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor:

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

**FERROUS AND NON-FERROUS METAL – DOORS, DOOR FRAMES, MISCELLANEOUS METAL**

Light Industrial Coating: Low Odor/VOC

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Metal Primer (435)  
Two Coats: BEHR PREMIUM® Direct-To-Metal Semi-Gloss Paint (3200)

High Performance, Epoxy, Pre-Catalyzed, Waterborne: Low Odor/VOC

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Metal Primer (435)  
Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Latex, Institutional, Low Odor:

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Metal Primer (435)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)



1801 E. St. Andrew Place, Santa Ana, California 92705 • (714) 545-7101

## LINEN AND LAUNDRY SERVICES (INCLUDING WET AREAS)

---

### GYPSUM BOARD AND PLASTER: WALLS

Latex, High Performance Architectural, Low Odor/VOC:

#### **Semi-Gloss Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor:

#### **Semi-Gloss Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

High Performance, Epoxy, Pre-Catalyzed, Waterborne: (Wet Areas): Low Odor/VOC Low Odor/VOC

#### **Semi-Gloss Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

### GYPSUM BOARD: CEILINGS

High Performance, Epoxy, Pre-Catalyzed, Waterborne: (Wet Areas): Low Odor/VOC Low Odor/VOC

#### **Semi-Gloss Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Latex, Institutional, Low Odor:

#### **Semi-Gloss Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

### CONCRETE AND PRE-CAST CONCRETE: WALLS

Latex, High Performance Architectural, Low Odor/VOC:

#### **Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor:

#### **Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

High Performance, Epoxy, Pre-Catalyzed, Waterborne: Wet Areas: Low Odor/VOC

#### **Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

### CONCRETE MASONRY UNITS CMU: WALLS

Latex, High Performance Architectural, Low Odor/VOC:

#### **Semi-Gloss Finish**

- Primer: BEHR PRO® Block Filler and Primer (PR050)  
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)



1801 E. St. Andrew Place, Santa Ana, California 92705 • (714) 545-7101

Latex, Institutional, Low Odor:

**Semi-Gloss Finish**

- Primer: BEHR PRO® Block Filler and Primer (PR050)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

High Performance, Epoxy, Pre-Catalyzed, Waterborne: (Wet Areas): Low Odor/VOC Low Odor/VOC

**Semi-Gloss Finish**

- Primer: BEHR PRO® Block Filler and Primer (PR050)  
Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

**WOOD OPAQUE: PRE-PRIMED AND PAINTED DOORS, DOOR FRAMES, TRIM, BASE, AND WOODWORK**

Latex, High Performance Architectural, Low Odor/VOC:

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

High Performance, Epoxy, Pre-Catalyzed, Waterborne: Wet Areas: Low Odor/VOC

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Latex, Institutional, Low Odor:

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

**STEEL AND IRON METAL: DOORS, DOOR FRAMES, AND MISCELLANEOUS FERROUS METAL**

Light Industrial Coating: Low Odor/VOC

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Metal Primer (435)  
Two Coats: BEHR PREMIUM® Direct-To-Metal Semi-Gloss Paint (3200)

High Performance, Epoxy, Pre-Catalyzed, Waterborne: Wet Areas: Low Odor/VOC

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Metal Primer (435)  
Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Latex, Institutional, Low Odor:

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Metal Primer (435)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

**CENTRAL STERILE SERVICES, CSSD (INCLUDING WET AREAS)**

---

**GYPSUM BOARD AND PLASTER: WALLS**

Latex, High Performance Architectural, Low Odor/VOC:

**Semi-Gloss Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)



1801 E. St. Andrew Place, Santa Ana, California 92705 • (714) 545-7101

Latex, Institutional, Low Odor:

**Semi-Gloss Finish**

Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)

Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

High Performance, Epoxy, Pre-Catalyzed, Waterborne: (Wet Areas): Low Odor/VOC

**Semi-Gloss Finish**

Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)

Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

### GYPSUM BOARD: CEILINGS

Latex, Institutional, Low Odor:

**Semi-Gloss Finish**

Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)

Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

### CONCRETE AND PRE-CAST CONCRETE: WALLS

Latex, High Performance Architectural, Low Odor/VOC:

**Semi-Gloss Finish**

Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)

Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor:

**Semi-Gloss Finish**

Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)

Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

High Performance, Epoxy, Pre-Catalyzed, Waterborne: (Wet Areas): Low Odor/VOC

**Semi-Gloss Finish**

Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)

Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

### CONCRETE AND PRE-CAST CONCRETE: WALLS

Latex, High Performance Architectural, Low Odor/VOC:

**Semi-Gloss Finish**

Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)

Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor:

**Semi-Gloss Finish**

Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)

Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

High Performance, Epoxy, Pre-Catalyzed, Waterborne: Wet Areas:

**Semi-Gloss Finish**

Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)

Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)



1801 E. St. Andrew Place, Santa Ana, California 92705 • (714) 545-7101

**WOOD OPAQUE: PRE-PRIMED AND PAINTED DOORS, DOOR FRAMES, TRIM, BASE, AND WOODWORK**

Latex, High Performance Architectural, Low Odor/VOC:

**Semi-Gloss Finish**

Primer: BEHR® Interior/Exterior Multi-Surface Primer &amp; Sealer (436)

Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

High Performance, Epoxy, Pre-Catalyzed, Waterborne: Wet Areas: Low Odor/VOC

**Semi-Gloss Finish**

Primer: BEHR® Interior/Exterior Multi-Surface Primer &amp; Sealer (436)

Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Latex, Institutional, Low Odor:

**Semi-Gloss Finish**

Primer: BEHR® Interior/Exterior Multi-Surface Primer &amp; Sealer (436)

Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

**LAMINATE AND FIBERGLASS REINFORCED PLASTIC (FRP)**

Latex, High Performance Architectural, Low Odor/VOC:

**Semi-Gloss Finish**

Primer: BEHR® Interior /Exterior Bonding Primer (432)

Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

High Performance, Epoxy, Pre-Catalyzed, Waterborne: Low Odor/VOC

**Eggshell Finish**

Primer: BEHR® Interior/Exterior Bonding Primer (432)

Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

**Semi-Gloss Finish**

Primer: BEHR® Interior/Exterior Bonding Primer (432)

Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Latex, Institutional, Low Odor:

**Semi-Gloss Finish**

Primer: BEHR® Interior/Exterior Bonding Primer (432)

Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

**STEEL AND IRON METAL: DOORS, DOOR FRAMES, AND MISCELLANEOUS FERROUS METAL**

Light Industrial Coating: Low Odor/VOC

**Semi-Gloss Finish**

Primer: BEHR® Interior/Exterior Metal Primer (435)

Two Coats: BEHR PREMIUM® Direct-To-Metal Semi-Gloss Paint (3200)

High Performance, Epoxy, Pre-Catalyzed, Waterborne: (Wet Areas): Low Odor/VOC

**Semi-Gloss Finish**

Primer: BEHR® Interior/Exterior Metal Primer (435)

Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Latex, Institutional, Low Odor:

**Semi-Gloss Finish**

Primer: BEHR® Interior/Exterior Metal Primer (435)

Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)



1801 E. St. Andrew Place, Santa Ana, California 92705 • (714) 545-7101

## CENTRAL SUPPLY ROOM

---

### GYPSUM BOARD AND PLASTER: WALLS

Latex, High Performance Architectural, Low Odor/VOC:

#### **Eggshell Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR ULTRA® Interior Eggshell Enamel (2750)

#### **Semi-Gloss Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor:

#### **Eggshell Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

#### **Semi-Gloss Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

### GYPSUM BOARD: CEILINGS

Latex, Institutional, Low Odor:

#### **Flat Finish**

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR PRO® i300 Interior Dead Flat Paint (PR310)

### CONCRETE AND PRE-CAST CONCRETE: WALLS

Latex, High Performance Architectural, Low Odor/VOC:

#### **Eggshell Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR ULTRA® Interior Eggshell Enamel (2750)

#### **Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor:

#### **Eggshell Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

#### **Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

### CONCRETE MASONRY UNITS CMU: WALLS

Latex, High Performance Architectural, Low Odor/VOC:

#### **Eggshell Finish**

- Primer: BEHR PRO® Block Filler and Primer (PR050)  
Two Coats: BEHR ULTRA® Interior Eggshell Enamel (2750)



### Semi-Gloss Finish

Primer: BEHR PRO® Block Filler and Primer (PR050)  
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor:

### Eggshell Finish

Primer: BEHR PRO® Block Filler and Primer (PR050)  
Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

### Semi-Gloss Finish

Primer: BEHR PRO® Block Filler and Primer (PR050)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

## WOOD OPAQUE: PRE-PRIMED AND PAINTED DOORS, DOOR FRAMES, TRIM, BASE, AND WOODWORK

Latex, High Performance Architectural, Low Odor/VOC:

### Semi-Gloss Finish

Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

High Performance, Epoxy, Pre-Catalyzed, Waterborne: Low Odor/VOC

### Semi-Gloss Finish

Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Latex, Institutional, Low Odor:

### Semi-Gloss Finish

Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

## STEEL AND IRON METAL: DOORS, DOOR FRAMES, AND MISCELLANEOUS FERROUS METAL

Light Industrial Coating: Low Odor/VOC

### Semi-Gloss Finish

Primer: BEHR® Interior/Exterior Metal Primer (435)  
Two Coats: BEHR PREMIUM® Direct-To-Metal Semi-Gloss Paint (3200)

Latex, Institutional, Low Odor:

### Semi-Gloss Finish

Primer: BEHR® Interior/Exterior Metal Primer (435)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

## JANITORIAL OFFICE, BREAK ROOM AND COMMON SPACE

---

## GYPSUM BOARD AND PLASTER: WALLS

Latex, High Performance Architectural, Low Odor/VOC:

### Eggshell Finish

Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR ULTRA® Interior Eggshell Enamel (2750)

Latex, Institutional, Low Odor:

### Eggshell Finish

Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)



### Semi-Gloss Finish

Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

## GYPSUM BOARD: CEILINGS

Latex, Institutional, Low Odor:

### Flat Finish

Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR PRO® i300 Interior Dead Flat Paint (PR310)

## CONCRETE AND PRE-CAST CONCRETE: WALLS

Latex, High Performance Architectural, Low Odor/VOC:

### Eggshell Finish

Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR ULTRA® Interior Eggshell Enamel (2750)

Latex, Institutional, Low Odor:

### Eggshell Finish

Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

### Semi-Gloss Finish

Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

## CONCRETE AND PRE-CAST CONCRETE: WALLS

Latex, High Performance Architectural, Low Odor/VOC:

### Eggshell Finish

Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR ULTRA® Interior Eggshell Enamel (2750)

Latex, Institutional, Low Odor:

### Eggshell Finish

Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

### Semi-Gloss Finish

Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

## CONCRETE MASONRY UNITS CMU: WALLS

Latex, High Performance Architectural, Low Odor/VOC:

### Eggshell Finish

Primer: BEHR PRO® Block Filler and Primer (PR050)  
Two Coats: BEHR ULTRA® Interior Eggshell Enamel (2750)

Latex, Institutional, Low Odor:

### Eggshell Finish

Primer: BEHR PRO® Block Filler and Primer (PR050)  
Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)



### Semi-Gloss Finish

- Primer: BEHR PRO® Block Filler and Primer (PR050)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

## WOOD OPAQUE: PRE-PRIMED AND PAINTED DOORS, DOOR FRAMES, TRIM, BASE, AND WOODWORK

Latex, High Performance Architectural, Low Odor/VOC:

### Semi-Gloss Finish

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor:

### Semi-Gloss Finish

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

## STEEL AND IRON METAL: DOORS, DOOR FRAMES, AND MISCELLANEOUS FERROUS METAL

Light Industrial Coating: Low Odor/VOC

### Semi-Gloss Finish

- Primer: BEHR® Interior/Exterior Metal Primer (435)  
Two Coats: BEHR PREMIUM® Direct-To-Metal Semi-Gloss Paint (3200)

Latex, Institutional, Low Odor:

### Semi-Gloss Finish

- Primer: BEHR® Interior/Exterior Metal Primer (435)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

## CUSTODIAN ROOMS, JANITORIAL CLOSETS, STORAGE AND UTILITY ROOMS

---

### GYPSUM BOARD AND PLASTER: WALLS

Latex, High Performance Architectural, Low Odor/VOC:

### Semi-Gloss Finish

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor:

### Semi-Gloss Finish

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

High Performance, Epoxy, Pre-Catalyzed, Waterborne: Wet Areas:

### Semi-Gloss Finish

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

### GYPSUM BOARD: CEILINGS

Latex, Institutional, Low Odor:

### Flat Finish

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR PRO® i300 Interior Dead Flat Paint (PR310)



1801 E. St. Andrew Place, Santa Ana, California 92705 • (714) 545-7101

### CONCRETE AND PRE-CAST CONCRETE: WALLS

Latex, High Performance Architectural, Low Odor/VOC:

#### Semi-Gloss Finish

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor:

#### Semi-Gloss Finish

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

High Performance, Epoxy, Pre-Catalyzed, Waterborne: Wet Areas:

#### Semi-Gloss Finish

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

### CONCRETE MASONRY UNITS CMU: WALLS

Latex, High Performance Architectural, Low Odor/VOC:

#### Semi-Gloss Finish

- Primer: BEHR PRO® Block Filler and Primer (PR050)  
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor:

#### Semi-Gloss Finish

- Primer: BEHR PRO® Block Filler and Primer (PR050)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

High Performance, Epoxy, Pre-Catalyzed, Waterborne: Wet Areas: Low Odor/VOC

#### Semi-Gloss Finish

- Primer: BEHR PRO® Block Filler and Primer (PR050)  
Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

### WOOD OPAQUE: PRE-PRIMED AND PAINTED DOORS, DOOR FRAMES, TRIM, BASE, AND WOODWORK

Latex, High Performance Architectural, Low Odor/VOC:

#### Semi-Gloss Finish

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor:

#### Semi-Gloss Finish

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

### STEEL AND IRON METAL: DOORS, DOOR FRAMES, AND MISCELLANEOUS FERROUS METAL

Light Industrial Coating: Low Odor/VOC

#### Semi-Gloss Finish

- Primer: BEHR® Interior/Exterior Metal Primer (435)  
Two Coats: BEHR PREMIUM® Direct-To-Metal Semi-Gloss Paint (3200)



Latex, Institutional, Low Odor:

### Semi-Gloss Finish

- Primer: BEHR® Interior/Exterior Metal Primer (435)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

## PUBLIC RESTROOMS

---

### GYPSUM BOARD AND PLASTER: WALLS

Latex, High Performance Architectural, Low Odor/VOC:

### Semi-Gloss Finish

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

High Performance, Epoxy, Pre-Catalyzed, Waterborne: Low Odor/VOC (Wet Areas)

### Semi-Gloss Finish

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Latex, Institutional, Low Odor:

### Semi-Gloss Finish

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

### GYPSUM BOARD: CEILINGS

Latex, High Performance Architectural, Low Odor/VOC:

### Semi-Gloss Finish

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor:

### Semi-Gloss Finish

- Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

### CONCRETE AND PRE-CAST CONCRETE: WALLS

Latex, High Performance Architectural, Low Odor/VOC:

### Semi-Gloss Finish

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor:

### Semi-Gloss Finish

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

High Performance, Epoxy, Pre-Catalyzed, Waterborne: Low Odor/VOC (Wet Areas)

### Semi-Gloss Finish

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)



**CONCRETE MASONRY UNITS CMU: WALLS**

Latex, High Performance Architectural, Low Odor/VOC:

**Semi-Gloss Finish**

- Primer: BEHR PRO® Block Filler and Primer (PR050)  
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor:

**Semi-Gloss Finish**

- Primer: BEHR PRO® Block Filler and Primer (PR050)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

High Performance, Epoxy, Pre-Catalyzed, Waterborne: Low Odor/VOC (Wet Areas)

**Semi-Gloss Finish**

- Primer: BEHR PRO® Block Filler and Primer (PR050)  
Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

**WOOD OPAQUE: PRE-PRIMED AND PAINTED DOORS, DOOR FRAMES, TRIM, BASE, AND WOODWORK**

Latex, High Performance Architectural, Low Odor/VOC:

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

High Performance, Epoxy, Pre-Catalyzed, Waterborne: Low Odor/VOC (Wet Areas)

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Latex, Institutional, Low Odor:

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

**LAMINATE AND FIBERGLASS REINFORCED PLASTIC (FRP)**

Latex, High Performance Architectural, Low Odor/VOC:

**Semi-Gloss Finish**

- Primer: BEHR® Interior /Exterior Bonding Primer (432)  
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

High Performance, Epoxy, Pre-Catalyzed, Waterborne: Low Odor/VOC (Wet Areas)

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Bonding Primer (432)  
Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Latex, Institutional, Low Odor:

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Bonding Primer (432)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)



### STEEL AND IRON METAL: DOORS, DOOR FRAMES, AND MISCELLANEOUS FERROUS METAL

Light Industrial Coating: Low Odor/VOC

#### Semi-Gloss Finish

Primer: BEHR® Interior/Exterior Metal Primer (435)

Two Coats: BEHR PREMIUM® Direct-To-Metal Semi-Gloss Paint (3200)

High Performance, Epoxy, Pre-Catalyzed, Waterborne:

#### Semi-Gloss Finish

Primer: BEHR® Interior/Exterior Metal Primer (435)

Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Latex, Institutional, Low Odor:

#### Semi-Gloss Finish

Primer: BEHR® Interior/Exterior Metal Primer (435)

Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

## ENGINEERING AND FACILITIES OFFICES, STORAGE ROOMS AND COMMON AREAS

---

### GYPSUM BOARD AND PLASTER: WALLS

Latex, High Performance Architectural, Low Odor/VOC:

#### Eggshell Finish

Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)

Two Coats: BEHR ULTRA® Interior Eggshell Enamel (2750)

Latex, Institutional, Low Odor:

#### Eggshell Finish

Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)

Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

### GYPSUM BOARD: CEILINGS

Latex, Institutional, Low Odor:

#### Flat Finish

Primer: BEHR® DRYWALL PLUS Interior Primer & Sealer (73)

Two Coats: BEHR PRO® i300 Interior Dead Flat Paint (PR310)

### CONCRETE AND PRE-CAST CONCRETE: WALLS

Latex, High Performance Architectural, Low Odor/VOC:

#### Eggshell Finish

Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)

Two Coats: BEHR ULTRA® Interior Eggshell Enamel (2750)

Latex, Institutional, Low Odor:

#### Eggshell Finish

Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)

Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)



**CONCRETE MASONRY UNITS CMU: WALLS**

Latex, High Performance Architectural, Low Odor/VOC:

**Eggshell Finish**

- Primer: BEHR PRO® Block Filler and Primer (PR050)  
Two Coats: BEHR ULTRA® Interior Eggshell Enamel (2750)

Latex, Institutional, Low Odor:

**Eggshell Finish**

- Primer: BEHR PRO® Block Filler and Primer (PR050)  
Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

**WOOD OPAQUE: PRE-PRIMED AND PAINTED DOORS, DOOR FRAMES, TRIM, BASE, AND WOODWORK**

Latex, High Performance Architectural, Low Odor/VOC:

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor:

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

**Steel and Iron Metal: Doors, Door Frames, Cabinets, Piping, and Miscellaneous Ferrous Metal**

Latex, Institutional, Low Odor:

**Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Metal Primer (435)  
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

**WOOD – INTERIOR STAINED AND TRANSPARENT FINISHES**

- Stain Coat: BEHR PREMIUM® Fast Drying Water-Based Wood Stain (B4500)  
Three Coats: BEHR PREMIUM® Fast Drying Water-Based Polyurethane  
a. BEHR PREMIUM® Fast Drying Water-Based Polyurethane Matte (B8106)  
b. BEHR PREMIUM® Fast Drying Water-Based Polyurethane Satin (B8100)  
c. BEHR PREMIUM® Fast Drying Water-Based Polyurethane Semi-Gloss (B8102)  
d. BEHR PREMIUM® Fast Drying Water-Based Polyurethane Gloss (B8104)

**CONCRETE FLOORS – PAINTED PEDESTRIAN TRAFFIC****CONCRETE, NEW OR PREVIOUSLY PAINTED SURFACES**

Water-Based, Low VOC Coating:

**Anti-Slip Texture, Low-Lustre Finish**

- Primer: BEHR PREMIUM® Concrete & Masonry Bonding Primer (880)  
Two Coats: BEHR PREMIUM® Anti-Slip Texture Low-Lustre Enamel Porch & Patio  
Floor Paint (6250)



1801 E. St. Andrew Place, Santa Ana, California 92705 • (714) 545-7101

Water-Based, Low VOC Coating:

**Low-Lustre Finish**

Primer: BEHR PREMIUM® Concrete & Masonry Bonding Primer (880)

Two Coats: BEHR PREMIUM® Low-Lustre Enamel Porch & Patio Floor Paint (6050)

### CONCRETE FLOORS – PAINTED, HEAVY TRAFFIC

(BEHR PAINT IS AN AUTHORIZED DISTRIBUTOR OF MONOPOLE, INC.)

---

#### CONCRETE – PREVIOUSLY PAINTED

Water-Based, Catalyzed Aliphatic Polyurethane Coating:

**Matte Finish**

Primer: Monochem Monobond Multi-Surface Primer, Sealer & Bonder (1990)

Two Coats: Monochem Permashield® 200 2K Water-Based Aliphatic Polyurethane (5365)

#### CONCRETE – NEW

Water-Based, Catalyzed Aliphatic Polyurethane Coating:

**Matte Finish**

Primer: Monochem 21 Epoxy Primer (2121)

Two Coats: Monochem Permashield® 200 2K Water-Based Aliphatic Polyurethane (5365)



1801 E. St. Andrew Place, Santa Ana, California 92705 • (714) 545-7101

# EXTERIOR PAINT SYSTEMS (09 91 13 EXTERIOR PAINTING)

## CONCRETE

---

### PRECAST, POURED IN PLACE, TILT-UP CONCRETE: WALLS

Latex, Acrylic System

#### **Flat Finish**

- Primer: BEHR® Concrete & Masonry Primer (PR060)  
Two Coats: BEHR PRO® e600 Exterior Flat Paint (PR610)

#### **Satin Finish**

- Primer: BEHR® Concrete & Masonry Primer (PR060)  
Two Coats: BEHR PRO® e600 Exterior Satin Paint (PR640)

#### **Semi-Gloss Finish**

- Primer: BEHR® Concrete & Masonry Primer (PR060)  
Two Coats: BEHR PRO® e600 Exterior Semi-Gloss Paint (PR670)

Latex, Acrylic High Build Coating

#### **Flat Finish**

- Primer: BEHR® Concrete & Masonry Primer (PR060)  
Two Coats: BEHR PREMIUM® Exterior High Build Coating (4700)

Texture-Medium, Acrylic Coating

#### **Flat Finish**

- Primer: BEHR® Concrete & Masonry Primer (PR060)  
Two Coats: BEHR PRO® Exterior Acrylic Texture Coating - Medium (PR710)

## STUCCO AND CEMENT PLASTER

---

### STUCCO, EIFS AND CEMENT PLASTER – WALLS

Latex, Acrylic System

#### **Flat Finish**

- Primer: BEHR® Concrete & Masonry Primer (PR060)  
Two Coats: BEHR PRO® e600 Exterior Flat Paint (PR610)

#### **Satin Finish**

- Primer: BEHR® Concrete & Masonry Primer (PR060)  
Two Coats: BEHR PRO® e600 Exterior Satin Paint (PR640)

#### **Semi-Gloss Finish**

- Primer: BEHR® Concrete & Masonry Primer (PR060)  
Two Coats: BEHR PRO® e600 Exterior Semi-Gloss Paint (PR670)

Latex, Acrylic High Build Coating

#### **Flat Finish**

- Primer: BEHR® Concrete & Masonry Primer (PR060)  
Two Coats: BEHR PREMIUM® Exterior High Build Coating (4700)

Texture-Medium, Acrylic Coating

#### **Flat Finish**

- Primer: BEHR® Concrete & Masonry Primer (PR060)  
Two Coats: BEHR PRO® Exterior Acrylic Texture Coating - Medium (PR710)



## FIBER CEMENT: PRE-PRIMED

---

### FIBER CEMENT – WALLS

Latex, Acrylic System

#### **Flat Finish**

- Spot Prime: BEHR® Concrete & Masonry Primer (PR060)  
Two Coats: BEHR PRO® e600 Exterior Flat Paint (PR610)

#### **Satin Finish**

- Spot Prime: BEHR® Concrete & Masonry Primer (PR060)  
Two Coats: BEHR PRO® e600 Exterior Satin Paint (PR640)

#### **Semi-Gloss Finish**

- Spot Prime: BEHR® Concrete & Masonry Primer (PR060)  
Two Coats: BEHR PRO® e600 Exterior Semi-Gloss Paint (PR670)

Texture-Medium, Acrylic Coating

#### **Flat Finish**

- Primer: BEHR® Concrete & Masonry Primer (PR060)  
Two Coats: BEHR PRO® Exterior Acrylic Texture Coating - Medium (PR710)

## CONCRETE MASONRY UNITS (CMU)

---

### CONCRETE BLOCK AND CINDER BLOCK – WALLS

Latex, Acrylic System

#### **Flat Finish**

- Primer: BEHR PRO® Block Filler Primer (PR050)  
Two Coats: BEHR PRO® e600 Exterior Flat Paint (PR610)

#### **Satin Finish**

- Primer: BEHR PRO® Block Filler Primer (PR050)  
Two Coats: BEHR PRO® e600 Exterior Satin Paint (PR640)

#### **Semi-Gloss Finish**

- Primer: BEHR PRO® Block Filler Primer (PR050)  
Two Coats: BEHR PRO® e600 Exterior Semi-Gloss Paint (PR670)

Latex, Acrylic High Build Coating

#### **Flat Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
Two Coats: BEHR PREMIUM® Exterior High Build Coating (4700)

Texture-Medium, Acrylic Coating

#### **Flat Finish**

- Primer: BEHR PRO® Block Filler Primer (PR050)  
Two Coats: BEHR PRO® Exterior Acrylic Texture Coating - Medium (PR710)

## CONCRETE, UNFINISHED DECKS, STONE, AND BRICK

---

### EXTERIOR CONCRETE – HORIZONTAL AND VERTICAL SURFACES

Clear, Water-Based Sealer and Waterproofer:

- Primer: BEHR PREMIUM® Concrete & Masonry Protector & Waterproofer (980)  
Two Coats: BEHR PREMIUM® Concrete & Masonry Protector & Waterproofer (980)



1801 E. St. Andrew Place, Santa Ana, California 92705 • (714) 545-7101

## WOOD: PAINTED

---

### WOOD AND WOOD COMPOSITES – PAINTED

Latex, Acrylic System

#### **Flat Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
 Two Coats: BEHR PRO® e600 Exterior Flat Paint (PR610)

#### **Satin Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
 Two Coats: BEHR PRO® e600 Exterior Satin Paint (PR640)

#### **Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
 Two Coats: BEHR PRO® e600 Exterior Semi-Gloss Paint (PR670)

#### **Gloss Finish**

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)  
 Two Coats: BEHR PREMIUM PLUS® Hi-Gloss Enamel Paint (8150)

## WOOD: STAINED, WATERPROOFING STAINS

---

### WOOD AND WOOD COMPOSITES – STAINED

#### **Solid Color Finish**

- Two Coats: BEHR PREMIUM® Solid Color Waterproofing Stain & Sealer (5011)

### WOOD, ENGINEERED SYNTHETIC WOOD, AND PRESSURE TREATED LUMBER – STAINED

#### **Semi-Transparent Finish**

- Two Coats: BEHR PREMIUM® Semi-Transparent Waterproofing Stain & Sealer (5077)

## WOOD: EXTERIOR TRANSPARENT FINISHES

---

#### **Wood Clear Finish:**

Exterior Spar Urethane, Water-Based:

(Not recommended for use on exterior wood siding, decks and stairs.)

- Three Coats: BEHR PREMIUM® Water-Based Spar Urethane  
 a. BEHR PREMIUM® Water-Based Spar Urethane Satin (B8200)  
 b. BEHR PREMIUM® Water-Based Spar Urethane Semi-Gloss (B8202)  
 c. BEHR PREMIUM® Water-Based Spar Urethane Gloss (B8204)

## FERROUS METAL: STEEL AND WROUGHT IRON

---

### LIGHT INDUSTRIAL COATING SYSTEMS

#### **Eggshell Finish**

- Primer: BEHR® Interior/Exterior Metal Primer (435)  
 Two Coats: BEHR PREMIUM® Direct-To-Metal Eggshell Paint (7200)

#### **Semi-Gloss Finish**

- Primer: BEHR® Interior/Exterior Metal Primer (435)  
 Two Coats: BEHR PREMIUM® Direct-To-Metal Semi-Gloss Paint (3200)



1801 E. St. Andrew Place, Santa Ana, California 92705 • (714) 545-7101

## NON-FERROUS METAL: GALVANIZED STEEL

---

### LIGHT INDUSTRIAL COATING

#### Eggshell Finish

Primer: BEHR® Interior/Exterior Metal Primer (435)  
Two Coats: BEHR PREMIUM® Direct-To-Metal Eggshell Paint (7200)

#### Semi-Gloss Finish

Primer: BEHR® Interior/Exterior Metal Primer (435)  
Two Coats: BEHR PREMIUM® Direct-To-Metal Semi-Gloss Paint (3200)

## ALUMINUM

---

### LIGHT INDUSTRIAL COATING

#### Eggshell Finish

Primer: BEHR® Interior/Exterior Metal Primer (435)  
Two Coats: BEHR PREMIUM® Direct-To-Metal Eggshell Paint (7200)

#### Semi-Gloss Finish – Light Industrial Coating

Primer: BEHR® Interior/Exterior Metal Primer (435)  
Two Coats: BEHR PREMIUM® Direct-To-Metal Semi-Gloss Paint (3200)



1801 E. St. Andrew Place, Santa Ana, California 92705 • (714) 545-7101