



HOSPITALITY FACILITIES GUIDE

PAINTING SPECIFICATIONS

09 91 23 Interior Painting

09 91 13 Exterior Painting

If you have any questions regarding
Behr Painting Specifications,
please contact specs@behr.com



GUIDE INDEX

Products/Finish Coats	3-5
Primers and Sealers.....	5-6
General Surface Preparation.....	6-7
Project Conditions for Painting Exterior Surfaces.....	7

INTERIOR PAINT SYSTEMS

Guest Rooms and Suites.....	8-10
Guest Bathrooms.....	11-12
Lobby and Common Areas.....	13
Corridors and Hallways.....	14-16
Ballrooms, Conference and Meeting Rooms.....	16-17
Conference Center Bathrooms	17-19
Restaurants, Bars and Lounges.....	19-21
Hotel Kitchen.....	21-23
Fitness Center Facility and Indoor Pool Area.....	23-24
Concrete Floors: Painted, Light Duty Foot Traffic.....	24
Concrete Floors: Painted, Medium - Heavy Traffic.....	25
Wood: Interior Stained and Transparent Finishes.....	25
Wood: Interior Clear Transparent Finishes.....	25

EXTERIOR PAINT SYSTEMS

Concrete	26
Stucco and Cement Plaster	26
Fiber Cement: Pre-Primed.....	27
Concrete Masonry Units (CMU)	27
Concrete, Unfinished Decks, Stone and Brick.....	27
Wood: Exterior Stained and Transparent Finishes	27
Wood: Exterior Clear Transparent Finishes.....	28
Wood.....	28
Ferrous Metal: Steel and Wrought Iron.....	28
Non-Ferrous Metal: Galvanized Metal, Aluminum and Brass	28

BEHR® PRODUCTS

PRODUCTS

The painting schedule outlined in this guide is not inclusive of all products available from Behr Paint Company. Architects and specifiers should review the products and make changes that they deem fit for the specific project or requirement.

The majority of BEHR® Coatings meet the regulatory limits in South Coast Air Quality Management District (SCAQMD) Rule 1113. And, many BEHR Products have achieved GREENGUARD® Gold certification, which helps contribute points toward numerous green building rating systems, including LEED®, as well as meet or exceed Master Painters Institute (MPI) environmental and performance standards.

FINISH COATS

BEHR ULTRA® Interior Paints set a new standard for paint durability. This stain-blocking paint & primer features innovative technology to deliver superior scuff and burnish resistance that is truly durable for high-traffic areas. Available in Flat, Eggshell, Satin and Semi-Gloss finishes.

BEHR PREMIUM PLUS® Interior Paints is a line of premium interior Zero VOC*§ paints. They also have low odor and excellent touch-up properties. Available in Flat, Eggshell Satin and Semi-Gloss sheens.

BEHR PRO® i300 Interior Paints is top-line professional quality Zero VOC*§ latex paints. Available in Flat, Eggshell and Semi-Gloss finishes.

BEHR PRO® Pre-Catalyzed Waterborne Epoxy is a single-component acrylic epoxy coating designed for interior and exterior use in USDA-inspected commercial, institutional and industrial facilities. This product provides exceptional adhesion as well as resistance to abrasion, stains, and most chemicals making it ideal for high maintenance areas subject to frequent cleaning. Available in HP 140 Eggshell and HP 150 Semi-Gloss sheens.

BEHR PREMIUM® Porch & Patio Floor Paint is an interior/exterior latex paint designed to provide a durable, mildew-resistant finish that resists scuffing, fading, cracking and peeling for horizontal applications. Available in Low Lustre and Gloss sheens.

BEHR PREMIUM® Porch & Patio Anti-Slip Floor Paint is a 100% acrylic textured low-lustre enamel that is ideal for interior/exterior applications on wood and concrete porches, patios, pool decks and walkways to provide a durable, mildew-resistant finish that resists scuffing, fading, cracking and peeling for horizontal applications.

* This product, like most Zero VOC paints, emits very low amounts of VOCs.

Most emissions occur during painting and for 48 hours after. Some continue for two weeks or longer.

While VOC emissions are very low, sensitive groups such as babies and asthma/allergy sufferers should minimize exposure.

§ Zero VOC applies only to Flat, Eggshell, Satin and Semi-Gloss sheens.

BEHR PREMIUM PLUS® Exterior Paints is a line of premium exterior paints that provide a mildew-resistant finish with excellent durability and hide. These paints resist moisture, fading and staining. Available in Flat, Satin, Semi-Gloss and Hi-Gloss sheens.

BEHR PRO® e600 Exterior Paints are top-line, professional quality exterior paints that provide superior hide and coverage, excellent sprayability, and superior touch-up. Available in Flat, Low Lustre, Satin, and Semi-Gloss sheens.

BEHR PREMIUM® Exterior High Build Coating is formulated as a self-priming coating over concrete and masonry surfaces. It is a flexible, long-lasting, smooth waterproofing coating that withstands wind-driven rain up to 98 mph and may be applied directly to “HOT” masonry surfaces with pH levels up to 13. This coating also provides a breathable film that has up to 350% elongation.

BEHR PRO® Exterior Acrylic Texture Coating – Medium is specifically designed to provide a textured Flat finish on properly prepared interior and exterior above-grade surfaces. This product minimizes defects and irregularities found on concrete and masonry surfaces. It provides a mildew resistant finish on the paint film. Performance data confirms its Resistance to Wind-Driven Rain (ASTM D6904). Not for use on horizontal surfaces (floors, roofs or decks, etc.).

BEHR PREMIUM® Protector & Waterproofer is an interior/exterior water-based waterproofer formulated with silicone to penetrate into the surface to help keep water out and shield against salt damage and corrosion. This product also reduces staining caused by mold and mildew and ensures greater durability of the surface.

BEHR PREMIUM® Semi-Transparent Waterproofing Stain & Sealer is a 100% acrylic formula that seals out the elements and sun’s harmful UV rays on decks, fences and siding. It is available in a curated collection of 60 color choices designed to help create a look that is as beautiful as it is durable.

BEHR PREMIUM® Solid Color Waterproofing Stain & Sealer is a 100% acrylic formula that seals out the elements and sun’s harmful UV rays on decks, fences and siding. It forms an exceptionally durable and mildew-resistant finish that resists scuffing, cracking, peeling and blistering.

BEHR® Fast-Drying Water-Based Wood Stain is designed for easy application and workability to interior wood surfaces such as cabinets, trim, doors, paneling, furniture and floors. This product provides superior color control, one-coat coverage and lower odor than oil-based stains.

BEHR® Fast-Drying Water-Based Polyurethane is designed to provide a crystal clear, self-leveling, smooth finish that protects and beautifies interior wood. This product has less odor than oil-based finishes and resists stains and scratches. Ideal for bare or stained furniture, molding, cabinets, trim and wood doors. Available in matte, satin, semi-gloss and gloss sheens.

BEHR® Water-Based Spar Urethane is designed to provide a durable, crystal clear, protective finish for exterior and interior wood surfaces. This finish is fortified with UV inhibitors for wood exposed to direct sunlight such as handrails and doors.

MONOCHEM PERMASHIELD® 200* is an advanced two-component water-based, aliphatic polyurethane that exhibits outstanding film hardness and excellent resistance against abrasion, chemicals, stains, direct/reverse impacts and ultraviolet light. When applied with a full broadcast of silica sand #30 over concrete, the coating provides a coefficient of friction (ASTM C1028) of 0.76 (wet) and 0.89 (dry). It is low odor and low VOC. Available in matte and high gloss, and in clear or colors.

*MONOCHEM PERMASHIELD 200 is not manufactured by Behr Paint Company. It is offered as an outsourced product in the BEHR PRO® third-party product program. Behr Paint Company is an authorized Distributor for Monopole, Inc., Los Angeles, California.

PRIMERS AND SEALERS

BEHR® Drywall Plus Interior Primer & Sealer No.73 is fast-drying and seals uncoated and previously painted interior drywall, wallboard, plaster, wood and brick to promote a uniform finish for topcoats. This 100% acrylic, low VOC formula is ideal for use under lower sheen paints and has excellent hiding properties for topcoat products.

BEHR® Interior/Exterior Bonding Primer No.432 is specifically formulated to bond to a variety of ‘tough-to-paint’ surfaces. Its advanced chemistry provides a sound anchor for topcoats while reducing or potentially eliminating the need for sanding dense and glossy surfaces. This product may be used under epoxies, lacquers, products containing xylene or other hot solvents.

BEHR® Interior/Exterior Metal Primer No.435 is a rust-inhibitive primer that can be applied over clean and sound rusty metal surfaces while preventing corrosion with minimal surface preparation. This innovative water-based primer features fast dry time, low odor and easy clean-up.

BEHR® Multi-Surface Interior/Exterior Stain-Blocking Primer & Sealer No.436 blocks medium to heavy stains and has excellent adhesion to multiple substrates. It offers corrosion and rust resistant properties to ferrous and non-ferrous metals. This low VOC product also provides a high-hide, mildew-resistant primer film with quick recoat time and can be applied to masonry surfaces with a pH level up to 13.

BEHR® Acrylic-Alkyd Enamel Undercoater No.437 is a Low VOC water-based alkyd primer that has excellent tannin stain-blocking, and outstanding flow and leveling for wood. It provides great sandability and is designed for use under higher sheen paints on interior and exterior surfaces. This high-hide product also offers corrosion and rust resistant properties to properly prepared ferrous metal.

BEHR PREMIUM® Concrete & Masonry Bonding Primer No.880 is a high performance, water-based prep product designed specially to promote optimum adhesion to interior and exterior concrete and masonry surfaces.



BEHR PRO® Concrete & Masonry Primer No.PR060 is an interior/exterior acrylic primer formulated to seal above-grade concrete and masonry surfaces. It provides great adhesion and has excellent alkali and efflorescence resistance. It can be applied in temperatures down to 35°F and tolerates high pH levels (up to 13) for application to new concrete and masonry in as soon as 7 days.

GENERAL SURFACE PREPARATION

Clean surfaces of dust, dirt, oil, grease and other contaminants that may impair adhesion before application of any coatings and stains. Prepare surfaces as follows:

WOOD: Remove mill glaze and dust, sand smooth. Fill open joints, cracks, nail holes and other pits or depressions flush and smooth with wood filler after priming. Use wood putty to match finish paint coat. Touch up knots or sap streaks with a stain-blocking sealer before priming.

LAMINATE AND FIBERGLASS REINFORCED PLASTIC (FRP): Remove grease, oil and dirt to achieve a clean, dry and slightly roughened surface before priming with a water-based bonding primer to increase proper adhesion.

CONCRETE PRE-CAST CONCRETE, TILT-UP: Remove release agents, curing compounds, loose particles, efflorescence and chalk. Do not coat surfaces if moisture content or alkalinity of surface to be coated exceeds that permitted in the manufacturer's written instructions. Prime with an alkali-resistant primer.

PLASTER and STUCCO: Fill hairline cracks, small holes, and imperfections on surfaces with patching compound. Smooth off to match adjacent surfaces. Apply an alkali-resistant primer or wash with fresh water and neutralize high alkalinity surfaces where they occur.

MASONRY: Remove efflorescence and chalk. Do not coat surfaces if moisture content or alkalinity of surface to be coated exceeds that permitted in the manufacturer's written instructions. Prime with an alkali-resistant primer.

SHOP-PRIMED STEEL: Solvent clean according to SSPC-SP1. Remove loose primer, rust, contaminants and foreign matter. Prime bare steel and touch up abrasions with a ferrous metal primer.

STEEL, FERROUS METAL: Remove rust, mill scale, foreign substances and shop primer. Clean according to SSPC-SP3, "Power Tool Cleaning", or abrasive blasting cleaning according to SSPC-SP6 "Commercial Blast Cleaning" as required. Protect surface from corrosion until application of primer.

GALVANIZED METAL: Remove oils and passivators, and clean entire surface with an appropriate solvent. Pre-treat with a phosphoric acid etching solution to promote adhesion of subsequently applied coatings.

PHOSPHATIZED METAL or GALVANNEALED METAL: Shall not be chemically etched. Clean and apply suitable metal primer.

ALUMINUM: Solvent clean according to SSPC-SP1. Remove loose surface oxidation.

GYP SUM BOARD: Remove dust and foreign matter. Fill pits flush and smooth with joint compound and, where required, apply skim coat to provide the required level of finish. Apply suitable patching compound to repair gauges, holes and voids. Sand smooth and clean to a dust free surface.

WARNING If you scrape, sand or remove old paint, you may release lead dust. Lead is toxic. Exposure to lead dust can cause serious illness, such as brain damage, especially in children. Pregnant women should also avoid exposure. Wear a NIOSH-approved respirator to control lead exposure. Clean up carefully with a HEPA vacuum and a wet mop. Before you start, find out how to protect yourself and your family by contacting the National Lead Information Center at 1-800-424-LEAD or log on to www.epa.gov/lead.

PROJECT CONDITIONS FOR PAINTING EXTERIOR SURFACES

Do not apply paint or coatings when temperature is below 50°F (unless otherwise noted). Do not apply exterior paint in damp or rainy weather; ensure that the surface has dried thoroughly before proceeding. Surface temperature must be at least 5°F above dew point before painting.

INTERIOR PAINT SYSTEMS (09 91 23 INTERIOR PAINTING)

GUEST ROOMS AND SUITES

GYPSUM BOARD AND PLASTER: WALLS

Latex, High Performance Architectural, Low Odor/VOC:

Flat Finish

Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
 Two Coats: BEHR ULTRA® Interior Flat Paint (1720)

Eggshell Finish

Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
 Two Coats: BEHR ULTRA® Interior Eggshell Enamel (2750)

Latex, Institutional, Low Odor:

Eggshell Finish

Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
 Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

GYPSUM BOARD: CEILINGS

Latex, Institutional, Low Odor:

Flat Finish

Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
 Two Coats: BEHR PRO® i300 Interior Dead Flat Paint (PR310)

CONCRETE AND PRE-CAST CONCRETE: WALLS

Latex, High Performance Architectural, Low Odor/VOC:

Flat Finish

Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)
 Two Coats: BEHR ULTRA® Interior Flat Paint (1720)

Eggshell Finish

Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)
 Two Coats: BEHR ULTRA® Interior Eggshell Enamel (2750)

Latex, Institutional, Low Odor:

Eggshell Finish

Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)
 Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Satin Finish

Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)
 Two Coats: BEHR Premium Plus® Interior Satin Enamel (7050)

CONCRETE MASONRY UNITS CMU: WALLS

Latex, High Performance Architectural, Low Odor/VOC:

Flat Finish

Primer: BEHR PRO® Block Filler and Primer (PR050)
 Two Coats: BEHR ULTRA® Interior Flat Paint (1720)



Eggshell Finish

Primer: BEHR PRO® Block Filler and Primer (PR050)
 Two Coats: BEHR ULTRA® Interior Eggshell Enamel (2750)

Latex, Institutional, Low Odor:

Eggshell Finish

Primer: BEHR PRO® Block Filler and Primer (PR050)
 Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Satin Finish

Primer: BEHR PRO® Block Filler and Primer (PR050)
 Two Coats: BEHR Premium Plus® Interior Satin Enamel (7050)

WOOD OPAQUE: PRE-PRIMED AND PAINTED DOORS, DOOR FRAMES, TRIM, BASE, AND WOODWORK

Latex, High Performance Architectural, Low Odor/VOC:

Semi-Gloss Finish

Primer: BEHR® Acrylic-Alkyd Enamel Undercoater (437)
 Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor:

Satin Finish

Primer: BEHR® Acrylic-Alkyd Enamel Undercoater (437)
 Two Coats: BEHR Premium Plus® Interior Satin Enamel (7050)

Semi-Gloss Finish

Primer: BEHR® Acrylic-Alkyd Enamel Undercoater (437)
 Two Coats: BEHR Premium Plus® Interior Semi-Gloss Enamel (3050)

Semi-Gloss Finish

Primer: BEHR® Acrylic-Alkyd Enamel Undercoater (437)
 Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

LAMINATE AND FIBERGLASS REINFORCED PLASTIC (FRP)

Latex, High Performance Architectural, Low Odor/VOC:

Semi-Gloss Finish

Primer: BEHR® Interior /Exterior Bonding Primer (432)
 Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

High Performance, Epoxy, Pre-Catalyzed, Waterborne: Low Odor/VOC:

Semi-Gloss Finish

Primer: BEHR® Interior/Exterior Bonding Primer (432)
 Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Latex, Institutional, Low Odor:

Semi-Gloss Finish

Primer: BEHR® Interior/Exterior Bonding Primer (432)
 Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

STEEL AND IRON METAL: DOORS, DOOR FRAMES, AND MISCELLANEOUS FERROUS METAL

Light Industrial Coating: Low Odor/VOC:

Semi-Gloss Finish

Primer: BEHR® Interior/Exterior Metal Primer (435)
 Two Coats: BEHR PREMIUM® Direct-To-Metal Semi-Gloss Paint (3200)



High Performance, Epoxy, Pre-Catalyzed, Waterborne: Low Odor/VOC:

Semi-Gloss Finish

Primer: BEHR® Interior/Exterior Metal Primer (435)
Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Latex, Institutional, Low Odor:

Semi-Gloss Finish

Primer: BEHR® Interior/Exterior Metal Primer (435)
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

GALVANIZED-METAL: ALUMINUM, AND MISCELLANEOUS NON-FERROUS METALS

Light Industrial Coating: Low Odor/ VOC:

Eggshell Finish

Primer: BEHR® Interior/Exterior Metal Primer (435)
Two Coats: BEHR PREMIUM® Direct-To-Metal Eggshell Paint (7200)

Semi-Gloss Finish

Primer: BEHR® Interior/Exterior Metal Primer (435)
Two Coats: BEHR PREMIUM® Direct-To-Metal Semi-Gloss Paint (3200)

ANODIZED ALUMINUM:

Light Industrial Coating: Low Odor/ VOC:

Eggshell Finish

Primer: BEHR® Interior/Exterior Bonding Primer (432)
Two Coats: BEHR PREMIUM® Direct-To-Metal Eggshell Paint (7200)

Semi-Gloss Finish

Primer: BEHR® Interior/Exterior Bonding Primer (432)
Two Coats: BEHR PREMIUM® Direct-To-Metal Semi-Gloss Paint (3200)

High Performance, Epoxy, Pre-Catalyzed, Waterborne: Low Odor/VOC:

Eggshell Finish

Primer: BEHR® Interior/Exterior Bonding Primer (432)
Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

Semi-Gloss Finish

Primer: BEHR® Interior/Exterior Bonding Primer (432)
Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

GUEST BATHROOMS

GYPSUM BOARD AND PLASTER: WALLS

Latex, High Performance Architectural, Low Odor/VOC:

Eggshell Finish

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR ULTRA® Interior Eggshell Enamel (2750)

Semi-Gloss Finish

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor:

Eggshell Finish

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Semi-Gloss Finish

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

GYPSUM BOARD: CEILINGS

Eggshell Finish

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Latex, Institutional, Low Odor:

Semi-Gloss Finish

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

CONCRETE AND PRE-CAST CONCRETE: WALLS

Latex, High Performance Architectural, Low Odor/VOC:

Semi-Gloss Finish

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)
- Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor:

Semi-Gloss Finish

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)
- Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

CONCRETE MASONRY UNITS CMU: WALLS

Latex, High Performance Architectural, Low Odor/VOC:

Semi-Gloss Finish

- Primer: BEHR PRO® Block Filler and Primer (PR050)
- Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)



Latex, Institutional, Low Odor:

Semi-Gloss Finish

Primer: BEHR PRO® Block Filler and Primer (PR050)
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

WOOD OPAQUE: PRE-PRIMED AND PAINTED DOORS, DOOR FRAMES, TRIM, BASE, AND WOODWORK

Latex, High Performance Architectural, Low Odor/VOC:

Semi-Gloss Finish

Primer: BEHR® Acrylic-Alkyd Enamel Undercoater (437)
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor:

Semi-Gloss Finish

Primer: BEHR® Acrylic-Alkyd Enamel Undercoater (437)
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

LAMINATE AND FIBERGLASS REINFORCED PLASTIC (FRP)

Latex, High Performance Architectural, Low Odor/VOC:

Semi-Gloss Finish

Primer: BEHR® Interior /Exterior Bonding Primer (432)
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor:

Semi-Gloss Finish

Primer: BEHR® Interior/Exterior Bonding Primer (432)
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

STEEL AND IRON METAL: DOORS, DOOR FRAMES, AND MISCELLANEOUS FERROUS METAL

Latex, High Performance Architectural, Low Odor/VOC:

Semi-Gloss Finish

Primer: BEHR® Interior/Exterior Metal Primer (435)
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

Light Industrial Coating: Low Odor/VOC:

Semi-Gloss Finish

Primer: BEHR® Interior/Exterior Metal Primer (435)
Two Coats: BEHR PREMIUM® Direct-To-Metal Semi-Gloss Paint (3200)

Latex, Institutional, Low Odor:

Semi-Gloss Finish

Primer: BEHR® Interior/Exterior Metal Primer (435)
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)



LOBBY AND COMMON AREAS

GYPSUM BOARD: WALLS

Latex, High Performance Architectural, Low Odor/VOC:

Flat Finish

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR ULTRA® Interior Flat Paint (1720)

Eggshell Finish

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR ULTRA® Interior Eggshell Enamel (2750)

Latex, Institutional, Low Odor:

Eggshell Finish

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

GYPSUM BOARD: CEILINGS

Latex, Institutional, Low Odor:

Flat Finish

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR PRO® i300 Interior Dead Flat Paint (PR310)

CONCRETE AND PRE- CAST CONCRETE: WALLS

Latex, High Performance Architectural, Low Odor/VOC:

Flat Finish

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)
- Two Coats: BEHR ULTRA® Interior Flat Paint (1720)

Eggshell Finish

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)
- Two Coats: BEHR ULTRA® Interior Eggshell Enamel (2750)

Latex, Institutional, Low Odor:

Eggshell Finish

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)
- Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

CONCRETE MASONRY UNITS CMU: WALLS

Latex, High Performance Architectural, Low Odor/VOC:

Flat Finish

- Primer: BEHR PRO® Block Filler and Primer (PR050)
- Two Coats: BEHR ULTRA® Interior Flat Paint (1720)

Eggshell Finish

- Primer: BEHR PRO® Block Filler and Primer (PR050)
- Two Coats: BEHR ULTRA® Interior Eggshell Enamel (2750)

Latex, Institutional, Low Odor:

Eggshell Finish

- Primer: BEHR PRO® Block Filler and Primer (PR050)
- Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)



CORRIDORS AND HALLWAYS

GYPSUM BOARD AND PLASTER: WALLS

Latex, High Performance Architectural, Low Odor/VOC:

Flat Finish

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR ULTRA® Interior Flat Paint (1720)

Eggshell Finish

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR ULTRA® Interior Eggshell Enamel (2750)

Semi-Gloss Finish

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor:

Eggshell Finish

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Semi-Gloss Finish

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

GYPSUM BOARD: CEILINGS

Latex, Institutional, Low Odor:

Flat Finish

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR PRO® i300 Interior Flat Paint (PR310)

CONCRETE AND PRE-CAST CONCRETE: WALLS

Latex, High Performance Architectural, Low Odor/VOC:

Flat Finish

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)
- Two Coats: BEHR ULTRA® Interior Flat Paint (1720)

Eggshell Finish

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)
- Two Coats: BEHR ULTRA® Interior Eggshell Enamel (2750)

Semi-Gloss Finish

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)
- Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor:

Eggshell Finish

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)
- Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Semi-Gloss Finish

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)
- Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)



CONCRETE MASONRY UNITS CMU: WALLS

Latex, High Performance Architectural, Low Odor/VOC:

Eggshell Finish

- Primer: BEHR PRO® Block Filler Primer (PR050)
- Two Coats: BEHR ULTRA® Interior Eggshell Enamel (2750)

Semi-Gloss Finish

- Primer: BEHR PRO® Block Filler and Primer (PR050)
- Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor:

Eggshell Finish

- Primer: BEHR PRO® Block Filler and Primer (PR050)
- Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Semi-Gloss Finish

- Primer: BEHR PRO® Block Filler and Primer (PR050)
- Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

WOOD OPAQUE: PRE-PRIMED AND PAINTED DOORS, DOOR FRAMES, TRIM, BASE, AND WOODWORK

Latex, High Performance Architectural, Low Odor/VOC:

Semi-Gloss Finish

- Primer: BEHR® Acrylic-Alkyd Enamel Undercoater (437)
- Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor:

Satin Finish

- Primer: BEHR® Acrylic-Alkyd Enamel Undercoater (437)
- Two Coats: BEHR Premium Plus® Interior Satin Enamel (7050)

Semi-Gloss Finish

- Primer: BEHR® Acrylic-Alkyd Enamel Undercoater (437)
- Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

STEEL AND IRON METAL: DOORS, DOOR FRAMES, AND MISCELLANEOUS FERROUS METAL

Light Industrial Coating: Low Odor/VOC:

Eggshell Finish

- Primer: BEHR® Interior/Exterior Metal Primer (435)
- Two Coats: BEHR PREMIUM® Direct-To-Metal Eggshell Paint (7200)

Semi-Gloss Finish

- Primer: BEHR® Interior/Exterior Metal Primer (435)
- Two Coats: BEHR PREMIUM® Direct-To-Metal Semi-Gloss Paint (3200)

Latex, Institutional, Low Odor:

Semi-Gloss Finish

- Primer: BEHR® Interior/Exterior Metal Primer (435)
- Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)



GALVANIZED-METAL: ALUMINUM, AND MISCELLANEOUS NON-FERROUS METALS

Light Industrial Coating: Low Odor/VOC:

Eggshell Finish

- Primer: BEHR® Interior/Exterior Metal Primer (435)
- Two Coats: BEHR PREMIUM® Direct-To-Metal Eggshell Paint (7200)

Semi-Gloss Finish

- Primer: BEHR® Interior/Exterior Metal Primer (435)
- Two Coats: BEHR PREMIUM® Direct-To-Metal Semi-Gloss Paint (3200)

BALLROOMS, CONFERENCE AND MEETING ROOMS

GYPSUM BOARD: WALLS

Latex, High Performance Architectural, Low Odor/VOC:

Flat Finish

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR ULTRA® Interior Flat Paint (1720)

Eggshell Finish

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR ULTRA® Interior Eggshell Enamel (2750)

Latex, Institutional, Low Odor:

Eggshell Finish

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

GYPSUM BOARD – CEILINGS

Latex, Institutional, Low Odor:

Flat Finish

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR PRO® i300 Interior Dead Flat Paint (PR310)

CONCRETE AND PRE-CAST CONCRETE: WALLS

Latex, High Performance Architectural, Low Odor/VOC:

Flat Finish

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)
- Two Coats: BEHR ULTRA® Interior Flat Paint (1720)

Eggshell Finish

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)
- Two Coats: BEHR ULTRA® Interior Eggshell Enamel (2750)

Latex, Institutional, Low Odor:

Eggshell Finish

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)
- Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)



FERROUS METAL – DOORS, DOOR FRAMES, HAND RAIL AND MISCELLANEOUS METALS

Light Industrial Coating: Low Odor/VOC:

Semi-Gloss Finish

- Primer: BEHR® Interior/Exterior Metal Primer (435)
- Two Coats: BEHR PREMIUM® Direct-To-Metal Semi-Gloss Paint (3200)

Latex, Institutional, Low Odor/VOC Finish:

Semi-Gloss Finish

- First Coat: BEHR® Interior/Exterior Metal Primer (435)
- Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

ANODIZED ALUMINUM:

Light Industrial Coating: Low VOC:

Eggshell Finish

- First Coat: BEHR® Interior/Exterior Bonding Primer (432)
- Two Coats: BEHR PREMIUM® Direct-To-Metal Eggshell Paint (7200)

Semi-Gloss Finish

- First Coat: BEHR® Interior/Exterior Bonding Primer (432)
- Two Coats: BEHR PREMIUM® Direct-To-Metal Semi-Gloss Paint (3200)

High Performance, Epoxy, Pre-Catalyzed, Waterborne: Low VOC:

Eggshell Finish

- First Coat: BEHR® Interior/Exterior Bonding Primer (432)
- Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

Semi-Gloss Finish

- First Coat: BEHR® Interior/Exterior Bonding Primer (432)
- Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

CONFERENCE CENTER BATHROOMS

GYPSUM BOARD: WALLS

Latex, High Performance Architectural, Low Odor/VOC:

Eggshell Finish

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR ULTRA® Interior Eggshell Enamel (2750)

Semi-Gloss Finish

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor:

Eggshell Finish

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Semi-Gloss Finish

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)



GYPSUM BOARD: CEILINGS

Latex, Institutional, Low Odor:

Eggshell Finish

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Semi-Gloss Finish

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

CONCRETE AND PRE- CAST CONCRETE: WALLS

Latex, High Performance Architectural, Low Odor/VOC:

Eggshell Finish

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)
- Two Coats: BEHR ULTRA® Interior Eggshell Enamel (2750)

Semi-Gloss Finish

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)
- Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor:

Eggshell Finish

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)
- Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Semi-Gloss Finish

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)
- Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

CONCRETE MASONRY UNITS CMU: WALLS

Latex, High Performance Architectural, Low Odor/VOC:

Eggshell Finish

- Primer: BEHR PRO® Block Filler and Primer (PR050)
- Two Coats: BEHR ULTRA® Interior Eggshell Enamel (2750)

Semi-Gloss Finish

- Primer: BEHR PRO® Block Filler and Primer (PR050)
- Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor:

Eggshell Finish

- Primer: BEHR PRO® Block Filler and Primer (PR050)
- Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Semi-Gloss Finish

- Primer: BEHR PRO® Block Filler and Primer (PR050)
- Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

WOOD OPAQUE: PRE-PRIMED AND PAINTED DOORS, DOOR FRAMES, TRIM, BASE, AND WOODWORK

Latex, High Performance Architectural, Low Odor/VOC:

Semi-Gloss Finish

- Primer: BEHR® Acrylic-Alkyd Enamel Undercoater (437)
- Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)



Latex, Institutional, Low Odor:

Semi-Gloss Finish

Primer: BEHR® Acrylic-Alkyd Enamel Undercoater (437)
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

STEEL AND IRON METAL: DOORS, DOOR FRAMES, AND MISCELLANEOUS FERROUS METAL

Light Industrial Coating: Low Odor/VOC:

Semi-Gloss Finish

Primer: BEHR® Interior/Exterior Metal Primer (435)
Two Coats: BEHR PREMIUM® Direct-To-Metal Semi-Gloss Paint (3200)

Latex, Institutional, Low Odor:

Semi-Gloss Finish

Primer: BEHR® Interior/Exterior Metal Primer (435)
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

RESTAURANTS, BARS AND LOUNGES

GYPSUM BOARD: WALLS

Latex, High Performance Architectural, Low Odor/VOC:

Eggshell Finish

Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
Two Coats: BEHR ULTRA® Interior Eggshell Enamel (2750)

Semi-Gloss Finish

Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor:

Eggshell Finish

Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Semi-Gloss Finish

Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Waterborne Epoxy, High Performance Architectural: (Wet Areas)

Eggshell Finish

Primer: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)
Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

Semi-Gloss Finish

Primer: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)
Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

GYPSUM BOARD: CEILINGS

Latex, Institutional, Low Odor: (Wet Areas)

Eggshell Finish

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Semi-Gloss Finish

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Waterborne Epoxy, High Performance Architectural: (Wet Areas)

Eggshell Finish

- Primer: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)
- Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

Waterborne Epoxy, High Performance Architectural: (Wet Areas)

Semi-Gloss Finish

- Primer: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)
- Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

CONCRETE AND PRE-CAST CONCRETE – WALLS

Latex, High Performance Architectural, Low Odor/VOC:

Eggshell Finish

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)
- Two Coats: BEHR ULTRA® Interior Eggshell Enamel (2750)

Semi-Gloss Finish

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)
- Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor/VOC:

Eggshell Finish

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)
- Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Semi-Gloss Finish

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)
- Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Waterborne Epoxy, High Performance Architectural: (Wet Areas)

Semi-Gloss Finish

- Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)
- Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

CONCRETE MASONRY UNITS (CMU) – WALLS

Latex, High Performance Architectural, Low Odor/VOC:

Eggshell Finish

- Primer: BEHR PRO® Block Filler Primer (PR050)
- Two Coats: BEHR ULTRA® Interior Eggshell Enamel (2750)

Semi-Gloss Finish

- Primer: BEHR PRO® Block Filler Primer (PR050)
- Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)



Latex, Institutional, Low Odor:

Semi-Gloss Finish

Primer: BEHR PRO® Block Filler Primer (PR050)
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Waterborne Epoxy, High Performance Architectural: (Wet Areas)

Semi-Gloss Finish

Primer: BEHR PRO® Block Filler Primer (PR050)
Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

WOOD – UNPAINTED AND PAINTED DOORS, DOOR FRAMES, TRIM AND WOODWORK

Latex, High Performance Architectural, Low Odor/VOC:

Semi-Gloss Finish

Primer: BEHR® Acrylic-Alkyd Enamel Undercoater (437)
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor:

Semi-Gloss Finish

Primer: BEHR® Acrylic-Alkyd Enamel Undercoater (437)
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

FERROUS AND NON-FERROUS METAL – DOORS, DOOR FRAMES, HANDRAILS, MISCELLANEOUS METAL

Latex, High Performance Architectural, Low Odor/VOC:

Semi-Gloss Finish

Primer: BEHR® Acrylic-Alkyd Enamel Undercoater (437)
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

Light Industrial Coating:

Semi-Gloss Finish

Primer: BEHR® Interior/Exterior Metal Primer (435)
Two Coats: BEHR PREMIUM® Direct-To-Metal Semi-Gloss Paint (3200)

Latex, Institutional, Low Odor/VOC:

Semi-Gloss Finish

Primer: BEHR® Interior/Exterior Metal Primer (435)
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

HOTEL KITCHEN

GYPSUM BOARD: WALLS

Latex, High Performance Architectural, Low Odor/VOC:

Eggshell Finish

Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
Two Coats: BEHR ULTRA® Interior Eggshell Enamel (2750)

Semi-Gloss Finish

Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)



Latex, Institutional, Low Odor:

Semi-Gloss Finish

Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

GYPSUM BOARD: CEILINGS

Waterborne Epoxy, High Performance Architectural: (Wet Areas)

Semi-Gloss Finish

Primer: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)
Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Latex, Institutional, Low Odor:

Semi-Gloss Finish

Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

CONCRETE AND PRE-CAST CONCRETE – WALLS

Latex, High Performance Architectural, Low Odor/VOC:

Semi-Gloss Finish

Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor/VOC:

Semi-Gloss Finish

Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Waterborne Epoxy, High Performance Architectural: (Wet Areas)

Semi-Gloss Finish

Primer: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)
Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

CONCRETE MASONRY UNITS (CMU) – WALLS

Latex, High Performance Architectural, Low Odor/VOC:

Semi-Gloss Finish

Primer: BEHR PRO® Block Filler Primer (PR050)
Two Coats: BEHR ULTRA® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor:

Semi-Gloss Finish

Primer: BEHR PRO® Block Filler Primer (PR050)
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Waterborne Epoxy, High Performance Architectural: (Wet Areas)

Semi-Gloss Finish

Primer: BEHR PRO® Block Filler Primer (PR050)
Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)



STEEL AND IRON METAL: DOORS, DOOR FRAMES, AND MISCELLANEOUS FERROUS METAL

Light Industrial Coating: Low Odor/VOC:

Semi-Gloss Finish

- Primer: BEHR® Interior/Exterior Metal Primer (435)
- Two Coats: BEHR PREMIUM® Direct-To-Metal Semi-Gloss Paint (3200)

Latex, Institutional, Low Odor:

Semi-Gloss Finish

- Primer: BEHR® Interior/Exterior Metal Primer (435)
- Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

FITNESS CENTER FACILITY AND INDOOR POOL AREA

GYPSUM BOARD – WALLS (WET AREAS, NOT SHOWERS)

High Performance Architectural: Low Odor/VOC: (Wet Areas)

Eggshell Finish: Waterborne Epoxy

- Primer: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)
- Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

Semi-Gloss Finish: Waterborne Epoxy

- Primer: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)
- Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

GYPSUM BOARD – CEILINGS (WET AREAS, NOT SHOWERS)

High Performance Architectural: Low Odor/VOC: (Wet Areas)

Eggshell Finish: Waterborne Epoxy

- Primer: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)
- Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

Semi-Gloss Finish: Waterborne Epoxy

- Primer: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)
- Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Latex, Institutional, Low Odor:

Eggshell Finish

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Semi-Gloss Finish

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

CONCRETE AND PRE-CAST CONCRETE – WALLS (WET AREAS, NOT SHOWERS)

High Performance Architectural, Low Odor/VOC: (Wet Areas)

Eggshell Finish: Waterborne Epoxy

- Primer: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)
- Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

Semi-Gloss Finish: Waterborne Epoxy

- Primer: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)
- Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)



Latex, Institutional, Low Odor:

Semi-Gloss Finish

Primer: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)

Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

CONCRETE MASONRY UNITS – WALLS (WET AREAS, NOT SHOWERS)

High Performance Architectural, Low Odor/VOC: (Wet Areas)

Eggshell Finish: Waterborne Epoxy

Primer: BEHR PRO® Block Filler Primer (PR050)

Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

Semi-Gloss Finish: Waterborne Epoxy

Primer: BEHR PRO® Block Filler Primer (PR050)

Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

GYPSUM BOARD – CEILINGS

Latex, Institutional, Low Odor:

Flat Finish

Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)

Two Coats: BEHR PRO® i300 Interior Dead Flat Paint (PR310)

High Performance Architectural, Low Odor/VOC: (Pool Areas)

Eggshell Finish: Waterborne Epoxy

Primer: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)

Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

Semi-Gloss Finish: Waterborne Epoxy

Primer: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)

Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

CONCRETE FLOORS: PAINTED, LIGHT DUTY FOOT TRAFFIC

CONCRETE, NEW OR EXISTING PAINTED SURFACES

Smooth, Water-Based: Low Odor/ VOC Coating:

Low-Lustre Finish

First Coat: BEHR® Concrete & Masonry Bonding Primer (880)

Two Coats: BEHR® Porch & Patio Low-Lustre Paint (6050)

CONCRETE, NEW OR EXISTING PAINTED SURFACES

Anti-Slip, Water-Based, Low Odor/ VOC Coating:

Low-Lustre Finish

First Coat: BEHR® Concrete & Masonry Bonding Primer (880)

Two Coats: BEHR® Porch & Patio Anti-Slip Textured Low-Lustre Paint (6250)



CONCRETE FLOORS: PAINTED, MEDIUM - HEAVY TRAFFIC (CORRIDORS, CAFETERIA, KITCHEN, LABS, RESTROOMS)

CONCRETE: PREVIOUSLY PAINTED

Water-Based, Catalyzed Aliphatic Polyurethane Coating: Low Odor/VOC:

High Gloss Finish

- First Coat: Monochem Permashield® 200 2K Water-Based Aliphatic Polyurethane (5360)
- Second Coat: Monochem Permashield® 200 2K Water-Based Aliphatic Polyurethane (5360)
- Third Coat: Monochem Permashield® 200 2K Water-Based Aliphatic Polyurethane (5360)

Matte Finish

- First Coat: Monochem Permashield® 200 2K Water-Based Aliphatic Polyurethane (5365)
- Second Coat: Monochem Permashield® 200 2K Water-Based Aliphatic Polyurethane (5365)
- Third Coat: Monochem Permashield® 200 2K Water-Based Aliphatic Polyurethane (5365)

CONCRETE: NOT PAINTED

Water-Based, Catalyzed Aliphatic Polyurethane Coating:

High Gloss Finish

- First Coat: Monochem 21 Epoxy Primer (2121)
- Second Coat: Monochem Permashield® 200 2K Water-Based Aliphatic Polyurethane (5360)
- Third Coat: Monochem Permashield® 200 2K Water-Based Aliphatic Polyurethane (5360)

Matte Finish

- First Coat: Monochem 21 Epoxy Primer (2121)
- Second Coat: Monochem Permashield® 200 2K Water-Based Aliphatic Polyurethane (5365)
- Third Coat: Monochem Permashield® 200 2K Water-Based Aliphatic Polyurethane (5365)

WOOD: INTERIOR STAINED AND TRANSPARENT FINISHES

Wood: Water-Based Polyurethane over Water-Based Stain

- Stain Coat: BEHR® Fast Drying Water – Based Wood Stain (B4500)
- Three Coats: BEHR® Fast Drying Water – Based Polyurethane
 - a. BEHR® Fast Drying Water-Based Polyurethane Matte (B8106)
 - b. BEHR® Fast Drying Water-Based Polyurethane Satin (B8100)
 - c. BEHR® Fast Drying Water-Based Polyurethane Semi-Gloss (B8102)
 - d. BEHR® Fast Drying Water-Based Polyurethane Semi-Gloss (B8104)

WOOD: INTERIOR CLEAR TRANSPARENT FINISHES

Wood: Water-Based Polyurethane over Water-Based Stain

- Three Coats: BEHR® Fast Drying Water – Based Polyurethane
 - a. BEHR® Fast Drying Water-Based Polyurethane Matte (B8106)
 - b. BEHR® Fast Drying Water-Based Polyurethane Satin (B8100)
 - c. BEHR® Fast Drying Water-Based Polyurethane Semi-Gloss (B8102)
 - d. BEHR® Fast Drying Water-Based Polyurethane Semi-Gloss (B8104)



EXTERIOR PAINT SYSTEMS (09 91 23 EXTERIOR PAINTING)

CONCRETE

PRECAST, POURED IN PLACE AND TILT-UP CONCRETE – WALLS

Flat Finish

Primer: BEHR PRO® Concrete & Masonry Primer (PR060)
 Two Coats: BEHR PRO® e600 Exterior Flat Paint (PR610)

Satin Finish

Primer: BEHR PRO® Concrete & Masonry Primer (PR060)
 Two Coats: BEHR PRO® e600 Exterior Satin Paint (PR640)

Semi-Gloss Finish

Primer: BEHR PRO® Concrete & Masonry Primer (PR060)
 Two Coats: BEHR PRO® e600 Exterior Semi-Gloss Paint (PR670)

High Build Waterproofing Coating

Flat Finish

First Coat: BEHR PRO® Concrete & Masonry Primer (PR060)
 Two Coats: BEHR® Exterior High Build Coating (4700)

STUCCO AND CEMENT PLASTER

STUCCO, EIFS AND CEMENT PLASTER – WALLS

Flat Finish

Primer: BEHR PRO® Concrete & Masonry Primer (PR060)
 Two Coats: BEHR PRO® e600 Exterior Flat Paint (PR610)

Satin Finish

Primer: BEHR PRO® Concrete & Masonry Primer (PR060)
 Two Coats: BEHR PRO® e600 Exterior Satin Paint (PR640)

Semi-Gloss Finish

Primer: BEHR PRO® Concrete & Masonry Primer (PR060)
 Two Coats: BEHR PRO® e600 Exterior Semi-Gloss Paint (PR670)

HIGH BUILD WATERPROOFING COATING

Flat Finish

First Coat: BEHR PRO® Concrete & Masonry Primer (PR060)
 Two Coats: BEHR® Exterior High Build Coating (4700)

FIBER CEMENT: PRE-PRIMED

FIBER CEMENT – WALLS

Flat Finish

Primer: BEHR PRO® Concrete & Masonry Primer (PR060)
 Two Coats: BEHR PRO® e600 Exterior Flat Paint (PR610)

Satin Finish

Primer: BEHR PRO® Concrete & Masonry Primer (PR060)
 Two Coats: BEHR PRO® e600 Exterior Satin Paint (PR640)

Semi-Gloss Finish

Primer: BEHR PRO® Concrete & Masonry Primer (PR060)
 Two Coats: BEHR PRO® e600 Exterior Semi-Gloss Paint (PR670)

CONCRETE MASONRY UNITS (CMU)

CONCRETE BLOCK AND CINDER BLOCK – WALLS

Flat Finish

Primer: BEHR PRO® Block Filler Primer (PR050)
 Two Coats: BEHR PRO® e600 Exterior Flat Paint (PR610)

Satin Finish

Primer: BEHR PRO® Block Filler Primer (PR050)
 Two Coats: BEHR PRO® e600 Exterior Satin Paint (PR640)

Semi-Gloss Finish

First Coat: BEHR PRO® Block Filler Primer (PR050)
 Two Coats: BEHR PRO® e600 Exterior Semi-Gloss Paint (PR670)

CONCRETE, UNFINISHED DECKS, STONE AND BRICK

EXTERIOR CONCRETE: HORIZONTAL AND VERTICAL SURFACES

Clear, Water-Based Sealer and Waterproofer:

Finish Coat: BEHR PREMIUM® Concrete & Masonry Protector & Waterproofer (980)

WOOD: EXTERIOR STAINED AND TRANSPARENT FINISHES

WOOD: WATER-BASED SPAR URETHANE OVER WATER-BASED STAIN

(Not recommended for use on exterior wood siding, decks and stairs.)

Stain Coat: BEHR PREMIUM® Fast Drying Water-Based Wood Stain (4500)
 Three Coats:

- a. BEHR PREMIUM® Water-Based Spar Urethane Satin (B8200)
- b. BEHR PREMIUM® Water-Based Spar Urethane Semi-Gloss (B8202)
- c. BEHR PREMIUM® Water-Based Spar Urethane Gloss (B8204)

WOOD: EXTERIOR CLEAR TRANSPARENT FINISHES

WOOD: WATER-BASED SPAR URETHANE

(Not recommended for use on exterior wood siding, decks and stairs.)

Three Coats:

- a. BEHR PREMIUM® Water-Based Spar Urethane Satin (B8200)
- b. BEHR PREMIUM® Water-Based Spar Urethane Semi-Gloss (B8202)
- c. BEHR PREMIUM® Water-Based Spar Urethane Gloss (B8204)

WOOD

WOOD AND WOOD COMPOSITES: PAINTED

Flat Finish

First Coat: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)

Two Coats: BEHR PRO® e600 Exterior Flat Paint (PR610)

Satin Finish

First Coat: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)

Two Coats: BEHR PRO® e600 Exterior Flat Paint (PR610)

Semi-Gloss Finish

First Coat: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)

Two Coats: BEHR PRO® e600 Exterior Flat Paint (PR610)

FERROUS METAL: STEEL AND WROUGHT IRON

Eggshell Finish – Light Industrial Coating

First Coat: BEHR® Interior/Exterior Metal Primer (435)

Two Coats: BEHR PRO® e600 Exterior Flat Paint (PR610)

Semi-Gloss Finish – Light Industrial Coating

First Coat: BEHR® Interior/Exterior Metal Primer (435)

Two Coats: BEHR PRO® e600 Exterior Flat Paint (PR610)

NON-FERROUS METAL: GALVANIZED METAL, ALUMINUM AND BRASS

Eggshell Finish – Light Industrial Coating

First Coat: BEHR® Interior/Exterior Metal Primer (435)

Two Coats: BEHR PRO® e600 Exterior Flat Paint (PR610)

Semi-Gloss Finish – Light Industrial Coating

First Coat: BEHR® Interior/Exterior Metal Primer (435)

Two Coats: BEHR PRO® e600 Exterior Flat Paint (PR610)